

**Procedure to Participate in Tender**

Tender Enquiry No- TPSODL/OT/2021-22/084

26.01.2022

Tender Enquiry No.	Work Description	EMD (Rs.)	Tender Fee (Rs.)	Last Date and Time for payment of Tender Fee
NIT Number: TPSODL/OT/20 21-22/084	Rate Contract for Supply of 33kV & 12kV, 10KA Lightening Arrester (LA) at TPSODL	50,000	5,000	11.02.2022, 18:00Hrs

**Please note that corresponding details mentioned in this document will supersede any other details mentioned anywhere else in the Tender Document.**

**Procedure to Participate in Tender.**

Following steps to be done before “Last date and time for Payment of Tender Fee” as mentioned above:

1. Eligible and Interested Bidders to submit duly signed and stamped letter on Bidder's letter head indicating
  - a. Tender Enquiry number
  - b. Name of authorized person
  - c. Contact number
  - d. E-mail id
  - e. Details of submission of Tender Fee
  - f. GST Registration No
2. Non-Refundable Tender Fee, as indicated in table above, to be submitted in the form of Direct Deposit in the following bank account and submit the receipt along with a covering letter clearly indicating the Tender Reference/ Enquiry Number –

Beneficiary Name – TP Southern Odisha Distribution Limited

Bank Name – Union Bank of India

Branch Name – Kamapalli Branch, Berhampur.

Account Type – TPSODL Corporate Expenditure Account.

Account No – 625901010050070

IFSC Code – UBIN0562599

E-mail with necessary attachment of 1 and 2 above to be sent to binayabrata.mahapatra@tpsouthernodisha.com with copy to Netaji.Subudhi@tpsouthernodisha.com before last date and time for payment of Tender Fee.

Interested bidders to submit Tender Fee and Authorization Letter before Last date and time as indicated above, after which link from TPSODL E-Tender system (Ariba) will be shared for further communication and bid submission.

**NIT No.: TPSODL/OT/2021-22/084**

Please note all future correspondence regarding the tender, bid submission, bid submission date extension, Pre-bid query etc will happen only through TPSODL E-Tender system (Ariba). User manual to guide the bidders to submit the bid through E-Tender system (Ariba) is also enclosed.

No e-mail or verbal correspondence will be responded. All communication will be done strictly with the bidders who have done the above step to participate in the Tender.

Also it may be strictly noted that once date of “Last date and time for Payment of Tender Participation Fee” is lapsed no Bidder will be sent link from TPSODL E-Tender System (Ariba). Without this link vendor will not be able to participate in the tender. Any last moment request to participate in tender will not be entertained.

Any payment of Tender Fee / EMD by Bidder who have not done the prerequisite will not be refunded.

Also all future corrigendum to the said tender will be informed on Tender section on website <https://www.tpsouthernodisha.com/archivetenders.html>

CONFIDENTIAL



NIT No.: TPSODL/OT/2021-22/084

## Open Tender Notification

For

**Rate Contract for Supply of 33kV & 12kV, 10KA Lightening Arrester (LA) at TPSODL**

Tender Enquiry No.: TPSODL/OT/2021-22/084

Due Date for Bid Submission: 16.02.2022; 17:00 Hours

CONFIDENTIAL

**TP SOUTHERN ODISHA DISTRIBUTION LIMITED**  
(A Tata Power and Odisha Government Joint Venture)  
Procurement & Stores Department  
Corporate office: Kamapalli, Courtpetta, Berhampur, Ganjam, Odisha, India -760 004

### CONTENTS OF THE ENQUIRY

S. NO.	PARTICULARS
1.	Event Information
2.	Evaluation Criteria
3.	Submission of Bid Documents
4.	Bid Opening & Evaluation process
5.	Award Decision
6.	Order of Preference/Contradiction
7.	Post Award Contract Administration
8.	Specifications and Standards
9.	General Conditions of Contract
10.	Safety
Annexures	
I.	Annexure I – Schedule of Items
II.	Annexure II – Technical Specification
III.	Annexure III – Schedule of Deviations
IV.	Annexure IV – Schedule of Commercial Specifications
V.	Annexure V – Document Check List
VI.	Annexure VI – Acceptance Form for Participation in Reverse Auction Event
VII.	Annexure VII – General Condition of Contract
VIII.	Annexure VIII – Safety Policy and Safety Terms and Conditions
IX.	Annexure IX – Tata Code of Conduct (TCoC)
X.	Annexure X - Environment & Sustainability Policy



## 1.0 Event Information

### 1.1 Scope of work

Open Tenders are invited through e-tender bidding process from interested Bidders for entering into a Rate Contracts valid for a period of 1 Year as defined below:

Tender Enquiry No.	Work Description	EMD (Rs.)	Tender Fee (Rs.)	Last Date and Time for payment of Tender Fee
NITNumber: TPSODL/OT/2021-22/084	Rate Contract for Supply of 33kV & 12kV, 10KA Lightening Arrester (LA) at TPSODL	50,000	5,000	11.02.2022, 18:00Hrs

Note: Tender Fee is inclusive of GST

### 1.2 Availability of Tender Documents

Please refer "Procedure to participate in the e-tender".

### 1.3 Calendar of Events

(a)	Last Date of receipt of Tender Fee	11.02.2022; 18:00 Hrs
(b)	Date & Time of Pre-Bid Meeting (If any)	Not Applicable
(c)	Last Date of receipt of pre-bid queries, if any	12.02.2022 up to 18:00 Hours
(d)	Last Date of Posting Consolidated replies to all the pre-bid queries as received	14.02.2022 up to 18:00 Hours
(e)	Last date and time of receipt of Bids	16.02.2022 up to 17:00 Hours
(f)	Date & Time of opening technical bids & EMD	16.02.2022 up to 18:00 Hours
(g)	Date & Time of opening of Price of qualified bids	Will be notified to the successful bidders through our website / e-mail.

**Note:** - In the event of last date specified for submission of bids and date of opening of bids is declared as a closed holiday for TPSODL, the last date of submission of bids and date of opening of bids will be the following working day at appointed times.

### 1.4 Mandatory documents required along with the Bid

- 1.4.1 EMD of requisite value and validity
- 1.4.2 Tender Fee in case the tender is downloaded from website
- 1.4.3 Requisite Documents for compliance to Qualification Criteria mentioned in Clause 1.7.
- 1.4.4 Drawing, Type Test details along with a sample of each item as specified at Annexure I (as applicable)
- 1.4.5 Duly signed and stamped 'Schedule of Deviations' as per Annexure III on bidder's letter head.
- 1.4.6 Duly signed and stamped 'Schedule of Commercial Specifications' as per Annexure IV on bidder's letter head.

- 1.4.7 Proper authorization letter/ Power of Attorney to sign the tender on the behalf of bidder.
- 1.4.8 Copy of PAN, GST, PF and ESI Registration (In case any of these documents is not available with the bidder, same to be explicitly mentioned in the 'Schedule of Deviations')

***Please note that in absence of any of the above documents, the bid submitted by a bidder shall be liable for rejection.***

### **1.5 Deviation from Tender**

Normally, the deviations to tender terms are not admissible and the bids with deviation are liable for rejection. Hence, the bidders are advised to refrain from taking any deviations on this Tender. Still in case of any deviations, all such deviations shall be set out by the Bidders, clause by clause in the 'Annexure III - Schedule of Deviations' and same shall be submitted as a part of the Technical Bid.

### **1.6 Right of Acceptance/ Rejection**

Bids are liable for rejection in absence of following documents:-

- 1.6.1 EMD of requisite value and validity
- 1.6.2 Tender fee of requisite value
- 1.6.3 Price Bid as per the Price Schedule mentioned in Annexure-I
- 1.6.4 Necessary documents against compliance to Qualification Requirements mentioned at Clause 1.7 of this Tender Document.
- 1.6.5 Filled in Schedule of Deviations as per Annexure III
- 1.6.6 Filled in Schedule of Commercial Specifications as per Annexure IV
- 1.6.7 Receipt of Bid within the due date and time

TPSODL reserves the right to accept/reject any or all the bids without assigning any reason thereof.

### **1.7 Qualification Criteria**

1. The bidder should have Average Annual turnover of at least Rs. 3 Cr. for any of last 3 Financial Year (FY) out of FY 17-18, FY 18-19, FY 19-20, FY 20-21. (Copy of audited Balance Sheet and P&L Account to be submitted in this regard).
2. The bidder must be a Manufacturer. Self-certification (in case of Manufacturer) shall be submitted in this regard.
3. Bidder Should submit required test certificate as per the TPSODL technical specification, (if any). Bidder must submit self-undertaking in this regard.
4. Bidder shall submit the performance certificate of 1 year from at-least 2 different Power Utilities. Certificate should not be more than 7 years old. Bidder shall submit the copy of performance certificates in this regard. Past performance experience at TATA Power and its group company shall supersede feedback from other utilities.
5. The bidder should have supplied LA (33kV or 12kV) of total value of Rs. 1 Cr. during the last 3 years. Copy of work order / completion certificate to be submitted in this regard.

**NOTE:****a. Tender Fees**

To participate in the tender, MSMEs registered in the State of Odisha shall pay Rs.1,000/- including GST towards cost of tender paper.

**b. Earnest Money Deposit (EMD)**

EMD shall be exempted for MSME registered in the State of Odisha. However, Bidder shall be barred to participate in the tendering process for a period of 2 years in case it backs out post award of the contract.

**c. Qualification Requirement for Open Tenders**

Qualification Requirement of Financial Turnover for MSME registered in the State of Odisha shall be reduced to 20% of the existing criteria.

For Technical Qualification, instead of relying on the volumes / value of earlier Supplies / Projects, assessment of the Bidder shall be done on the basis of feedback from Customers. Past performance experience at Tata Power and its Group Companies shall supersede feedback from other Customers.

**d. Performance Bank Guarantees**

Performance Bank Guarantee for MSME registered in the State of Odisha shall be 25% of the value normally prescribed.

**1.8 Marketing Integrity**

We have a fair and competitive marketplace. The rules for bidders are outlined in the General Condition of Contracts. Bidders must agree to these rules prior to participating. In addition to other remedies available, TPSODL reserves the right to exclude a bidder from participating in future markets due to the bidder's violation of any of the rules or obligations contained in the General Condition of Contracts. A bidder who violates the market place rules or engages in behavior that disrupts the fair execution of the marketplace, may result in restriction of a bidder from further participation in the marketplace for a length of time, depending upon the seriousness of the violation. Examples of violations include, but are not limited to:

- Failure to honor prices submitted to the marketplace
- Breach of terms as published in TENDER/NIT

**1.9 Supplier Confidentiality**

All information contained in this tender is confidential and shall not be disclosed, published or advertised in any manner without written authorization from TPSODL. This includes all bidding information submitted to TPSODL. All tender documents remain the property of TPSODL and all suppliers are required to return these documents to TPSODL upon request. Suppliers who do not honor these confidentiality provisions will be excluded from participating in future bidding events.

**2.0 Evaluation Criteria**

- The bids will be evaluated technically on the compliance to tender terms and conditions.
- The bids will be evaluated commercially on overall lowest cost in Line-Item Basis as calculated in Schedule of Items [Annexure I]. TPSODL reserves the right to split the order line item wise and / or quantity wise, among more than one Bidder. Hence all bidders are advised to quote their most competitive rates.
- Bidder has to mandatorily quote as per schedule of item [Annexure-I]. Failing to do so TPSODL may reject the bid.

**NOTE:** In case of a new bidder not registered, factory inspection and evaluation shall be carried out to ascertain bidder's manufacturing capability and quality procedures. However, TPSODL reserves the right to carry out factory inspection and evaluation for any bidder prior to technical qualification. In case a bidder is found as Disqualified in the factory evaluation, their bid shall not be evaluated any further and shall be summarily rejected. The decision of TPSODL shall be final and binding on the bidder in this regard.

2.1 Price Variation Clause: The prices shall remain FIRM during the entire contract period.

### 3.0 Submission of Bid Documents

#### 3.1 Bid Submission

Bidders are requested to submit their offer in line with this Tender document. TPSODL shall respond to the clarification raised by various bidders and the replies will be sent to all participating bidders through e-mail.

Bids shall be submitted in 3 (Three) parts:

**FIRST PART:** "EMD" of **Rs. 50,000/- (Rupees Fifty Thousand only)** shall be submitted. The EMD shall be valid for 210 days from the due date of bid submission in the form of BG/ Bankers Pay Order favoring 'TP Southern Odisha Distribution Limited', payable at Berhampur only. The EMD has to be strictly in the format as mentioned in General Condition of Contract, failing which it shall not be accepted, and the bid as submitted shall be liable for rejection. A separate non-refundable tender fee of stipulated amount also needs to be transferred online through NEFT/ RTGS in case the tender document is downloaded from our website.

#### TPSODL Bank Details for transferring Tender Fee and EMD is as below:

Beneficiary Name – TP Southern Odisha Distribution Limited

Account No: 625901010050070

Type of Account: TPSODL Corporate Expenditure Account.

Name of the Bank: Union Bank of India, Kamapalli Branch, Berhampur.

IFSCode: UBIN0562599

For Tender Fee and EMD submitted via online transfer, bidder to ensure that the same are carried out through separate transactions.

The EMD in the form of Bank Draft / BG / Bankers Pay Order shall be delivered at the following address in sealed envelope clearly indicating the tender reference / enquiry number, name of tender and bidder name:

#### Chief (Procurement & Stores)

TP Southern Odisha Distribution Limited

Procurement Department

Call Center/Training Center, Duduma Colony,  
Ambagada, Berhampur, Ganjam, Odisha, India -760 001

#### SECOND PART: "TECHNICAL BID" shall contain the following documents:

- a) Documentary evidence in support of qualifying criteria
- b) Technical literature/GTP/Type test report etc. *(if applicable)*
- c) Qualified manpower available
- d) Testing facilities *(if applicable)*
- e) No Deviation Certificate as per the Annexure III – Schedule of Deviations

- f) Acceptance to Commercial Terms and Conditions viz Delivery schedule/period, payment terms etc. as per the Annexure IV – Schedule of Commercial Specifications.
- g) Quality Assurance Plan/Inspection Test Plan for supply items *(if applicable)*
- h) Acceptance of Annexure II-Technical Specifications.

**The technical bid shall be properly indexed and is to be submitted through TPSODL E-tender platform (Ariba) only. Hard copy of Technical Bids need not be submitted.**

**THIRD PART: “PRICE BID”** shall contain only the price details and strictly in format as mentioned in Annexure I along with explicit break up of basic prices, Taxes & duties, Freight etc. In case any discrepancy is observed between the item description stated in Schedule of Items mentioned in the tender and the price bid submitted by the bidder, the item description as mentioned in the tender document (to the extent modified through Corrigendum issued if any) shall prevail. Price Bid is to be submitted in soft copy through TPSODLE-Tendering system (Ariba) only. Hard copy of Price Bid not be submitted.

#### **SIGNING OF BID DOCUMENTS:**

The bid must contain the name, residence and place of business of the person or persons making the bid and must be signed and sealed by the Bidder with his usual signature. The names of all persons signing should also be typed or printed below the signature.

The Bid being submitted must be signed by a person holding a Power of Attorney authorizing him to do so, certified copies of which shall be enclosed.

The Bid submitted on behalf of companies registered with the Indian Companies Act, for the time being in force, shall be signed by persons duly authorized to submit the Bid on behalf of the Company and shall be accompanied by certified true copies of the resolutions, extracts of Articles of Association, special or general Power of Attorney etc. to show clearly the title, authority and designation of persons signing the Bid on behalf of the Company. Satisfactory evidence of authority of the person signing on behalf of the Bidder shall be furnished with the bid.

A bid by a person who affixes to his signature the word ‘President’, ‘Managing Director’, ‘Secretary’, ‘Agent’ or other designation without disclosing his principal will be rejected.

The Bidder’s name stated on the Proposal shall be the exact legal name of the firm.

#### **3.2 Contact Information**

All the bidders are requested to send their pre-bid queries (if any) against this tender through e-mail within the stipulated timelines. The consolidated reply to all the queries received shall be posted on TPSODL website by the stipulated timelines as detailed in calendar of events.

#### **Communication Details:**

##### Package Owner - Contracts

Name: Mr. Binayabrata Mahapatra  
Department: Procurement  
Contact No.: 7077728212  
E-Mail ID: [binayabrata.mahapatra@tpsouthernodisha.com](mailto:binayabrata.mahapatra@tpsouthernodisha.com)

##### DGM- Procurement & Stores

Name: Mr. Ch. Netaji Subudhi  
Contact No: 94379 59751  
E-Mail ID: [Netaji.Subudhi@tpsouthernodisha.com](mailto:Netaji.Subudhi@tpsouthernodisha.com)

Chief – Contracts & Stores:

Name: Mr. Subrata Dey

E-Mail ID: [subrata.dey@tpsouthernodisha.com](mailto:subrata.dey@tpsouthernodisha.com)

Bidders are strictly advised to communicate with Package Owner through TPSODL E-tender System (Ariba) only. They need to pay Tender Participation Fee to receive the Ariba log-in.

### 3.3 Bid Prices

Bidders shall quote for the entire Scope of Supply/ work with a break up of prices for individual items and Taxes & duties. The bidder shall complete the appropriate Price Schedules included herein, stating the Unit Price for each item & total price with taxes, duties & freight up to destination at various sites of TPSODL. The all-inclusive prices offered shall be inclusive of all costs as well as Duties, Taxes and Levies paid or payable during the execution of the supply work, breakup of price constituents.

The quantity break up shown else-where other than Price Schedule is tentative. The bidder shall ascertain himself regarding material required for completeness of the entire work. Any items not indicated in the price schedule but which are required to complete the job as per the Technical Specifications/ Scope of Work/ SLA mentioned in the tender, shall be deemed to be included in prices quoted.

#### **Applicable GST to be specified clearly.**

The quantity break up shown else-where other than Price Schedule is tentative. The bidder shall ascertain himself regarding material required for completeness of the entire work. Any items not indicated in the price schedule but which are required to complete the job as per the Technical Specifications/ Scope of Work/ SLA mentioned in the tender, shall be deemed to be included in prices quoted.

### 3.4 Bid Currencies

Prices shall be quoted in Indian Rupees Only.

### 3.5 Period of Validity of Bids

Bids shall remain valid for 180 days from the due date of submission of the bid.

Notwithstanding clause above, the TPSODL may solicit the Bidder's consent to an extension of the Period of Bid Validity. The request and responses thereto shall be made in writing.

### 3.6 Alternative Bids

Bidders shall submit Bids, which comply with the Bidding documents. Alternative bids will not be considered. The attention of Bidders is drawn to the provisions regarding the rejection of Bids in the terms and conditions, which are not substantially responsive to the requirements of the bidding documents.

### 3.7 Modifications and Withdrawal of Bids

The bidder is not allowed to modify or withdraw its bid after the Bid's submission. The EMD as submitted along with the bid shall be liable for forfeiture in such event.

### 3.8 Earnest Money Deposit (EMD)

The bidder shall furnish, as part of its bid, an EMD amounting as specified in the tender. The EMD is required to protect TPSODL against the risk of bidder's conduct which would warrant forfeiture.



The EMD shall be denominated in any of the following form:

- Banker's Cheque/ Demand Draft/ Pay order drawn in favor of TP Southern Odisha Distribution Limited payable at Berhampur.
- Online transfer of requisite amount through NEFT/ RTGS.
- Bank Guarantee valid for 210 days after due date of submission.

***The EMD shall be forfeited in case:***

- a) The bidder withdraws its bid during the period of specified bid validity.

**Or**

- b) The successful Bidder does not
- a) accept the Purchase Order, or
  - b) furnish the required Performance Security Bank Guarantee

**3.9 Type Tests (if applicable)**

The type tests specified in TPSODL specifications should have been carried out within five years prior to the date of opening of technical bids and test reports are to be submitted along with the bids. If type tests carried out are not within the five years prior to the date of bidding, the bidder will arrange to carry out type tests specified, at his cost. The decision to accept/ reject such bids rests with TPSODL.

**4.0 Bid Opening & Evaluation process**

**4.1. Process to be confidential**

Information relating to the examination, clarification, evaluation and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other persons not officially concerned with such process. Any effort by a Bidder to influence the TPSODL's processing of Bids or award decisions may result in the rejection of the Bidder's Bid.

**4.2. Technical Bid Opening**

Bids shall be opened as per the schedule mentioned in Calendar of Events. In case of limited tenders, the bids shall be opened internally by TPSODL. Owing to COVID Scenario, in case of Open Tenders also, the bids shall be opened internally by TPSODL. Technical bid must not contain any cost information whatsoever.

First the "EMD" will be checked. Bids without EMD/ cost of tender (if applicable) of required amount/ validity in prescribed format, shall be rejected.

Next, the technical bid of the bidders who have furnished the requisite EMD will be opened, one by one. The salient particulars of the techno commercial bid will be read out at the sole discretion of TPSODL.

**4.3. Preliminary Examination of Bids/Responsiveness**

TPSODL will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the Bids are generally in order. TPSODL may ask for submission of original documents in order to verify the documents submitted in support of qualification criteria.

Arithmetical errors will be rectified on the following basis: If there is a discrepancy between the unit price and the total price per item that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price per item will be corrected. If there is a

discrepancy between the Total Amount and the sum of the total price per item, the sum of the total price per item shall prevail and the Total Amount will be corrected.

Prior to the detailed evaluation, TPSODL will determine the substantial responsiveness of each Bid to the Bidding Documents including production capability and acceptable quality of the Goods offered. A substantially responsive Bid is one, which conforms to all the terms and conditions of the Bidding Documents without material deviation.

Bid determined as not substantially responsive will be rejected by the TPSODL and/or the TPSODL and may not subsequently be made responsive by the Bidder by correction of the non-conformity.

#### **4.4. Techno Commercial Clarifications**

Bidders need to ensure that the bids submitted by them are complete in all respects. To assist in the examination, evaluation and comparison of Bids, TPSODL may, at its discretion, ask the Bidder for a clarification on its Bid for any deviations with respect to the TPSODL specifications and attempt will be made to bring all bids on a common footing. All responses to requests for clarification shall be in writing and no change in the price or substance of the Bid shall be sought, offered or permitted owing to any clarifications sought by TPSODL. After all techno commercial issues are clarified, the date of price bid opening will be intimated to the technically accepted bidders and same shall also be notified at TPSODL website.

#### **4.5. Price Bid Opening**

Price bids will be opened at the stipulated date and time. The EMD of the bidder withdrawing or substantially altering his offer at any stage after the technical bid opening will be forfeited at the sole discretion of TPSODL without any further correspondence in this regard.

#### **4.6. Reverse Auctions**

TPSODL reserves the right to conduct the reverse auction (instead of public opening of price bids) for the products/ services being asked for in the tender. The terms and conditions for such reverse auction events shall be as per the Acceptance Form attached as Annexure VI of this document. The bidders along with the tender document shall mandatorily submit a duly signed copy of the Acceptance Form attached as Annexure VI as a token of acceptance for the same.

#### **5.0 Award Decision**

TPSODL will award the contract to the successful bidder whose bid has been determined to be the lowest-evaluated responsive bid as per the Evaluation Criterion mentioned at Clause 2.0. The Cost for the said calculation shall be taken as the all-inclusive cost quoted by bidder in Annexure I (Schedule of Items) subject to any corrections required in line with Clause 4.3 above. The decision to place purchase order/LOI solely depends on TPSODL on the cost competitiveness across multiple lots, quality, delivery and bidder's capacity, in addition to other factors that TPSODL may deem relevant.

TPSODL reserves all the rights to award the contract to one or more bidders so as to meet the delivery requirement or nullify the award decision without assigning any reason thereof.

In case any supplier is found unsatisfactory during the delivery process, the award will be cancelled and TPSODL reserves the right to award other suppliers who are found fit.

#### **6.0 Order of Preference/Contradiction**

In case of contradiction in any part of various documents in tender, following shall prevail in order of preference:

1. Schedule of Items (Annexure I)
2. Post Award Contract Administration (Clause 7.0)
3. Submission of Bid Documents (Clause 3.0)



4. Scope of Work and SLA (Annexure II)
5. Acceptance Form for Participation in Reverse Auction (Annexure VI)
6. General Conditions of Contract (Annexure VII)

## **7.0 Post Award Contract Administration**

### **7.1. Special Conditions of Contract**

- After finalization of tender, Rate Contract shall be issued on successful bidder with a validity period of One Year. Price shall remain firm till validity of issued rate contract. Within the validity of rate contract and as per requirement of material, release order shall be issued time to time.
- Business Associate (BA) shall submit applicable Performance Bank Guarantee as per GCC within 30days of issuance of rate contract. PBG applicable shall 5% of Rate Contract Value. PBG submitted, shall be released after completion of applicable guarantee period plus one month.
- Guarantee applicable shall be as per technical specifications.
- **Within 30 days of Rate Contract issuance by TPSODL, it is the responsibility of BA to get manufacturing clearance and CAT-A issued from TPSODL.** In case BA does not get necessary approvals for issuance of CAT-A within mentioned / mutually agreed timelines, then TPSODL reserve the right to cancel issued rate contract/release order and also reserve the right to forfeit EMD/ PBG.
- Delivery period shall be 45 days from date of receipt of release order/CAT-A issuance, whichever is later.
- TPSODL shall short close the issued Release Order/Rate contract, in case of any quality issues.
- Any change in statutory taxes, duties and levies shall be borne by TPSODL.
- All other terms and conditions of TPSODL GCC shall be applicable.

### **Drawing Submission & Approval**

The relevant drawings and GTPs need to be submitted as per special condition of contract mentioned in point no. 7.1.

### **Delivery Terms**

The delivery of material shall be made as per special condition of contract mentioned in point 7.1.

### **Guarantee Period**

Guarantee Period of the supplied material shall be as per technical specification attached separately with this tender.

### **7.2 Payment Terms**

On delivery of the materials in good condition and certification of acceptance by certified official, Associate shall submit the Bills/ Invoices in original in the name of TP Southern Odisha Distribution Limited to Invoice Desk. The payment shall be released **within 45 days** from the date of submission of certified bills/ invoices.

### **7.3 Climate Change**

Significant quantities of waste are generated during the execution of project and an integrated approach for effective handling, storage, transportation and disposal of the

same shall be adopted. This would ensure the minimization of environmental and social impact in order to combat the climate change.

#### **7.4 Ethics**

- TPSODL is an ethical organization and as a policy TPSODL lays emphasis on ethical practices across its entire domain. Bidder should ensure that they should abide by all the ethical norms and in no form either directly or indirectly be involved in unethical practice.
- TPSODL work practices are governed by the Tata Code of Conduct which emphasizes on the following:
- We shall select our suppliers and service providers fairly and transparently.
- We seek to work with suppliers and service providers who can demonstrate that they share similar values. We expect them to adopt ethical standards comparable to our own.
- Our suppliers and service providers shall represent our company only with duly authorized written permission from our company. They are expected to abide by the Code in their interactions with, and on behalf of us, including respecting the confidentiality of information shared with them.
- We shall ensure that any gifts or hospitality received from, or given to, our suppliers or service providers comply with our company's gifts and hospitality policy.
- We respect our obligations on the use of third-party intellectual property and data.

Bidder is advised to refer GCC attached at Annexure IX for more information.

Any ethical concerns with respect to this tender can be reported to the following e-mail ID: [netaji.subudhi@tpsouthernodisha.com](mailto:netaji.subudhi@tpsouthernodisha.com)  
& [subrata.dey@tpsouthernodisha.com](mailto:subrata.dey@tpsouthernodisha.com)

#### **8.0 Scope of job and Service Level Agreement (SLA)**

As per Annexure I and II.

#### **9.0 General Condition of Contract**

Any condition not mentioned above shall be applicable as per GCC for Service attached along with this tender at Annexure IX.

#### **10.0 Safety**

Safety related requirements as mentioned in our safety Manual put in the Company's website which can be accessed by: [http:// www.tpsouthernodisha.com](http://www.tpsouthernodisha.com)

All Associates shall strictly abide by the guidelines provided in the safety manual at all relevant stages during the contract period. All jobs in this tender have to be executed strictly in compliance to the Safety terms and Conditions of TP Southern Odisha Distribution Limited. Please refer attached Safety terms and conditions, Annexure-X, for details. Violation of Safety norms will result in Penalty as mentioned in the above document.

# ANNEXURE I

## Schedule for Items

Sl. No.	Description	Quantity	UoM	Unit Price (Rs.)	GST (Rs.)	All-inclusive Unit Rate (Rs.)	Total all Inclusive Amount (Rs.)
		<b>A</b>		<b>B</b>	<b>C</b>	<b>D = B+C</b>	<b>E= AXD</b>
	<b>Supply of Lightening Arrester (Please refer technical specifications)</b>						
1	LA 33kV 10KA 30kV SINGLE POLE	1,500	EA				
2	LA 12KV 10KA M-OXIDE GAPLESS POLYMER15KV	3,000	EA				
	<b>TOTAL Amount All Inclusive (Rs.)</b>						

### **NOTE:**

- The overall period of the rate contract shall be for a period of 1year and prices shall be firm till the validity of contract. Release order shall be issued as per requirement of TPSODL.
- The bids will be evaluated commercially on the overall lowest cost in line-item basis.
- The unit price with GST, is landed price for TPSODL at their Southern stores.
- The bidders are advised to quote prices strictly in the above format. Failing to do so, bids are liable for rejection.
- The bidder must fill each and every column of the above format. ***Mentioning “extra/ inclusive” in any of the column any lead for rejection of the price bid.***
- No cutting/over writing in the prices is permissible.
- The quantity may vary as per actual requirement.

**Signature & Seal of the Bidder**



NIT No.: TPSODL/OT/2021-22/084

**ANNEXURE II**  
**Technical Specifications**

**Attached separately with the tender.**

CONFIDENTIAL



NIT No.: TPSODL/OT/2021-22/084

**ANNEXURE III**

**Schedule of Deviations**

*Bidders are advised to refrain from taking any deviations on this TENDER. Still in case of any deviations, all such deviations from this tender document shall be set out by the Bidders, Clause by Clause in this schedule and submit the same as a part of the **Technical Bid**.*

*Unless **specifically** mentioned in this schedule, the tender shall be deemed to confirm the TPSODL's specifications:*

S. No.	Clause No.	Tender Clause Details	Details of deviation with justifications

*By signing this document we hereby withdraw all the deviations whatsoever taken anywhere in this bid document and comply to all the terms and conditions, technical specifications, scope of work etc. as mentioned in the standard document except those as mentioned above.*

**Seal of the Bidder:**

**Signature:**

**Name:**

# **ANNEXURE IV**

## **Schedule of Commercial Specifications**

*(The bidders shall mandatorily fill in this schedule and enclose it with the offer Part I: Technical Bid. In the absence of all these details, the offer may not be acceptable.)*

S. No.	Particulars	Remarks
1.	Prices firm or subject to variation (If variable indicate the price variation clause with the ceiling if applicable)	Firm / Variable
1a.	If variable price variation on clause given	Yes / No
1b.	Ceiling	----- %
1c.	Inclusive of GST	Yes / No (If Yes, indicate % rate)
1d.	Inclusive of transit insurance	Yes / No
2.	Delivery	Weeks / months
3.	Guarantee clause acceptable	Yes / No
4.	Terms of payment acceptable	Yes / No
5.	Performance Bank Guarantee acceptable	Yes / No
6.	Liquidated damages clause acceptable	Yes / No
7.	Validity (180 days) (From the date of opening of bid)	Yes / No
8.	Inspection during stage of manufacture	Yes / No
9.	Rebate for increased quantity	Yes / No (If Yes, indicate value)
10.	Change in price for reduced quantity	Yes / No (If Yes, indicate value)
11.	Covered under Small Scale and Ancillary Industrial Undertaking Act 1992	Yes / No (If Yes, indicate, SSI Reg'n No.)

**Seal of the Bidder:**

**Signature:**

**Name:**

### **ANNEXURE V**

#### **Checklist of all the documents to be submitted with the Bid**

Bidder has to mandatorily fill in the checklist mentioned below:-

S. No.	Documents attached	Yes / No / Not Applicable
1	EMD of required value	
2	Tender Fee as mentioned in this tender	
3	Signed copy of this tender as an unconditional acceptance	
5	Duly filled schedule of commercial specifications (Annexure IV)	
6	Sheet of commercial/technical deviation if any (Annexure III)	
7	Balance sheet for the last completed three financial years; mandatorily enclosing Profit & loss account statement	
8	Acknowledgement for Testing facilities if available (duly mentioned on bidder letter head)	
9	List of Machine/tools with updated calibration certificates if applicable	
10	Details of order copy (duly mentioned on bidder letter head)	
11	Order copies as a proof of quantity executed	
12	Details of Type Tests if applicable (duly mentioned on bidder letter head)	
13	All the relevant Type test certificates as per relevant IS/IEC (CPRI/ERDA/other certified agency) if applicable	
14	Project/supply Completion certificates	
15	Performance certificates	
16	Client Testimonial/Performance Certificates	
17	Credit rating/solvency certificate	
18	Undertaking regarding non blacklisting (On company letter head)	
19	List of trained/untrained Manpower	

***Seal of the Bidder:***

***Signature:***

***Name***

**ANNEXURE VI****ACCEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION EVENT**

*(To be signed and stamped by the bidder)*

In a bid to make our entire procurement process more fair and transparent, TPSODL intends to use the reverse auctions as an integral part of the entire tendering process. All the bidders who are found as technically qualified based on the tender requirements shall be eligible to participate in the reverse auction event.

**The following terms and conditions are deemed as accepted by the bidder on participation in the bid event:**

1. TPSODL shall provide the user id and password to the authorized representative of the bidder. *(Authorization Letter in lieu of the same shall be submitted along with the signed and stamped Acceptance Form).*
2. TPSODL will make every effort to make the bid process transparent. However, the award decision by TPSODL would be final and binding on the supplier.
3. The bidder agrees to non-disclosure of trade information regarding the purchase, identity of TPSODL, bid process, bid technology, bid documentation and bid details.
4. The bidder is advised to understand the auto bid process to safeguard themselves against any possibility of non-participation in the auction event.
5. In case of bidding through Internet medium, bidders are further advised to ensure availability of the entire infrastructure as required at their end to participate in the auction event. Inability to bid due to telephone line glitch, internet response issues, software or hardware hangs, power failure or any other reason shall not be the responsibility of TPSODL.
6. In case of intranet medium, TPSODL shall provide the infrastructure to bidders. Further, TPSODL has sole discretion to extend or restart the auction event in case of any glitches in infrastructure observed which has restricted the bidders to submit the bids to ensure fair & transparent competitive bidding. In case of an auction event is restarted, the best bid as already available in the system shall become the start price for the new auction.
7. In case the bidder fails to participate in the auction event due any reason whatsoever, it shall be presumed that the bidder has no further discounts to offer and the initial bid as submitted by the bidder as a part of the tender shall be considered as the bidder's final no regret offer. Any offline price bids received from a bidder in lieu of non-participation in the auction event shall be out-rightly rejected by TPSODL.
8. The bidder shall be prepared with competitive price quotes on the day of the bidding event.
9. The prices as quoted by the bidder during the auction event shall be inclusive of all the applicable taxes, duties and levies and shall be FOR at TPSODL site.
10. The prices submitted by a bidder during the auction event shall be binding on the bidder.
11. No requests for time extension of auction event shall be considered by TPSODL.
12. The original price bids of the bidders shall be reduced on pro-rata basis against each line item based on the final all-inclusive prices offered during conclusion of the auction event for arriving at Contract amount.

**Signature & Seal of the Bidder**





NIT No.: TPSODL/OT/2021-22/084

**ANNEXURE VII**

**GENERAL CONDITIONS OF CONTRACT**

**Attached separately with the tender.**

CONFIDENTIAL



NIT No.: TPSODL/OT/2021-22/084

**ANNEXURE VIII**

**SAFETY POLICY AND SAFETY TERMS AND CONDITIONS**

**Attached separately with the tender.**

CONFIDENTIAL



NIT No.: TPSODL/OT/2021-22/084

**ANNEXURE IX**

**TATA CODE OF CONDUCT**

**Attached separately with the tender.**

CONFIDENTIAL



NIT No.: TPSODL/OT/2021-22/084


**ANNEXURE X**

**ENVIRONMENT & SUSTAINABILITY POLICY**

**Attached separately with the tender**

CONFIDENTIAL



	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004	Eff. Date: 07.01.2022
Revision No.	01	Page 1 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Approved & Issued By: Mahendra Kumar Pandey

## **CONTENTS**

- 1.0 SCOPE
- 2.0 APPLICABLE STANDARDS
- 3.0 CLIMATIC CONDITIONS OF THE INSTALLATION
- 4.0 GENERAL TECHNICAL REQUIREMENTS
- 5.0 GENERAL CONSTRUCTIONS
- 6.0 NAME PLATE AND MARKING
- 7.0 TESTS
- 8.0 TYPE TEST CERTIFICATES
- 9.0 PRE-DESPATCH INSPECTION
- 10.0 INSPECTION AFTER RECEIPT AT STORE
- 11.0 GUARANTEE
- 12.0 PACKING
- 13.0 QUALITY CONTROL
- 14.0 MINIMUM TESTING FACILITIES
- 15.0 MANUFACTURING ACTIVITIES
- 16.0 DRAWING AND DOCUMENTS
- 17.0 GURANTEED TECHNICAL PARTICULARS
- 18.0 SCHEDULE OF DEVIATIONS

<b>TPSODL</b>	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	<b>TECHNICAL SPECIFICATION</b>	
Document Title	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightning Arrester	
Document No.	ENG-HV-2004	Eff. Date: 07.01.2022
Revision No.	01	Page 2 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Approved & Issued By : Mahendra Kumar Pandey

1.0	SCOPE	<ol style="list-style-type: none"> <li>1. This specification covers non-linear resistor type lightning arresters for use in effectively earthed system with a nominal voltage of 33 KV. This specification covers the technical requirements of design, manufacture, testing at manufacturer's works, packing, forwarding, supply and unloading at site/store and performance of the Lightning Arrester.</li> <li>2. The material shall be complete with all components and accessories, which are necessary or usual for their efficient performance and trouble-free operation under the various operating and atmospheric conditions specified in clause no. 3</li> <li>3. Such of the parts that may have not been specifically included, but otherwise form part of the Lightning arrester as per standard trade and/or professional practice and/or are necessary for proper operation, will be deemed to be also included in this specification. The successful bidder shall not be eligible for any extra charges for such accessories etc. notwithstanding the fact that at the time of an initial offer bidder had segregated such items and quoted for them separately.</li> </ol>
2.0	APPLICABLE STANDARDS	<p>Unless otherwise modified in this specification, the lightning arresters shall comply with following IS:</p> <p>IS 3070 : Part 3 : 1993 : Lightning Arresters for Alternating Current Systems - Specification - Part 3 : Metal Oxide Lightning Arresters Without Gaps</p> <p>IS 6209 : 1982 : Methods for Partial Discharge Measurements</p> <p>IEC-60099:2009-05 Part 4 : Metal oxide surge arrestors without gaps for AC Systems</p> <p>IS 2633 : 1986 : Methods for testing uniformity of coating of zinc coated articles</p> <p>IS 4759 : 1996 : Hot-dip zinc coatings on structural steel and other allied product</p> <p><i>*In case of any conflict on any technical particular in the specification, the stricter requirement mentioned in the relevant standard shall be valid.</i></p>
3.0	CLIMATIC CONDITIONS OF THE INSTALLATION	<p>The material shall be suitable for following climatic conditions,</p> <ol style="list-style-type: none"> <li>1. Maximum altitude above sea level 1,000m</li> <li>2. Maximum ambient air temperature 50°C</li> <li>3. Maximum daily average ambient air temperature 40°C</li> <li>4. Minimum ambient air temperature 0°C</li> <li>5. Maximum relative humidity 100%</li> <li>6. Average number of thunderstorm days per annum (isokeraunic level) 70</li> <li>7. Average number of rainy days per annum -120</li> <li>8. Average annual rainfall 150cm</li> <li>9. Earthquakes of an intensity in horizontal direction - equivalent to seismic acceleration of 0.3g</li> <li>10. Earthquakes of an intensity in vertical direction - equivalent to seismic acceleration of 0.15g (g being acceleration due to gravity)</li> <li>11. Wind velocity: 300 km/hr, 200 km/hr and 160 km/hr.</li> </ol> <p>Environmentally, some of the regions, where the work will take place includes coastal areas, subject to high relative humidity, which can give rise to condensation. Onshore winds will frequently be salt laden. On occasions, the combination of salt and</p>

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

<b>TPSODL</b>	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	<b>TECHNICAL SPECIFICATION</b>	
<b>Document Title</b>	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightening Arrester	
<b>Document No.</b>	ENG-HV-2004	<b>Eff. Date:</b> 07.01.2022
<b>Revision No.</b>	01	<b>Page</b> 3 of 14
<b>Prepared By:</b> Ranjan Kumar Sahoo	<b>Reviewed By:</b> Priya Kumar Sharma	<b>Approved &amp; Issued By :</b> Mahendra Kumar Pandey


	<p>condensation may create pollution conditions for outdoor insulators. Some places are in heavily industrial polluted areas.</p> <p>Therefore, Outdoor material and equipment shall be designed and protected for use in exposed, heavily polluted, salty, corrosive and humid coastal atmosphere</p> <p>The design of equipment and accessories shall be suitable to withstand seismic forces corresponding to an acceleration of 0.1 g.</p>
--	--

4.0	GENERAL TECHNICAL REQUIREMENTS		
	S No	Description	Requirements
	1	Installation	Outdoor
	2	Type	Metal Oxide
	3	Service voltage	33 kV
	4	Rated Voltage	30 kV rms
	5	Arrestor Rating	30 kV rms
	6	Rated Frequency	50 Hz
	7	Maximum Continuous Operating voltage (M.C.O.V.)	24 kV rms
	8	Nominal Discharge Current	10 kA Peak
	9	Class	Station class
	10	Line discharge class	Class 2
	11	Voltage withstand on arrestor housing	
		Power frequency voltage (Dry/ Wet)	70 kV rms
		Lightning Impulse voltage kV Peak	170 kV Peak
	12.	Lightning Impulse protection level	105 kA
	13	Long duration current requirement	Acc. To IS 3070
	14	High current impulse Operating Duty	100 kA Peak
	15	Steep current protection level at 10 kA	100 kA
	16	Creepage distance of Arrestor Housing	900 mm (minimum)
	17	Partial discharge at 1.05 times M.C.O.V.	<10 pC
	18	Disconnecter	As per IEC 60099
	19	Material of Insulating terminal cap	Polyolefin

<b>5.0</b>	<b>GENERAL CONSTRUCTION</b>	<p>1. MOUNTING ARRANGEMENT: The lightning arresters shall be of pedestal mounting type suitable for outdoor installation on steel/cement concrete structures. All the clamps, bolts, nuts and washers etc. required for mounting the lightning arresters on the structure (to be specified by the purchaser) shall be supplied along with the arresters and shall be galvanized. Lightning arrestor shall be station Class, zinc oxide, gapless type suitable for operation under the system conditions specified. This shall be self supporting, structure mounting type. Each unit of arrestor assembly shall be hermetically sealed, leak tested and protected against ingress of moisture and shall be individual</p>
------------	-----------------------------	---


Initiator		HOG (Engineering)	
-----------	--	----------------------	--



	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightning Arrester	
Document No.	ENG-HV-2004	Eff. Date: 07.01.2022
Revision No.	01	Page 4 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Approved & Issued By : Mahendra Kumar Pandey


		<p>demountable. The seal shall be properly designed and tested for operation under extreme weather conditions.</p> <ol style="list-style-type: none"> <li>2. <b>TERMINAL ARRANGEMENT:</b> The top metal cap and the base of the lightning arrester shall be galvanized. The top cap shall be provided with a terminal arrangement suitable for both horizontal and vertical take-off. The base of the lightning arresters shall be provided with two separate terminals distinctly marked for connection to earth.</li> <li>3. <b>SEALING AND PRESSURE RELEASE:</b> The lightning arresters shall be hermetically sealed to avoid ingress of moisture. A suitable pressure relieving device shall be provided to avoid damage to the external insulator in case of a severe discharge.</li> <li>4. Lightning arrestor shall be supplied with the insulating base, terminal connector and necessary hard wares. The assembly consists of a stack of metal oxide elements. All metal parts shall be of non rusting and non corroding metal. Bolts, screws and pins shall be provided with lock washers. Lightning arrestor construction shall be suitable to withstand seismic loading, short circuit forces, wind load and the force exerted on the arrestor base. All similar parts, particularly removable ones , shall be interchangeable. i. Housing shall be polymeric to provide thermal dissipation of heat generated in the metal oxide elements during overvoltage and line discharge. Polymeric housing shall be free from flaws affecting the mechanical and electrical strength of the arrestor. Housing shall be capable to withstand the desired pollution stresses without flashover. Arrestor shall be capable to withstand the temperature rise due to the non uniform field distribution, caused by the pollution on the surface of the housing. ii. The arrestor shall have thermal stability to withstand the heat generated from the ZnO element due to continuous operating voltage and surges. iii. Earth terminals shall be provided with the lightning arrestor.</li> <li>5. <b>DISCONNECTORS</b> i. Each individual unit of lightning arrestor with disconnector shall be hermetically sealed and fully protected against ingress of moisture. The hermetic seal shall be effective for the entire life time of the lightning arrestor with disconnector under the specified service conditions. Disconnectors shall give the visible indication of the failed arrestor. The lightning arrestor with disconnector shall be suitable for bracket type mounting. Disconnector shall be suitable for direct connection with the LA. ii. The corresponding units of lightning arrestor with disconnector of the same rating shall be interchangeable without adversely affecting the performance. All the necessary flanges, bolts, nuts, clamps etc. required for assembly of complete lightning arrestor with disconnector and accessories and mounting on purchaser's support structure shall be included in bidder's scope of supply. The mounting details for mounting the lightning arrestor with disconnector on purchaser's support shall be given along with the bid. iii. All metallic parts of lightning arrestor shall be hot dip galvanized .The bolts, nuts, screws, pins etc. used in the arrestor shall be hot dip galvanized. All these metallic parts shall be designed to avoid sharp points, edges and sharp faces</li> </ol>
--	--	--

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightning Arrester	
Document No.	ENG-HV-2004	Eff. Date: 07.01.2022
Revision No.	01	Page 5 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Approved & Issued By : Mahendra Kumar Pandey


		<p>6. The surge arrester shall not operate under power frequency and temporary over voltage conditions but under surge conditions, the surge arrester shall change over to the conducting mode. The surge arrester shall be suitable for circuit breaker performing 0-0.3sec.-CO-3 min-CO-duty in the system. Surge arrestors shall have a suitable pressure relief system to avoid damage to the porcelain/silicon polymeric housing and providing path for flow of rated fault currents in the event of arrester failure. The reference current of the arrester shall be high enough to eliminate the influence of grading and stray capacitance on the measured reference voltage.</p> <p>7. SURGE COUNTER</p> <p>1. Cyclometric 5 digit, non-resetting type counter, dial type surge counter shall be provided for each lightning arrester for automatically recording the number of discharges. Each counter shall have a continuous leakage current indicator and shall not require an external power source of operation. The value of leakage current beyond which the operation is abnormal shall be clearly marked in red colour on the detector.</p> <p>2. Surge arrester shall include a milli-ammeter to monitor the leakage current. The milli-ammeter usually bare a red mark at the higher scale regions. Increase of leakage current to the red marked zone is essentially an indication that the arrester is likely to attain the thermal runaway condition. The qualitative information regarding the arrester health, obtained from the milli-ammeter, helps the user to take preventive measures before the arrester failure.</p> <p>3. Discharge counters and milli-ammeters shall be suitable for mounting on structure and shall be mounted at approximately 1.5 meters above ground level. The reading of the milli-ammeter and counters shall be visible through an inspection glass panel. The terminals shall be of robust and adequate size and shall be so located that incoming and outgoing connections are made with minimum possible bends.</p> <p>4. The connecting conductor from lightning arrester earth terminal to the discharge counter incoming terminal shall be insulated for a minimum of 4 kV and this insulated conductor shall be supplied along with the arrester by the bidder. The surge arrester to surge counter connection shall be done by means insulated multi strand copper cable of minimum size 35 sq.mm to withstand the fault currents during severe operating conditions.</p> <p>5. The surge arrester shall be designed to operate/ withstand without damage or change in performance for the high current impulse, long duration current impulse corresponding to the discharge class of the surge arrester and nominal discharged current corresponding to the discharge current of the surge with which it is used.</p> <p>6. The external and internal parts of the surge monitor shall be hermetically sealed to withstand the atmospheric variation of temperature and humidity, rain and dust encountered in station in which they are installed. The surge Monitor line terminal shall be solidly connected to the ground terminal of the surge monitor through an inbuilt metal oxide element satisfying the operational requirement.</p> <p>7. The surge counter shall have IP 67 protection.</p>
--	--	---

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004	Eff. Date: 07.01.2022
Revision No.	01	Page 6 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Approved & Issued By : Mahendra Kumar Pandey

<b>6.0</b>	<b>NAME PLATE AND MARKING</b>	<ol style="list-style-type: none"> <li>1. The Lightning Arrester shall be provided with durable and legible name plate embossing, effectively secured against removal.</li> <li>2. The name plate shall be indelibly and distinctly marked with all essential particulars as per the relevant standards along with the following :</li> <li>3. The Name plate/product shall have marking of "PO no. with date" &amp; "Property of TPSODL"</li> <li>4. The following information shall be mentioned on the Name Plate: <ol style="list-style-type: none"> <li>i. Continuous operating Voltage</li> <li>ii. Rated Voltage</li> <li>iii. Rated Frequency</li> <li>iv. Nominal Discharge Current</li> <li>v. Manufacturer's Name</li> <li>vi. Type and Identification of the complete arrester</li> <li>vii. Year of Manufacture</li> <li>viii. Serial Number</li> </ol> </li> </ol>
<b>7.0</b>	<b>TESTS</b>	<ol style="list-style-type: none"> <li>1. All routine, acceptance &amp; type tests shall be carried out in accordance with the relevant IS/IEC.</li> <li>2. All acceptance tests shall be witnessed by the purchaser/his authorized representative.</li> <li>3. All the components and fittings shall also be type tested as per the relevant standards.</li> </ol> <p>The following type, acceptance and routine tests, as laid down in IS:3070 (Part-I)-1985 and other relevant IS shall be carried out:</p> <p><i>*In case of any conflict on any technical particular in the specification, the stricter requirement mentioned in the relevant standard shall be valid.</i></p>
<b>7.1</b>	<b>TYPE TEST</b>	<p>The following shall constitute the type tests:</p> <ol style="list-style-type: none"> <li>a) Voltage withstand tests of arrester insulation</li> <li>b) Power-frequency voltage spark over test</li> <li>c) Standard lightning voltage impulse spark over test</li> <li>d) Lightning-voltage impulse spark over voltage test</li> <li>e) Switching-voltage impulse spark over voltage/time curve test</li> <li>f) Residual voltage test</li> <li>g) Current impulse withstand tests</li> <li>h) Operating-duty test</li> <li>i) Pressure-relief tests</li> <li>j) Tests of arrester disconnectors when fitted</li> <li>k) Temperature cycle test</li> <li>l) Galvanizing test on metal parts 86 of 363</li> <li>m) Visual examination</li> <li>n) Sealing test (not specified in IS:3070 (Part-I) - 1985) To prove the effectiveness of sealing of the lightning arresters, either of the following two tests shall be carried out: - <ol style="list-style-type: none"> <li>i. Bubble Test A positive pressure shall be created inside the arrester and it shall be immersed in water to check if there are any bubbles.</li> </ol> </li> </ol>

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004	Eff. Date: 07.01.2022
Revision No.	01	Page 7 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Approved & Issued By : Mahendra Kumar Pandey

		ii. Pressure/Vacuum Test Leakage shall be checked by measuring leak rate either by monitoring drop in pressure or rise in vacuum level with time or by making use of special detectors.
7.2	ROUTINE TEST	The following shall constitute the routine tests: a) Dry power-frequency voltage spark over test b) Visual examination c) Sealing test (See clause 7.1 (o) above)
7.3	ACCEPTANCE TEST	When the purchaser specifies acceptance tests in the purchase agreement, the following tests shall be made on the higher whole number to the cube-root of the number of arresters to be supplied: a) Dry power-frequency voltage spark over test on the complete arrester. b) Standard lightning - voltage impulse spark over test on the complete arrester. c) Residual voltage test at the nominal discharge current on the complete arrester or sections. d) Temperature cycle test. e) Galvanizing test on metal parts. f) Visual examination . g) Sealing test (see clause 7.1 (o) above)
7.4	SPECIAL TEST as acceptance test	<b>SPECIAL THERMAL STABILITY TEST</b> as per As per IEC 60099-4 Ed.3 clause 9.2.2 and 8.7 or IS:3070 part3 cl.7.3- TPSODL. Reserves right to perform special thermal stability test during acceptance if required. No failure from the randomly selected sample shall qualify for acceptance. <b>WATT LOSS TEST.</b>
8.0	TYPE TEST CERTIFICATES	1. The bidder shall furnish the type test certificates as mentioned above as per the corresponding standards. 2. All the tests shall be conducted at CPRI / ERDA as per the relevant standards. 3. Type tests should have been conducted in certified Test laboratories during the period not exceeding 5 years from the date of opening the bid.  In the event of any discrepancy in the test reports, i.e., any test report not acceptable same shall be carried out without any cost implication to TPSODL.
9.0	PRE-DESPATCH INSPECTION	1. Equipment shall be subject to inspection by a duly authorized representative of TPSODL. 2. All tests and inspection shall be made at the place of manufacture unless otherwise especially agreed upon by the manufacturer and the purchaser and the equipment if found unsatisfactory as to workmanship or material, the same is liable to rejection. 3. Bidder shall grant free access to the places of manufacture to TPSODL's representatives at all times when the work is in progress. 4. Inspection by TPSODL or authorized representatives shall not relieve the supplier of his obligation of furnishing equipment in accordance with the specifications.

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

<b>TPSODL</b>	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	<b>TECHNICAL SPECIFICATION</b>	
<b>Document Title</b>	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightening Arrester	
<b>Document No.</b>	ENG-HV-2004	<b>Eff. Date:</b> 07.01.2022
<b>Revision No.</b>	01	<b>Page</b> 8 of 14
<b>Prepared By:</b> Ranjan Kumar Sahoo	<b>Reviewed By:</b> Priya Kumar Sharma	<b>Approved &amp; Issued By :</b> Mahendra Kumar Pandey

		<p>5. Material shall be dispatched after specific MDCC (Material Dispatch Clearance Certificate) is issued by TPSODL.</p> <p>6. Following documents shall be sent along with material:</p> <ol style="list-style-type: none"> <li>Test report</li> <li>MDCC issued by TPSODL</li> <li>Invoice in duplicate</li> <li>Packing list</li> <li>Drawings &amp; catalogue</li> <li>Guarantee / Warrantee card</li> <li>Delivery Challan</li> <li>Other Documents (as applicable)</li> </ol>
<b>10.0</b>	<b>INSPECTION AFTER RECEIPT AT STORE</b>	The material received at TPSODL, Berhampur, Odisha store shall be inspected for acceptance and shall be liable for rejection, if found different from the reports of the pre-dispatch inspection and one copy of the report shall be sent to Engineering department.
<b>11.0</b>	<b>GUARANTEE:</b>	<p>Bidder shall stand guarantee towards design, materials, workmanship &amp; quality of process/ manufacturing of items under the contract for due and intended performance of the same, as an integrated product delivered under this contract.</p> <p>In the event any defect is found by the Company up to a period of 18 months from the date of commissioning or 24 months from the date of last supplies made under the contract, whichever is earlier, supplier shall be liable to undertake to replace/rectify such defects at his own costs. within mutually agreed timeframe, and to the entire satisfaction of the Company, failing which the Company will be at liberty to get it replaced/rectified at supplier's risks and costs and recover all such expenses plus the Company's own charges( @ 20% of expenses incurred), from the supplier or from the " Security cum Performance Deposit" as the case may be. Bidder shall further be responsible for 'free replacement' for another period of THREE years from the end of the guarantee period for any 'Latent Defects' if noticed and reported by the Company</p>
<b>12.0</b>	<b>PACKING</b>	Bidder shall ensure that all the equipment covered under this specification shall be prepared for rail/road transport in a manner so as to protect the equipment from damage in transit.
<b>13.0</b>	<b>TENDER SAMPLE</b>	Not applicable
<b>14.0</b>	<b>QUALITY CONTROL</b>	The bidder shall submit with the offer Quality assurance plan indicating the various stages of inspection, the tests and checks which will be carried out on the material of construction, components during manufacture and bought out items and fully assembled component and equipment after finishing. As part of the plan, a schedule for stage and final inspection within the parameters of the delivery schedule shall be furnished. The purchaser's engineer or its nominated representative shall have free access to the bidder's works to carry out inspections.

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

<b>TPSODL</b>	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	<b>TECHNICAL SPECIFICATION</b>	
Document Title	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004	Eff. Date: 07.01.2022
Revision No.	01	Page 9 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Approved & Issued By : Mahendra Kumar Pandey

15.0	MINIMUM TESTING FACILITIES	Bidder shall have adequate in house testing facilities for carrying out all routine tests, acceptance tests and pre-dispatch inspection as per relevant International / Indian standards.																																			
16.0	MANUFACTURING ACTIVITIES	The successful bidder will have to submit the bar chart for various manufacturing activities clearly elaborating each stage, with quantity. This bar chart should be in line with the Quality assurance plan submitted with the offer. This bar chart will have to be submitted within 15 days from the release of the order.																																			
17.0	SPARES, ACCESSORIES AND TOOLS	Not Applicable																																			
18.0	DRAWINGS AND DOCUMENTS	<p>Following documents shall be prepared based on TPSODL specifications and statutory requirements with complete BOM and shall be submitted with the bid:</p> <ul style="list-style-type: none"><li>a. Completely filled in Technical Particulars</li><li>b. General description of the equipment and all components including brochures.</li><li>c. General Drawing arrangement of lightening arrester.</li><li>d. Bill of material.</li><li>e. Experience Certificate and list.</li><li>f. Type test certificates.</li></ul> <p><b>Drawings / documents to be submitted after the award of the contract are as under:</b></p> <p><b><u>List of Drawings/Parameters to be submitted after the award of contract:</u></b></p> <table><tr><th>S No</th><th>Description</th><th>For Approval</th><th>For Review / Information</th><th>For Final Submission</th></tr><tr><td>1</td><td>Technical Parameters</td><td>√</td><td>√</td><td>√</td></tr><tr><td>2</td><td>General Arrangement drawings</td><td>√</td><td>√</td><td>√</td></tr><tr><td>3</td><td>Terminal and connection drawings</td><td>√</td><td>√</td><td>√</td></tr><tr><td>4</td><td>Manual/Catalogue</td><td>√</td><td>√</td><td>√</td></tr><tr><td>5</td><td>Installation/Commissioning Manuals</td><td>√</td><td>√</td><td>√</td></tr><tr><td>6</td><td>Instruction for use</td><td>√</td><td>√</td><td>√</td></tr></table>	S No	Description	For Approval	For Review / Information	For Final Submission	1	Technical Parameters	√	√	√	2	General Arrangement drawings	√	√	√	3	Terminal and connection drawings	√	√	√	4	Manual/Catalogue	√	√	√	5	Installation/Commissioning Manuals	√	√	√	6	Instruction for use	√	√	√
S No	Description	For Approval	For Review / Information	For Final Submission																																	
1	Technical Parameters	√	√	√																																	
2	General Arrangement drawings	√	√	√																																	
3	Terminal and connection drawings	√	√	√																																	
4	Manual/Catalogue	√	√	√																																	
5	Installation/Commissioning Manuals	√	√	√																																	
6	Instruction for use	√	√	√																																	

Initiator		HOG (Engineering)	
-----------	--	----------------------	--



**TECHNICAL SPECIFICATION**

<b>Document Title</b>	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightening Arrester	
<b>Document No.</b>	ENG-HV-2004	<b>Eff. Date:</b> 07.01.2022
<b>Revision No.</b>	01	<b>Page</b> 10 of 14
<b>Prepared By:</b> Ranjan Kumar Sahoo	<b>Reviewed By:</b> Priya Kumar Sharma	<b>Approved &amp; Issued By :</b> Mahendra Kumar Pandey

		7	Transport/shipping dimension drawing	√	√	√
		8	QA & QC Plan	√	√	√
		9	Routine, Acceptance and Type test Certificates	√	√	√
		<p>All the Documents and Drawings shall be in English Language. After receipt of the order, the successful bidder will be required to furnish five copies of all relevant drawings/Documents for TPSODL approval.</p> <p><b>Instruction Manuals:</b> Bidder shall furnish two (2) soft copies (CD) and four hard copies of nicely bound manual (in English Language) covering erection and maintenance instructions and all relevant information pertaining to the cables.</p>				
<b>19.0</b>	<b>GUARANTEED TECHNICAL PARTICULARS</b>	<b>S.No.</b>	<b>Description</b>	<b>Units</b>	<b>To be specified by the bidder</b>	
		1	Manufacturer			
		2	Model No.			
		3	Installation			
		4	Type			
		5	Service voltage	kV (rms)		
		6	Rated Voltage	kV (rms)		
		7	Rated frequency			
		8	Maximum continuous operating voltage (M.C.O.V.)	kV (rms)		
		9	Arrestor rating	kV (rms)		
		10	Nominal discharge current	kA		
		11	Class			
		12	Line discharge class			
		13	Voltage withstand on arrestor housing			
			Power frequency voltage (Dry/ Wet)	kV (rms)		
			Lightning Impulse voltage kV Peak	kV (peak)		
		14	Lightning Impulse protection level	kA		
		15	Long duration current withstand test			
			Peak current	kA		
			Virtual duration of peak T	micro sec		
		16	Partial discharge	pC		
		17	High current impulse operating duty	kA		

Initiator		HOG (Engineering)	
-----------	--	----------------------	--


**TECHNICAL SPECIFICATION**

<b>Document Title</b>	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightning Arrester	
<b>Document No.</b>	ENG-HV-2004	<b>Eff. Date:</b> 07.01.2022
<b>Revision No.</b>	01	<b>Page</b> 11 of 14
<b>Prepared By:</b> Ranjan Kumar Sahoo	<b>Reviewed By:</b> Priya Kumar Sharma	<b>Approved &amp; Issued By :</b> Mahendra Kumar Pandey

		18	Creepage distance of arrester housing	mm	
		19	Disconnecter		
		20	Cantilever strength		
		21	Reference current	kA	
		22	Reference voltage at reference current	kV	
		23	Maximum switching impulse residual voltage at		
			125 A	kV	
			500 A	kV	
		24	Maximum steep current impulse residual voltage		
		25	Power losses of the arrester		
		26	Recommended clearances phase to phase		
		27	Heat dissipation capability		
		28	Contamination withstand level		
		29	Dimensions of arrester disconnector height/max. diameter/weight	mmXmmXmm	
		30	Total height of the arrester	mm	
		31	Total weight of the arrester	kg	
		32	Mounting arrangement		
20.0	SCHEDULE OF DEVIATIONS				
<b><u>(TO BE ENCLOSED WITH THE BID)</u></b>					
All deviations from this specification shall be set out by the Bidders, clause by Clause in this schedule. Unless specifically mentioned in this Schedule, the tender shall be deemed to confirm the purchaser's specifications:					
S.No.		Clause No.		Details of deviation with justifications	


Initiator		HOG (Engineering)	
-----------	--	----------------------	--



	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 33kV 10kA Distribution Class and Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004	Eff. Date: 07.01.2022
Revision No.	01	Page 12 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Approved & Issued By : Mahendra Kumar Pandey


<p>We confirm that there are no deviations apart from those detailed above.</p>  <div style="display: flex; justify-content: space-between;"> <div> <p>Seal of the Company:</p> </div> <div> <p>Signature</p>    <p>Designation</p> </div> </div>					

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004A	Eff. Date:07.01.2022
Revision No.	01	Page 1 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Approved & Issued By : Mahendra Kumar Pandey

## **CONTENTS**

- 1.0 SCOPE
- 2.0 APPLICABLE STANDARDS
- 3.0 CLIMATIC CONDITIONS OF THE INSTALLATION
- 4.0 GENERAL TECHNICAL REQUIREMENTS
- 5.0 GENERAL CONSTRUCTIONS
- 6.0 NAME PLATE AND MARKING
- 7.0 TESTS
- 8.0 TYPE TEST CERTIFICATES
- 9.0 PRE-DESPATCH INSPECTION
- 10.0 INSPECTION AFTER RECEIPT AT STORE
- 11.0 GUARANTEE
- 12.0 PACKING
- 13.0 TENDER SAMPLE
- 14.0 TRAINING
- 15.0 QUALITY CONTROL
- 16.0 MINIMUM TESTING FACILITIES
- 17.0 MANUFACTURING ACTIVITIES
- 18.0 SPARES, ACCESSORIES AND TOOLS
- 19.0 DRAWING AND DOCUMENTS
- 20.0 GURANTEED TECHNICAL PARTICULARS
- 21.0 SCHEDULE OF DEVIATIONS

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 2 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey

1.0	SCOPE	<div><div><div>1. This specification covers the technical requirements of design, manufacture, testing at manufacturer's works, packing, forwarding, supply and unloading of 12 kV,10kA, Station class Lightning Arrester at site/stores complete with all accessories for efficient and trouble free-operation. The specific requirements are covered in the enclosed technical data sheet.</div><div>2. The material shall be complete with all components and accessories, which are necessary or usual for their efficient performance and trouble free operation under the various operating and atmospheric conditions specified in clause no. 3</div><div>3. Such of the parts that may have not been specifically included, but otherwise form part of the Lightning arrester as per standard trade and/or professional practice and/or are necessary for proper operation, will be deemed to be also included in this specification. The successful bidder shall not be eligible for any extra charges for such accessories etc. notwithstanding the fact that at the time of an initial offer bidder had segregated such items and quoted for them separately.</div></div></div>														
2.0	APPLICABLE STANDARDS	<div><div>The equipment ( and the materials used ) covered by this specification shall unless otherwise stated, be designed, manufactured and tested in accordance with the latest editions of the following Indian standards &amp; other relevant standards for components, BEE &amp; CEA guidelines with latest amendment from time to time, thereof, some of which are listed below:</div><table><tr><th>Indian Standards ( IS /IEC</th><th>Title</th></tr><tr><td>IS-3070:1993 (Part-3)</td><td>Specification for Lightning arresters for alternating current system.</td></tr><tr><td>IS-4759:1996 Reaffirmed 2006</td><td>Hot dip-zinc-coating on structural steel and other allied products.</td></tr><tr><td>IS-2633:1986 Reaffirmed 2006</td><td>Method for testing uniformity of coating on zinc coated particles.</td></tr><tr><td>IS-6209:1982 Reaffirmed 2006</td><td>Method of Partial Discharge Measurement</td></tr><tr><td>IS:6745:19824 Reaffirmed 2006</td><td>Method for determination of mass of zinc coating on zinc coated iron and steel articles.</td></tr><tr><td>IEC 60099-4 :2014 ed 03</td><td>Surge arrestor without gap for AC System.</td></tr></table><div><i>*In case of any conflict on any technical particular in the specification, the stricter requirement mentioned in the relevant standard shall be valid.</i></div></div>	Indian Standards ( IS /IEC	Title	IS-3070:1993 (Part-3)	Specification for Lightning arresters for alternating current system.	IS-4759:1996 Reaffirmed 2006	Hot dip-zinc-coating on structural steel and other allied products.	IS-2633:1986 Reaffirmed 2006	Method for testing uniformity of coating on zinc coated particles.	IS-6209:1982 Reaffirmed 2006	Method of Partial Discharge Measurement	IS:6745:19824 Reaffirmed 2006	Method for determination of mass of zinc coating on zinc coated iron and steel articles.	IEC 60099-4 :2014 ed 03	Surge arrestor without gap for AC System.
Indian Standards ( IS /IEC	Title															
IS-3070:1993 (Part-3)	Specification for Lightning arresters for alternating current system.															
IS-4759:1996 Reaffirmed 2006	Hot dip-zinc-coating on structural steel and other allied products.															
IS-2633:1986 Reaffirmed 2006	Method for testing uniformity of coating on zinc coated particles.															
IS-6209:1982 Reaffirmed 2006	Method of Partial Discharge Measurement															
IS:6745:19824 Reaffirmed 2006	Method for determination of mass of zinc coating on zinc coated iron and steel articles.															
IEC 60099-4 :2014 ed 03	Surge arrestor without gap for AC System.															


Initiator		HOG (Engineering)	
-----------	--	----------------------	--

Document Title	Specification of 12kV 10kA Station Class Polymeric Lightning Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 3 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey

3.0	CLIMATIC CONDITIONS OF THE INSTALLATION	<p>The material shall be suitable for following climatic conditions,</p> <ol style="list-style-type: none"> <li>1. Maximum altitude above sea level 1,000m</li> <li>2. Maximum ambient air temperature 50°C</li> <li>3. Maximum daily average ambient air temperature 35°C</li> <li>4. Minimum ambient air temperature 0°C</li> <li>5. Maximum relative humidity 95%</li> <li>6. Average number of thunderstorm days per annum (isokeraunic level) 70</li> <li>7. Average number of rainy days per annum 120</li> <li>8. Average annual rainfall 150cm</li> <li>9. Earthquakes of an intensity in horizontal direction - equivalent to seismic acceleration of 0.3g</li> <li>10. Earthquakes of an intensity in vertical direction - equivalent to seismic acceleration of 0.15g (g being acceleration due to gravity)</li> <li>11. Wind velocity: 300 km/hr, 200 km/hr and 160 km/hr.</li> </ol> <p>Environmentally, some of the regions, where the work will take place includes coastal areas, subject to high relative humidity, which can give rise to condensation. Onshore winds will frequently be salt laden. On occasions, the combination of salt and condensation may create pollution conditions for outdoor insulators. Some places are in heavily industrial polluted areas.</p> <p>Therefore, Outdoor material and equipment shall be designed and protected for use in exposed, heavily polluted, salty, corrosive and humid coastal atmosphere</p> <p>The design of equipment and accessories shall be suitable to withstand seismic forces corresponding to an acceleration of 0.1 g.</p>


4.0	GENERAL TECHNICAL REQUIREMENTS	
S No	Description	Requirements for 12kV 10kA Station Class (SM)
1	Installation	Outdoor
2	Type	Metal Oxide gapless cage type
3	Housing Material	Injection molded silicone rubber
4	Service Voltage	11 kV
5	Rated Voltage	12 kV
6	Rated Frequency	50 Hz
7	Maximum Continuous Operating Voltage (MCOV) , Uc	12 kV (rms)
8	Arrester Rating Ur	12 kV (rms)
9	Nominal Discharge Current In	10 kA
10	Distribution Class	Station Class- SM
11	Line Discharge Class	Class 2
12	Repetitive Charge transfer withstand (Coulombs ) Qrs	>1.6 C
13	Qth (C)	-

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 4 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey


	Thermal Energy withstand rating	Wth (kJ/kV)	> 7 KJ/kV Ur (2 shots)
14	Insulation Voltage Withstand on Arrester Housing		
14.1	Power Frequency Voltage (Dry/ Wet) for one minute.		28 kV (rms)
14.2	Lightning Impulse Voltage kV Peak		75kV (Peak)
15	Rated Short Circuit Current		16kA or better
16	High Current impulse Operating Duty (4/10 $\mu$ s impulse wave) (kAp)		100 (kAp)
17	Partial Discharge at 1.05 times M.C.O.V		<10 pC
18	Disconnecter		As per IEC 60099 ed 03
19.1	Disconnecter connecting lead		Insulated flexible tinned plated copper braid with lugs
19.2	Size of Insulated Tinned copper braid		25 sqmm
19.3	Length of Insulated Tinned copper braid		300 mm
20	Material of Insulating Braket		UV resistant Fire retardant DMC
21	Material of End fittings		Machined / pressure die casted Aluminum
22	Pull Strength (Min.)		1000N
23	Cantilever Strength (Min.)		12 KGM
24	Total creepage length of the arrester (Min.)		500mm
25	Stack Height		To be submitted by bidder
26	Rating of individual ZnO blocks used for assembly		3kV/ 4.5kV
27	Temporary Over Voltage rating (TOV) kVp		Bidders to submit the offered product values
28.1	1Sec		Min. 12kV
28.2	10 Sec		Min. 10kV
28.3	100Sec		Min. 9.5kV
29	Maximum Residual Voltage during impulse discharge of 8/20microsec.		Desired Maximum Values
29.1	5kAp		26kVpeak
29.2	10kAp		28kVpeak
30	Max Steep lightning current impulse 1/20 $\mu$ s residual voltage		33kVpeak
31	Material of Insulating terminal cap		Polyolefin
32	Material of Nut Bolt washers		Stainless Steel
33	Current at MCOV		
33.1	a. Resistive Current		Bidders to submit
33.2	b. Capacitive Current		Bidders to submit
34	The bolt grade		All hardware bolt shall be of 8.8 grade

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightning Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 5 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey

5.0	GENERAL CONSTRUCTION	<ol style="list-style-type: none"> <li>Lightning arresters shall be designed with gapless metal oxide elements with silicon housing suitable for operation under the system conditions specified.</li> <li>Arresters shall be completely molded units with <b>absolutely no air volume inside</b>, suitable for mounting on bracket. <b>Arresters of tubular construction i.e arresters assembled in hollow core insulators with enclosed air volume are not acceptable</b></li> <li>The end fittings shall be non-magnetic and of corrosion proof material.</li> <li>The end fittings used in polymer arrester shall be made from aluminum through machining process/pressure die-casting process. Sand casted and gravity casted end fittings are not acceptable.</li> <li>MOV blocks shall have full metallization to have full face contact and to reduce contact resistance between adjacent discs.</li> <li>Each unit of arrester assembly shall be hermetically sealed, leak tested and protected against ingress of moisture.</li> <li>The seal shall be properly designed and tested for operation under extreme weather conditions.</li> <li>Lightning arrester construction shall be suitable to withstand Seismic Loading, Short Circuit Forces and wind load and the force exerted on the arrester base and to the terminal imposed by the line conductor.</li> <li>The surge arrester shall not operate under power frequency and temporary over voltage conditions but under surge conditions, the surge arrester shall change over to the conducting mode. The surge arrester shall be suitable for circuit breaker performing 0-0.3sec.-CO-3 min-CO-duty in the system. Surge arrestors shall have a suitable pressure relief system to avoid damage to the porcelain/silicon polymeric housing and providing path for flow of rated fault currents in the event of arrester failure. The reference current of the arrester shall be high enough to eliminate the influence of grading and stray capacitance on the measured reference voltage.</li> </ol>
5.1	ASSEMBLY	<ol style="list-style-type: none"> <li>Lightning arrester shall be supplied along with disconnecter, insulating bracket, Insulating terminal Cap, disconnecter, Insulated tinned copper braid and necessary hard-wares.</li> <li>The Assembly consists of stack of nonlinear Metal Oxide (ZnO) elements with highly non-linear voltage current characteristics, connected in series.</li> <li>All the contact surfaces of metal oxide elements and Aluminum blocks must be smooth to have uniform contact surface.</li> <li>Housing shall be made of Silicon rubber via injection molding to provide thermal dissipation of heat generated in the metal oxide elements during overvoltage and line discharge.</li> <li>Polymeric housing shall be free from air bubble, flaws affecting the mechanical and electrical strength of the arrester.</li> <li>Housing shall be capable to withstand the desired pollution stresses without flashover.</li> <li>The polymer material used for the arrester housing must be tracking and erosion resistant, stabilized against UV radiation.</li> <li>All metal parts shall be of non-rusting and non-corroding metal.</li> <li>The arrester disconnecter shall be suitable for screwing directly to L.A with terminal of M10.</li> </ol>


Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightning Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 6 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey

		10. Stainless Steel Bolts, Nuts, washers shall be provided. 11. All similar parts, particularly removable ones, shall be interchangeable. 12. The arrestor shall have thermal stability to withstand the heat generated from the ZnO element due to continuous operating voltage and surges. 13. The 12kV 10kA station class Lightning Arrester shall have L-shaped terminal clamp suitable for conductor size of 9mm-16mm diameter.
5.2	<b>DISCONNECTOR</b>	1. Each individual unit of Lightning Arrester with disconnector shall be hermetically sealed and fully protected against ingress of moisture. 2. The hermetic seal shall be effective for the entire life time of the Lightning Arrester with disconnector under the specified service conditions. 3. Disconnectors shall give the visible indication of the failed arrestor. 4. The Lightning Arrester with disconnector shall be suitable for bracket type mounting. . 5. The corresponding units of Lightning Arrester with disconnector of the same rating shall be interchangeable without adversely affecting the performance. 6. All the necessary flanges, bolts, nuts, clamps etc. required for assembly of complete Lightning Arrester with disconnector and accessories and mounting on purchaser's support structure shall be included in bidder's scope of supply. 7. The mounting details for mounting the Lightning Arrester with disconnector on purchaser's support shall be given along with the bid.
5.3	<b>MOUNTING BRACKET</b>	The 12kV 10kA Station class Lightning Arrester shall be fixed over a mounting arrangement made of Hot dip galvanized MS material and additionally one mounting bracket shall be provided
5.4	<b>MECHANICAL STRENGTH</b>	1. The Lightning Arrester and its base shall withstand rated mechanical terminal load and electromagnetic forces without impairing their operational reliability. 2. The Lightning Arrester shall not come out of their positions by gravity, wind pressure, vibrations or reasonable shocks.
5.5	<b>SURGE COUNTER</b>	1. Cyclometric 5-digit, non-resetting type counter, dial type surge counter shall be provided for each lightning arrester for automatically recording the number of discharges. Each counter shall have a continuous leakage current indicator and shall not require an external power source of operation. The value of leakage current beyond which the operation is abnormal shall be clearly marked in red colour on the detector. 2. Surge arrester shall include a milli-ammeter to monitor the leakage current. The milli-ammeter usually bears a red mark at the higher scale regions. Increase of leakage current to the red marked zone is essentially an indication that the arrester is likely to attain the thermal runaway condition. The qualitative information regarding the arrester health, obtained from the milli-ammeter, helps the user to take preventive measures before the arrester failure. 3. Discharge counters and milli-ammeters shall be suitable for mounting on structure and shall be mounted at approximately 1.5 meters above

Initiator		HOG (Engineering)	
-----------	--	----------------------	--



	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightning Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 7 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey

		<p>ground level. The reading of the milli-ammeter and counters shall be visible through an inspection glass panel. The terminals shall be of robust and adequate size and shall be so located that incoming and outgoing connections are made with minimum possible bends.</p> <ol style="list-style-type: none"> <li>The connecting conductor from lightning arrester earth terminal to the discharge counter incoming terminal shall be insulated for a minimum of 4 kV and this insulated conductor shall be supplied along with the arrester by the bidder. The surge arrester to surge counter connection shall be done by means insulated multi strand copper cable of minimum size 35 sq.mm to withstand the fault currents during severe operating conditions.</li> <li>The surge arrester shall be designed to operate/ withstand without damage or change in performance for the high current impulse, long duration current impulse corresponding to the discharge class of the surge arrester and nominal discharged current corresponding to the discharge current of the surge with which it is used.</li> <li>The external and internal parts of the surge monitor shall be hermetically sealed to withstand the atmospheric variation of temperature and humidity, rain and dust encountered in station in which they are installed. The surge Monitor line terminal shall be solidly connected to the ground terminal of the surge monitor through an inbuilt metal oxide element satisfying the operational requirement.</li> <li>The surge counter shall have IP 67 protection.</li> </ol>
6.0	<b>NAME PLATE AND MARKING</b>	<ol style="list-style-type: none"> <li>The Lightning Arrester shall be provided with durable and legible name plate embossing, effectively secured against removal.</li> <li>The name plate shall be indelibly and distinctly marked with all essential particulars as per the relevant standards along with the following :</li> <li>The Name plate/product shall have marking of "PO no. with date" &amp; "Property of TPSODL"</li> <li>The following information shall be mentioned on the Name Plate: <ol style="list-style-type: none"> <li>Continuous operating Voltage</li> <li>Rated Voltage</li> <li>Rated Frequency</li> <li>Nominal Discharge Current</li> <li>Manufacturer's Name</li> <li>Type and Identification of the complete arrester</li> <li>Year of Manufacture</li> <li>Serial Number</li> </ol> </li> </ol>
7.0	<b>TESTS</b>	<ol style="list-style-type: none"> <li>All routine, acceptance &amp; type tests shall be carried out in accordance with the relevant IS/IEC.</li> <li>All acceptance tests shall be witnessed by the purchaser/his authorized representative.</li> <li>All the components and fittings shall also be type tested as per the relevant standards.</li> <li>Following tests shall be necessarily conducted on the Lightning Arrester in addition to others specified in IS/IEC standards.</li> </ol> <p><i>*In case of any conflict on any technical particular in the specification, the stricter requirement mentioned in the relevant standard shall be valid.</i></p>
7.1	<b>TYPE TEST</b>	

Initiator		HOG (Engineering)	
-----------	--	----------------------	--



Document Title

Specification of 12kV 10kA Station Class Polymeric Lightning Arrester

Document No.

ENG-HV-2004A

Eff. Date: 07.01.2022

Revision No.

01

Page 8 of 14

Prepared By:

Ranjan Kumar Sahoo

Reviewed By:

Priya Kumar Sharma

Issued By:


Mahendra Kumar Pandey

## List of type test Reports to be submitted along with offer as per IEC 60099-4 Ed.3

Sr. No.	Test to be done	Reference BIS / Document
1	Power Frequency reference Voltage test (Both in Dry and Wet condition)	As per IEC 60099-4 Ed.3 clause 10.8.2
2	Lightning impulse residual voltage on complete arrester	As per IEC 60099-4 Ed.3 clause 10.8.2
3	Residual voltage tests	As per IEC 60099-4 Ed.3 clause 10.8.3
4	Test to verify long term stability under continuous operating voltage	As per IEC 60099-4 Ed.3 clause 10.8.4
5	Test to verify the repetitive charge transfer rating, Qrs	As per IEC 60099-4 Ed.3 clause 10.8.5
6	Heat dissipation behaviour	As per IEC 60099-4 Ed.3 clause 10.8.6
7	Operating duty test	As per IEC 60099-4 Ed.3 clause 10.8.7
8	Power-frequency voltage-versus-time test characteristic	As per IEC 60099-4 Ed.3 clause 10.8.8
9	Tests of arrester disconnector	As per IEC 60099-4 Ed.3 clause 10.8.9
10	Operating withstand Test for Disconnector	As per IEC 60099-4 Ed.3 clause 8.9.2
11	Disconnector operation test – Current vs time	As per IEC 60099-4 Ed.3 clause 8.9.3
12	Mechanical tests on Disconnector	As per IEC 60099-4 Ed.3 clause 8.9.4
13	Temperature cycling and seal pumping test on Disconnector	As per IEC 60099-4 Ed.3 clause 8.9.5
14	Short-circuit tests a. High current SC b. Low current SC	As per IEC 60099-4 Ed.3 clause 10.8.10
15	Bending moment test	As per IEC 60099-4 Ed.3 clause 10.8.11
16	Seal leak rate test	As per IEC 60099-4 Ed.3 clause 10.8.13
17	Radio interference voltage (RIV) test	As per IEC 60099-4 Ed.3 clause 10.8.14
18	Test to verify the dielectric withstand of internal components	As per IEC 60099-4 Ed.3 clause 10.8.15
19	Test of internal grading	As per IEC 60099-4 Ed.3 clause 10.8.16


Initiator

HOG  
(Engineering)

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 9 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey


		<table> <tr> <td></td><td>components</td><td></td></tr> <tr> <td>20</td><td>Thermal cyclic test</td><td>As per IEC 60099-4 Ed.3 clause 8.16.2</td></tr> <tr> <td>21</td><td>Weather aging Test for 1000 hours of slat fog test and 1000 hours of UV test</td><td>As per IEC 60099-4 Ed.3 clause 10.8.17</td></tr> </table>		components		20	Thermal cyclic test	As per IEC 60099-4 Ed.3 clause 8.16.2	21	Weather aging Test for 1000 hours of slat fog test and 1000 hours of UV test	As per IEC 60099-4 Ed.3 clause 10.8.17															
	components																									
20	Thermal cyclic test	As per IEC 60099-4 Ed.3 clause 8.16.2																								
21	Weather aging Test for 1000 hours of slat fog test and 1000 hours of UV test	As per IEC 60099-4 Ed.3 clause 10.8.17																								
7.2	ROUTINE TEST	<p>The test shall be as per IEC 60099-4 Ed.3 clause no. 9.1 and or IS3070 latest editions,</p> <ol style="list-style-type: none"> <li>1. Measurement of reference voltage test</li> <li>2. Residual Voltage Test on complete arrester</li> <li>3. Internal partial discharge test. This test shall be performed on each arrester unit. The test sample may be shielded against external partial discharges. Internal partial discharge shall not exceed 10 pC</li> <li>4. Satisfactory absence from partial discharges and contact noise shall be checked on each unit by any sensitive method adopted by the manufacturer.</li> <li>5. For arrester for arrester units with an enclosed gas volume and separate sealing system the sealed housing leakage check shall be made on each unit by any sensitive method adopted by the manufacturer on the arrester and on surge monitor.</li> <li>6. Disconnector Assembly- Proper assembly of each disconnector has to be demonstrated by either measurement of resistance / capacitance or partial discharges.</li> </ol>																								
7.3	ACCEPTANCE TEST	<table> <tr> <th>Sr. No.</th><th>Test to be done</th><th>Reference BIS / Document</th></tr> <tr> <td>1</td><td>Measurement of power-frequency voltage on the arrester at the reference current.</td><td>As per IEC 60099-4 Ed.3 clause no. 9.2.1.a or IS:3070 part3 cl.6.2.8</td></tr> <tr> <td>2</td><td>Lightning impulse residual voltage on the arrester at nominal discharge current</td><td>As per IEC 60099-4 Ed.3 clause no. 9.2.1.b or IS:3070 part3 cl.6.4. and table 8</td></tr> <tr> <td>3</td><td>Partial Discharge Test (Both in Dry and Wet condition)</td><td>As per IEC60099 part4 cl.9.1</td></tr> <tr> <td>4</td><td>Visual Inspection</td><td>No damage and loose fitting</td></tr> <tr> <td>5</td><td>On disconnector used in combination with NGLA, bending moment and tensile load tests shall be performed.</td><td>As per IEC 60099-4 Ed.3 clause no. 9.2.1.d</td></tr> <tr> <td>6</td><td>Verification of components and dimensions.</td><td>As per Approved GTP/TPSODL Specification</td></tr> <tr> <td>7</td><td>Verification of type test of ZnO Blocks</td><td>Document Verification</td></tr> </table>	Sr. No.	Test to be done	Reference BIS / Document	1	Measurement of power-frequency voltage on the arrester at the reference current.	As per IEC 60099-4 Ed.3 clause no. 9.2.1.a or IS:3070 part3 cl.6.2.8	2	Lightning impulse residual voltage on the arrester at nominal discharge current	As per IEC 60099-4 Ed.3 clause no. 9.2.1.b or IS:3070 part3 cl.6.4. and table 8	3	Partial Discharge Test (Both in Dry and Wet condition)	As per IEC60099 part4 cl.9.1	4	Visual Inspection	No damage and loose fitting	5	On disconnector used in combination with NGLA, bending moment and tensile load tests shall be performed.	As per IEC 60099-4 Ed.3 clause no. 9.2.1.d	6	Verification of components and dimensions.	As per Approved GTP/TPSODL Specification	7	Verification of type test of ZnO Blocks	Document Verification
Sr. No.	Test to be done	Reference BIS / Document																								
1	Measurement of power-frequency voltage on the arrester at the reference current.	As per IEC 60099-4 Ed.3 clause no. 9.2.1.a or IS:3070 part3 cl.6.2.8																								
2	Lightning impulse residual voltage on the arrester at nominal discharge current	As per IEC 60099-4 Ed.3 clause no. 9.2.1.b or IS:3070 part3 cl.6.4. and table 8																								
3	Partial Discharge Test (Both in Dry and Wet condition)	As per IEC60099 part4 cl.9.1																								
4	Visual Inspection	No damage and loose fitting																								
5	On disconnector used in combination with NGLA, bending moment and tensile load tests shall be performed.	As per IEC 60099-4 Ed.3 clause no. 9.2.1.d																								
6	Verification of components and dimensions.	As per Approved GTP/TPSODL Specification																								
7	Verification of type test of ZnO Blocks	Document Verification																								

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 10 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey


		8	Peel off test (removal of housing)	Samples shall confirm to the specified design. Samples shall be free from air void, cavity and other visual defects. shall be Design conformation verification.
		9	Thermal stability test	Shall be done randomly on any lot material as per IEC 60099-4 Ed.3 clause 9.2.2 and clause 8.7 or IS:3070 part3 cl.7.3
7.4	<b>SPECIAL TEST as acceptance test</b>	<b>SPECIAL THERMAL STABILITY TEST</b> as per As per IEC 60099-4 Ed.3 clause 9.2.2 and 8.7 or IS:3070 part3 cl.7.3- TPSODL. Reserves right to perform special thermal stability test during acceptance if required. No failure from the randomly selected sample shall qualify for acceptance. <b>WATT LOSS TEST.</b>		
8.0	<b>TYPE TEST CERTIFICATES</b>	<ol style="list-style-type: none"> <li>The bidder shall furnish the type test certificates as mentioned above as per the corresponding standards.</li> <li>All the tests shall be conducted at CPRI / ERDA as per the relevant standards.</li> <li>Type tests should have been conducted in certified Test laboratories during the period not exceeding 5 years from the date of opening the bid.</li> <li>In the event of any discrepancy in the test reports, i.e. any test report not acceptable same shall be carried out without any cost implication to TPSODL.</li> </ol>		
9.0	<b>PRE-DESPATCH INSPECTION</b>	<ol style="list-style-type: none"> <li>Equipment shall be subject to inspection by a duly authorized representative of TPSODL.</li> <li>Inspection may be made at any stage of manufacture at the option of the purchaser and the equipment if found unsatisfactory as to workmanship or material, the same is liable to rejection.</li> <li>Bidder shall grant free access to the places of manufacture to TPSODL's representatives at all times when the work is in progress.</li> <li>Inspection by TPSODL or authorized representatives shall not relieve the supplier of his obligation of furnishing equipment in accordance with the specifications.</li> <li>Material shall be dispatched after specific MDCC (Material Dispatch Clearance Certificate) is issued by TPSODL.</li> <li>Following documents shall be sent along with material: <ol style="list-style-type: none"> <li>Test report</li> <li>MDCC issued by TPSODL</li> <li>Invoice in duplicate</li> <li>Packing list</li> <li>Drawings &amp; catalogue</li> <li>Guarantee / Warrantee card</li> <li>Delivery Challan</li> <li>Other Documents (as applicable)</li> </ol> </li> </ol>		

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 11 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey


10.0	<b>INSPECTION AFTER RECEIPT AT STORE</b>	The material received at TPSODL, Berhampur, Odisha store shall be inspected for acceptance and shall be liable for rejection, if found different from the reports of the pre-dispatch inspection and one copy of the report shall be sent to Engineering department.
11.0	<b>GUARANTEE:</b>	<ol style="list-style-type: none"> <li>Bidder shall stand guarantee towards design, materials, workmanship &amp; quality of process/ manufacturing of items under the contract for due and intended performance of the same, as an integrated product delivered under this contract.</li> <li>In the event any defect is found by the Company up to a period of 18 months from the date of commissioning or 24 months from the date of last supplies made under the contract, whichever is earlier, supplier shall be liable to undertake to replace/rectify such defects at his own costs. within mutually agreed timeframe, and to the entire satisfaction of the Company, failing which the Company will be at liberty to get it replaced/rectified at supplier's risks and costs and recover all such expenses plus the Company's own charges( @ 20% of expenses incurred), from the supplier or from the "Security cum Performance Deposit" as the case may be. Bidder shall further be responsible for 'free replacement' for another period of THREE years from the end of the guarantee period for any 'Latent Defects' if noticed and reported by the Company</li> </ol>
12.0	<b>PACKING</b>	<ol style="list-style-type: none"> <li>Bidder shall ensure that all the equipment covered under this specification shall be prepared for rail/road transport in a manner so as to protect the equipment from damage in transit.</li> <li>The material should be packed in vertical position in individual box in such a way that the shape of rain shed does not get deformed during transportation and storage.</li> </ol> <p><b>Note: Single use plastic not to be used for packing of the material.</b></p>
13.0	<b>TENDER SAMPLE</b>	One sample to be submitted during technical bid submission. This shall be Non-returnable basis as we shall perform destructive tests on sample.
14.0	<b>TRAINING</b>	NA
15.0	<b>QUALITY CONTROL</b>	<p>The bidder shall submit with the offer Quality assurance plan indicating the various stages of inspection, the tests and checks which will be carried out on the material of construction, components during manufacture and bought out items and fully assembled component and equipment after finishing. As part of the plan, a schedule for stage and final inspection within the parameters of the delivery schedule shall be furnished. TPSODL's engineer or its nominated representative shall have free access to the manufacturer's/sub-supplier's works to carry out inspections.</p> <p>The following information shall necessarily be submitted with the bid:</p> <ol style="list-style-type: none"> <li>List of important raw materials, names of sub-suppliers for raw materials, standards to which raw material is tested and the copies of test reports of the tests carried out on raw materials in presence of Bidder's representatives.</li> </ol>

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 12 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey


		<ol style="list-style-type: none"> <li>2. List of manufacturing facilities available, level of automation achieved and the areas where manual process exists.</li> <li>3. List of areas in manufacturing process where stage inspections are normally carried out for quality control and details of these tests and inspections</li> <li>4. List of testing equipment for final testing with valid calibration reports. Manufacturer shall possess 0.1 class instruments for measurement of losses.</li> <li>5. QAP withhold points for TPSODL</li> <li>6. inspection.</li> </ol>
16.0	<b>MINIMUM TESTING FACILITIES</b>	Bidder shall have adequate in house testing facilities for carrying out all routine tests, acceptance tests and pre-dispatch inspection as per relevant International / Indian standards.
17.0	<b>MANUFACTURING ACTIVITIES</b>	<p>The successful bidder will have to submit technical compliance document and drawing as per RC line items for getting approval before mass manufacturing.</p> <p>Manufacturing shall start only after getting CAT-A approved drawings or as per intimation from TPSODL.</p>
18.0	<b>SPARES, ACCESSORIES ND TOOLS</b>	Not Applicable
19.0	<b>DRAWINGS AND DOCUMENTS</b>	<p>Following drawings and documents shall be prepared based on TPSODL specifications and statutory requirements and shall be submitted with the bid:</p> <ol style="list-style-type: none"> <li>a. Completely filled in Technical Particulars and compliance to each clause of the specification General Technical Requirements to Additional Details.</li> <li>b. Description of the equipment and all components including brochures.</li> <li>c. General Drawing arrangement of lightening arrester.</li> <li>d. Sectional drawing showing internal blocks etc.</li> <li>e. Bill of material.</li> <li>f. Experience Certificate and list.</li> <li>g. Type test certificates.</li> <li>h. List of makes of major components.</li> </ol> <p><b>Drawings / documents to be submitted after the award of the contract are as under:</b></p> <p><b><u>List of Drawings/Parameters to be submitted:</u></b></p>

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 13 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey

		<ol style="list-style-type: none"> <li>1. Technical Parameters as asked in Specification (General Technical Particulars, General Technical Requirements, Additional Details, Fittings, Type test Reports and Routine test certificates of bought out accessories).</li> <li>2. General Arrangement Drawing of the Lightening arrester (Front view and Top view. Complete list of fittings to be displayed and quantities to be mentioned with the drawing).</li> <li>3. Sectional drawing showing the blocks arrangement.</li> <li>4. Terminal and connection drawings</li> <li>5. Type Test Certificates.</li> <li>6. Installation/ Mounting Instructions/Drawing.</li> </ol> <p><b><u>Additional Documents to be submitted :</u></b></p> <ol style="list-style-type: none"> <li>a. List of raw materials as well as bought out accessories and the names of sub-suppliers selected from those furnished along with offer.</li> <li>b. Type test certificates of the raw materials and bought out accessories.</li> <li>c. The successful Bidder shall submit the <b>routine test certificates of bought out accessories</b> and central excise passes for raw material at the time of routine testing.</li> </ol> <p>All the documents &amp; drawings shall be in English language. After the receipt of the order, the successful bidder will be required to furnish all relevant drawings/parameters/calculation to TPSODL for approval.</p> <p><b><u>Instruction Manuals:</u></b> Bidder shall furnish softcopies of nicely bound manuals (In English language) covering erection and maintenance instructions and all relevant information and drawings pertaining to the main equipment as well as auxiliary devices.</p>
20.0	<b>GUARANTEED TECHNICAL PARTICULARS</b>	<b>All clauses and points in the Specification to be complied for along with GTR.</b>
21.0	<b>SCHEDULE OF DEVIATIONS</b>	

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightning Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 14 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey

**(TO BE ENCLOSED WITH THE BID)**

All deviations from this specification shall be set out by the Bidders, clause by Clause in this schedule. Unless specifically mentioned in this Schedule, the tender shall be deemed to confirm the purchaser's specifications:

S.No.	Clause No.	Details of deviation with justifications


We confirm that there are no deviations apart from those detailed above.

Seal of the Company:

Signature

Designation

Initiator		HOG (Engineering)	
-----------	--	----------------------	--

	TP SOUTHERN ODISHA DISTRIBUTION LIMITED, BERHAMPUR	
	TECHNICAL SPECIFICATION	
Document Title	Specification of 12kV 10kA Station Class Polymeric Lightening Arrester	
Document No.	ENG-HV-2004A	Eff. Date: 07.01.2022
Revision No.	01	Page 15 of 14
Prepared By: Ranjan Kumar Sahoo	Reviewed By: Priya Kumar Sharma	Issued By: Mahendra Kumar Pandey


## **ANNEXURE-I**

### **INSPECTION TEST PLAN FOR PRE-DELIVERY OF LIGHTENING ARRESTER**

Sr. No.	Test to be done	Reference BIS / Document	Acceptance criteria
1	Power Frequency reference Voltage test (Both in Dry and Wet condition)	As per IEC 60099-4 Ed.3 clause no. 9.2.1.a or IS:3070 part3 cl.6.2.8	Should withstand as per Specification requirements.
2	Lightning impulse residual voltage on the arrester at nominal discharge current	As per IEC 60099-4 Ed.3 clause no. 9.2.1.b or IS:3070 part3 cl.6.4. and table 8	Should withstand as per Specification requirements.
3	Partial Discharge Test (Both in Dry and Wet condition)	As per IEC60099 part4 cl.9.1	Should withstand as per Specification requirements.
4	Visual Inspection	No damage and loose fitting	Compliance as per Specification requirements and approved drawings
5	Verification of components and dimensions.	As per Approved GTP/ TPSODL Specification	Compliance as per Specification requirements and approved drawings
6	Verification of type test of ZnO Blocks	Document Verification	Compliance as per Specification requirements and IS/IEC standards
7	Peel off test (removal of housing)	Samples shall confirm to the specified design. Samples shall be free from air void, cavity and other visual defects. shall be Design conformation verification, free	Should meet the Specification requirements without any defect
8	On disconnector used in combination with NGLA, bending moment and tensile load tests shall be performed.	As per IEC 60099-4 Ed.3 clause no. 9.2.1.d	Disconnector should withstand parameters as per approved documents.
9	Thermal stability test	Shall be done randomly on any lot material as per IEC 60099-4 Ed.3 clause 9.2.2 or IS:3070 part3 cl.7.3	Shall withstand the variations.

Initiator		HOG (Engineering)	
-----------	--	----------------------	--



	TP SOUTHERN ODISHA DISTRIBUTION LIMITED	
	WORK INSTRUCTION /OPERATING GUIDELINES	
Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	2	Page 1 of 49

CONTENTS	
CLAUSE NO.	DESCRIPTION
<b>1.0</b>	<b>ORGANIZATIONAL VALUES</b>
<b>2.0</b>	<b>ETHICS</b>
<b>3.0</b>	<b>CONTRACT PARAMETERS</b>
3.1	Issue/Award of Contract
3.2	Contract Commencement Date
3.3	Contract Completion Date
3.4	Contract Period/ Time
3.5	Contract Execution Completion Date
3.6	Contract Price /Value
3.7	Contract Document
3.8	Contract Language
3.9	Reverse Auction
<b>4.0</b>	<b>SCOPE OF WORK</b>
<b>5.0</b>	<b>PRICES/RATES/TAXES</b>
5.1	Changes in statutory Tax Structure
<b>6.0</b>	<b>TERMS OF PAYMENT</b>
6.1	Quantity Variation
6.2	Full and Final Payment
<b>7.0</b>	<b>MODE OF PAYMENT</b>
<b>8.0</b>	<b>SECURITY CUM PERFORMANCE DEPOSIT</b>
<b>9.0</b>	<b>STATUTORY COMPLIANCE</b>
9.1	Compliance to Various Acts
9.2	SA 8000
9.3	Affirmative Action
9.4	Preferential norms for procurement from MSMEs registered in the State of Odisha
<b>10.0</b>	<b>QUALITY</b>
10.1	Knowledge of Requirements
10.2	Material/Equipment/Works Quality

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 2 of 49

CONTENTS	
CLAUSE NO.	DESCRIPTION
10.3	Adherence to Rules & Regulations
10.4	Specifications and Standards
<b>11.0</b>	<b>INSPECTION/PARTICIPATION</b>
11.1	Right to Carry Out Inspection
11.2	Facilitating Inspection
11.3	Third Party Nomination
11.4	Waiver of Inspections
11.5	Incorrect Inspection Call
<b>12.0</b>	<b>MDCC &amp; DELIVERY OF MATERIALS</b>
12.1	Material Dispatch Clearance Certificate
12.2	Right to Rejection on Receipt
12.3	Consignee
12.4	Submission of Mandatory Documents on Delivery
12.5	Dispatch and Delivery Instructions
<b>13.0</b>	<b>GUARANTEE</b>
13.1	Guarantee of Performance
13.2	Guarantee period
13.3	Failure in Guarantee period (GP)
13.4	Cost of repairs on failure in GP
13.5	Guarantee Period for Goods Outsourced
13.6	Latent Defect
13.7	Support beyond the Guarantee Period
<b>14.0</b>	<b>LIQUIDATED DAMAGES</b>
14.1	LD Waiver Request
<b>15.0</b>	<b>UNLAWFUL ACTIVITIES</b>
<b>16.0</b>	<b>CONFIDENTIALITY</b>
16.1	Documents
16.2	Geographical Data
16.3	Associate's Processes
16.4	Exclusions
16.5	Violation

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 3 of 49

CONTENTS	
CLAUSE NO.	DESCRIPTION
<b>17.0</b>	<b>INTELLECTUAL PROPERTY RIGHTS</b>
<b>18.0</b>	<b>INDEMNITY</b>
<b>19.0</b>	<b>LIABILITY &amp; LIMITATIONS</b>
19.1	Liability
19.2	Limitation of Liability
<b>20.0</b>	<b>FORCE MAJEURE</b>
<b>21.0</b>	<b>SUSPENSION OF CONTRACT</b>
21.1	Suspension for Convenience
21.2	Suspension for Breach of Contract Conditions
21.3	Compensation in lieu of Suspension
<b>22.0</b>	<b>TERMINATION OF CONTRACT</b>
22.1	Termination for Default/Breach of Contract
22.2	Termination for Convenience of Associate
22.3	Termination for Convenience of TPSODL
<b>23.0</b>	<b>DISPUTE RESOLUTION AND ARBITRATION</b>
23.1	Governing Laws and jurisdiction
<b>24.0</b>	<b>ATTRIBUTES OF GCC</b>
24.1	Cancellation
24.2	Severability
24.3	Order of Priority
<b>25.0</b>	<b>ERRORS AND OMISSIONS</b>
<b>26.0</b>	<b>TRANSFER OF TITLES</b>
<b>27.0</b>	<b>INSURANCE</b>
<b>28.0</b>	<b>SUGGESTIONS &amp; FEEDBACK</b>
<b>29.0</b>	<b>CONTACT POINTS</b>
<b>30.0</b>	<b>LIST OF ANNEXURES</b>

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 4 of 49

## 1.0 ORGANIZATIONAL VALUES

The Tata Group has always been a value driven organization. These values continue to direct the Group's growth and businesses. The six core Tata Values underpinning the way we do business are:

**Integrity** - We must conduct our business fairly, with honesty and transparency. Everything we do must stand the test of public scrutiny.

**Understanding** - We must be caring, respectful, compassionate and humanitarian towards our colleagues and customers around the world and always work for the benefit of India.

**Excellence** - We must constantly strive to achieve the highest possible standards in our day to day work and in the quality of goods and services we provide.

**Unity** - We must work cohesively with our colleagues across the group and with our customers and partners around the world to build strong relationships based on tolerance, understanding and mutual co-operation.

**Responsibility** - We must continue to be responsible and sensitive to the countries, communities and environments in which we work, always ensuring that what comes from the people goes back to the people many times over.

**Agility** - We must work in a speedy and responsive manner and be proactive and innovative in our approach.

## 2.0 ETHICS

In our effort towards Excellence and in Management of Business Ethics at TPSODL, an Ethics Management Team is constituted.

The main objective of the Ethics Management Team is to:

1. Record, address and allay the issues and concerns on ethics raised by different stakeholders like employees, consumers, vendors, Associates etc. by initiating immediate corrective actions.
2. Ensure proper communication of the ethics policies and guidelines through prominent displays at all offices of TPSODL and through printed declarations in all concerned documents where external stakeholders are involved.
3. Ensure proper framework of policies as preventive measures against any ethics violation recorded by them.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 5 of 49

4. Prepare and submit MIS of all issues and concerns, corrective and preventive actions on monthly basis to the top management for their information.

All Associates and Stakeholders are requested to register any grievance on ethics violation on our website [www.tpsouthernodisha.com](http://www.tpsouthernodisha.com)

GENERAL CONDITIONS OF CONTRACT

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 6 of 49

### **3.0 CONTRACT PARAMETERS**

#### **3.1 Issue/Award of Contract**

TPSODL awards the contract to the Associate in writing in the form of Purchase Order (PO) or Rate Contract (RC), hereafter referred as Contract, through in any or all of following modes physical handover / post / e-mail / web document / fax with all the attachments/enclosures which shall be part of the contract document.

On receipt of the contract, the associate shall return to TPSODL copy of the contract document duly signed by legally authorized representative of associate, within two days of Effective Date of Contract for contracts having contract execution time less than 30 days and within five days for all other contracts.

#### **3.2 Contract Commencement Date**

The date of issue/award of contract shall be the Effective Date of Contract or Contract Commencement date.

#### **3.3 Contract Completion Date**

The date of expiry of Guarantee Period shall be deemed as the Contract Completion Date.

#### **3.4 Contract Period/Time**

The period from Contract Commencement Date to Contract Completion Date shall be deemed as the Contract Period/Time.

#### **3.5 Contract Execution Completion Date**

The stipulated date for completing the supply as per schedule of quantities shall be deemed as the Contract Execution Completion Date.

#### **3.6 Contract Price /Value**

The total all inclusive price/value mentioned in the PO/RC is the Contract Price/Value and is based on the quantity, unit rates and prices quoted and awarded and shall be subject to adjustment based on actual quantities supplied and accepted and certified by the authorized representative of the company unless otherwise specified in schedule of quantities or in contract documents.

#### **3.7 Contract Document**

The Contract Document shall mean and include but not limited to the following:

- NIT/Tender Enquiry, QR, Instruction to Bidders, Special Condition of Contract (SCC) of tender, GCC, Technical & Commercial Specifications including relevant annexure and attachments).
- Bids & Proposals Received from Associate including relevant annexure/attachments.
- RC/PO with agreed deviations from the tender/bid documents.
- All the Inspection and Test reports, Detailed Engineering Drawings.
- Material Dispatch Clearance Certificate (MDCC).

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 7 of 49

- Minutes of Meeting (MoM)

### 3.8 Contract Language

All documents, instructions, catalogues, brochures, pamphlets, design data, norms and calculations, drawings, operation, maintenance and safety manuals, reports, labels, on deliveries and any other data shall be in English Language.

The Contract documents and all correspondence between the TPSODL, Third Parties associated with the contract, and the Associate shall be in English language.

However, all signboards required indicating "Danger" and/or security at site and otherwise statutory required shall be in English, Hindi, and local languages.

### 3.9 Reverse Auction

TPSODL reserves the right to conduct the reverse auction (instead of public opening of price bids) for the products / services being asked for in the tender. The terms and conditions for such reverse auction events shall be as per the Acceptance Form attached in Annexure F.

Bid validity will stand get automatically extended from the date of latest Negotiation event i.e. Reverse Auction or Manual Negotiation and accordingly bid shall be valid further

- For minimum 45 days if original bid validity duration is lesser than 45 days at latest negotiation date.
- For actual bid validity duration if original bid validity is more than 45 days at latest negotiation date.

### 4.0 SCOPE OF WORK

All the activities that are to be undertaken by the Associate to realize the contractual deliverables in completeness form Scope of Work. Following clauses list, but not limited to, major requirements of the scope of work.

The associate shall satisfy himself and undertake fully the technical/commercial requirements of items to be supplied as listed in the Schedule of Quantities together with the tests to be performed /test reports to be furnished before dispatch, arrangement of stage and final inspections during manufacturing as per terms and conditions of contract, technical parameters & delivery terms and conditions including transit insurance to be met in order to fully meet TPSODL's requirements.

Completeness: Any supplies and services which might have not been specifically mentioned in the Contract but are necessary for the scope mentioned in Special Terms & Conditions and/or completeness of the works at the highest possible level, including any royalties, license fees & compensation to be paid, whether incurred by the associates or by a third party for the work covered in the scope, regardless of when incurred, shall be supplied/provided by the associate without any extra cost and within the time schedule for efficient, smooth and satisfactory operation and maintenance of the works at the highest possible level under Indian conditions (but according to international standards for facility of this type), unless expressly excluded from the scope of supplies and services in this Contract.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 8 of 49

TPSODL have the right, during the performance of the Contract, to change the scope and/or technical character of the Project and/or of the supplies and services stipulated in the Contract by submitting a request in writing to the Associate. The Associate shall, within fifteen days of receipt of such request from the TPSODL, provide Purchaser with a reasonably detailed estimate of the cost of the change outlined in the request.

In the event, TPSODL requests a change, the Contract price and time shall be adjusted upwards or downwards, as the case may be and shall be mutually agreed to. The associate shall not be entitled to any extension of time unless such changes adversely affect the time schedule.

The Associate shall not proceed with the changes as requested till adjustment of contract price and time schedule where so applicable in terms of or otherwise directed by the TPSODL.

## **5.0 PRICES/RATES/TAXES**

Unless specified elsewhere in the contract document, the prices/rates are inclusive of cost of finished product for which MDCC will be issued by TPSODL, packaging and forwarding charges, freight and transit insurance charges covering loading at Associate's works, transportation to TPSODL store/site & unloading & delivery at TPSODL stores/TPSODL site, cost of documentation including all the relevant test certificates and other supportive documents to be furnished.

The Prices/Rates are inclusive of all taxes, levies, cess and duties, particularly Goods and Services Tax as applicable. All government levy / taxes shall be paid only when the invoice is submitted according to the relevant act.

The prices/rates shall remain firm till actual completion of entire supply of goods/material/equipment as per contract is achieved and shall remain valid till the completion of the contract.

The prices shall remain unchanged irrespective of TPSODL making changes in quantum in all or any of the schedules of items of contract.

### **5.1 Changes in Statutory Tax Structure**

If rate of any or all of the statutory taxes and duties applicable to the contract changes, such changes shall be incorporated by default if the changes occur within the contract execution time and shall be applicable if the contract is executed by the Associate within the Contract Execution Time.

For execution of contracts beyond contract execution time, where the delay is not attributable to TPSODL no upward revision in tax /duties shall be considered irrespective of changes in the statutory tax structure either within the contract execution time or beyond. However, in such cases, benefits due to any downward revisions in statutory tax rates shall be passed on to TPSODL.

## **6.0 TERMS OF PAYMENT**

On delivery of the materials in good condition and certification of acceptance by TPSODL official, Associate shall submit the Bills/Invoices in original in the name of "The TP Southern Odisha Distribution Limited" to invoice desk, complete with all required documents as under:



Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 9 of 49

- Test Reports (4 sets).
- MDCC issued by TPSODL.
- Packing List.
- Drawing and Catalogue.
- Guarantee/Warranty Card.
- Delivery Challan.
- O&M Manual.
- Copy of Order.
- Minutes of Meeting.

Bills/ invoices shall mention Supplier's GST Number. TPSODL will make 100% payment within 30 days of submission of the Bill/Invoice complete in all respects and along with all the requisite documents mentioned above, subject to condition that Associate has furnished the requisite Security-cum-Performance Guarantee as stipulated in the contract.

#### **6.1 Quantity Variation**

Payment will be made on the basis of actual quantity of supplies/actual measurement of works accepted by TPSODL and not on the basis of contract quantity.

#### **6.2 Full and Final Payment**

Full & Final Payment in all contracts shall be made subject to the associate submitting "No Demand Certificate" in the format as per Annexure-C.

#### **7.0 MODE OF PAYMENT**

Payment shall be made through crossed Cheque or RTGS whichever of the two modes chosen by the Associate, in favour of Associate's Bank Account on TPSODL records, on whose name Contract has been issued. Those Associates opting for the RTGS mode shall submit the details of Bank Account and other details as per annexure G. Further, for any payments made, TPSODL is not responsible for any consequences/disputes Associate have among the owners channel partners, sub-Associates and all such dispute/concerns shall be settled solely by the Associate.

#### **8.0 SECURITY CUM PERFORMANCE DEPOSIT**

Associates shall submit within 15 days from the effective date of issue of PO/RC, Security Performance Bank Guarantee (SPBG) in the format as per Annexure B of this document from banks acceptable to TPSODL for:

- (a) 5% of the PO value if purchase order value is more than Rs 5 Crores.
- (b) 10% of the PO value if purchase order value is less than Rs 5 Crores.

This shall remain valid till the end of the Guarantee Period of contract, plus one month.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 10 of 49

(c) 5% of the RC value in case of Rate Contract. This shall remain valid till the Guarantee period plus one month.

- For PO/RC values less than Rs. 5 lacs, Associate may request for deduction of amount equivalent to SPBG value from their first invoice. Such amount shall be withheld by TPSODL while processing the invoice and shall be released after completion of Guarantee Period plus one month.
- For PO/RC values less than Rs. 3 lacs, the clause (8.0) for Security cum Performance Bank Guarantee (SPBG) shall not be applicable.
- In case of RC (Rate Contract) after the expiry of RC validity, Associate shall have to submit SPBG. However, the Associate has the option to re-submit the SPBG as per actual RO (Release Order) value issued against the RC, valid for Guarantee Period plus one month.

The Guarantee Period shall be considered as per the last RO issued against the said RC. The original SPBG as submitted against the RC shall be released on submission of the new SPBG to TPSODL. Alternatively, Associate may extend the validity of original SPBG only till the requisite period, i.e. Guarantee Period plus one month.

## **9.0 STATUTORY COMPLIANCE**

### **9.1 Compliance to Various Acts**

Associate should ensure adherence to all applicable laws, rules and regulation applicable under this contract from time to time. In case of violation any risk, costs etc shall be in associates account and keep TPSODL indemnified always till completion of contracts.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 11 of 49

## 9.2 SA 8000

TPSODL expects its Associates to follow guidelines of SA 8000:2014 on the following aspects

1. Child Labour
2. Forced or Compulsory Labour
3. Health & Safety
4. Freedom of Association & Right to Collective Bargaining
5. Discrimination
6. Disciplinary Practices
7. Working Hours
8. Remuneration
9. Management System

## 9.3 Affirmative Action

TPSODL appreciate and welcome the engagement/employment of persons from SC/ST community or any other deprived section of society by their business associates.

### Relaxation in Contract Clauses under Affirmative Action for SC/ ST Business Associates\*\*

TPSODL believes that inclusive growth is the key to sustainable development, and to promote the same Policy on Affirmative Action for Scheduled Caste & Scheduled Tribe Communities has been adopted across the company.

Under the same pre-text, and to promote entrepreneurship among SC/ST community TPSODL has taken initiative by proposing relaxations in contract clauses as per below:

S. No	Initiative	for SC/ ST BA's	Guideline Document
1	Tender Fees	100% waiver for SC/ST community	All Open Tenders
2	Earnest Money Deposit	50 % relaxation of estimated EMD value	All limited and Open Tenders
3	Performance Bank Guarantee	50% relaxation in PBG for order value above 50 lacs else 25% relaxation	All limited and Open tenders
4	Turnover	25% relaxation in company turnover under qualifying requirement criteria	All Open Tenders

### \*\*Classification of BAs under SC/ST shall be governed under following guidelines:

- Proprietorship/ Single Ownership Firm: Proprietor of the firm should be from SC/ST community. Governing document shall be duly audited balance Sheet for the last FY bearing the name of proprietor.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 12 of 49

- Partnership Firm: Only such firms shall qualify which have SC/ST partners holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Partnership Deed and audited balance sheet/ ITR for last FY.
- Private limited company: Only such firms shall qualify which have SC/ST directors holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Memorandum of Understanding (MoU) and/or Article of Association (AoA).

Governing document shall be Memorandum of Understanding (MoU) and/or Article of Association (AoA).

*Note: Certification from SC/ST commission shall be required for deciding upon SC/ST status of a person.*

#### 9.4 Preferential norms for procurement from MSMEs registered in the State of Odisha

- i. MSME Business Associate registered in the State of Odisha is requested to inform the TPSODL if they fall under provisions of the Micro, Small and Medium Enterprises (MSME) Category and provide necessary documents to TPSODL. The Associate also needs to mention the relevant details on their invoice / bill.
- ii. MSME Business Associate registered in the State of Odisha shall submit the self-undertaking of registration in MSME category at the time of bidding as well as on an annual basis to TPSODL, enabling them to avail the consequent benefits, failing which TPSODL may take appropriate action against such defaults.
- iii. **Tender Fees** - To participate in the tender, MSMEs registered in the State of Odisha shall pay Rs.1,000/- including GST towards cost of tender paper.
- iv. **Earnest Money Deposit (EMD)** - EMD shall be exempted for MSME registered in the State of Odisha. However, Bidder shall be barred to participate in the tendering process for a period of 2 years in case it backs out post award of the contract.

#### v. Qualification Requirement for Open Tenders

Qualification Requirement of Financial Turnover for MSME registered in the State of Odisha shall be reduced to 20% of the existing criteria.

For Technical Qualification, instead of relying on the volumes / value of earlier Supplies / Projects, assessment of the Bidder shall be done on the basis of feedback from Customers. Past performance experience at Tata Power and its Group Companies shall supersede feedback from other Customers.

- vi. **Performance Bank Guarantees**- Performance Bank Guarantee for MSME registered in the State of Odisha shall be 25% of the value normally prescribed.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 13 of 49

## **10.0 QUALITY**

### **10.1 Knowledge of Requirements**

The Associate shall be deemed to have carefully examined and to have knowledge of the equipment, the general and other conditions, specifications, schedules, drawings, etc. forming part of the Contract and also to have satisfied himself as to the nature and character of the work to be executed and the type of the equipment and duties required including wherever necessary of the site conditions and relevant matters and details. Any information thus procured or otherwise obtained from TPSODL/Consultants shall not in any way relieve the Associate from his responsibility and executing the works in accordance with the terms of contract.

### **10.2 Material/Equipment/Works Quality**

The items / works under the scope of the Associate shall be of the best quality and workmanship according to the latest engineering practice and shall be manufactured from materials of best quality considering strength and durability for their best performance and, in any case, in accordance with the specifications set forth in this Contract. All material shall be new. Substitution of specified material or variation from the process of fabrication/ construction/ manufacture may be permitted but only with the prior written approval of the TPSODL.

### **10.3 Adherence to Rules & Regulations**

The Associate shall procure and/or fabricate/erect all materials and equipment in accordance with all requirements of Central and State enactment, rules and regulations governing such work in India and at site. This shall not be construed as relieving the Associate from complying with any requirement of TPSODL as enumerated in the Contract which may be more rigid than and not contrary to the above mentioned rules, nor providing such construction as may be required by the above mentioned rules and regulations. In case of variance of the Technical Specification from the laws, ordinance, rules and regulations governing the work, the Associate shall immediately notify the same to the TPSODL. It is the sole responsibility of the Associate, however, to determine that such variance exists. Wherever required by rules and regulations, the Associate shall also obtain the statutory authorities' approval for the plant, machinery and equipment to be supplied by the Associate.

### **10.4 Specifications and Standards**

The Associate shall follow all codes and standards referred in the Contract Document. Codes and standards of other may be followed by the Associate with the prior written approval of TPSODL, provided materials, supplies and equipment according to the standard are equal to or better than the corresponding standards specified in the Contract.

Brand names mentioned in the Contract documents are for the purpose of establishing the type and quality of products to be used. The Associate shall not change the brand name and qualities of the bought out items without the prior written approval of the TPSODL. All such products and equipment shall be used or installed in strict accordance with original manufacturer's recommendations, unless

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 14 of 49

otherwise directed by the TPSODL. In any circumstances the codes, specimen and standards prescribed by any government agency should not be violated.

## **11.0 INSPECTION/PARTICIPATION**

### **11.1 Right to Carry Out Inspection**

TPSODL reserves the right to send its representatives for inspection or participation at various stages of contract execution listed below, applicable as per contract construction.

- During basic design and detail engineering of material/ Equipment carried out by Associate /Outsourced Agencies.
- During manufacturing stages of the product at Associate's/Associate's Outsourced Agency's Plant/Facility.
- During Pre-dispatch Inspection and Testing of finished/manufactured product at Associate's/Associate's outsourced Agency's Plant/Facility.
- During Installation & Commissioning Activities/Stages.
- Prior to Clearing of the completed installation for commissioning.
- Any other stage as find appropriate by TPSODL during contract execution time.

All inspections and participations shall be carried out by TPSODL giving written intimation to the Associate or receiving appropriate advance written inspection call from the Associate, unless otherwise specified elsewhere in the contract document.

### **11.2 Facilitating Inspection**

The Associate shall provide all opportunities and information to TPSODL's engineers to get acquainted with the technical know-how and the methods and practices adopted by the Associate in basic and detail engineering. The Associate shall provide documents, drawings, calculations etc. as may be required by TPSODL's Engineers.

The Associate shall provide free of charge office accommodation, office facilities, secretarial services, communication facilities, general and drawing office stationary, etc. as may be reasonably required by the TPSODL's engineers. Similarly, facilities shall also be provided by Associate's outsource agencies/ partners/ authorized dealers (collectively termed as sub associates) if such basic and detail engineering activities are carried out in the design offices of sub-Associates.

The Associate shall be responsible for the safety of employees of TPSODL/Third Party Agency when they are at the Associate's /Associate's outsource agency's plant or facility for carrying out/witnessing inspection/testing. All statutory safety precautions as applicable shall be followed by the Associate during Inspection Testing. If TPSODL inspectors are not satisfied with the safety arrangements at the plant, TPSODL have the right to call off inspection till such time corrective action is taken by the Associate.

Before raising the call for pre-dispatch final inspection and testing, the Associate shall conduct all the tests—type tests, routine tests etc-as specified in the contract document and submit copies of the test certificates to TPSODL along with the inspection call, for scrutiny of TPSODL.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 15 of 49

The Associate and TPSODL shall jointly document all the observations, comments and action points after completion of inspection and it shall be binding on the Associate to provide compliance on all the points requiring compliance and furnish the compliance report to the designated authority of TPSODL for receiving clearance for dispatch of materials

### **11.3 Third Party Nomination**

TPSODL also may nominate a third party for the purpose of carrying out the inspection and such an agency shall be entitled to all the rights and privileges of TPSODL as far as conducting the inspection.

### **11.4 Waiver of Inspections**

TPSODL on its own discretion shall chose to waive off any inspection and ask the Associate to submit all the test reports as applicable as per contract specifications, related to inspection and testing of the goods ordered for scrutiny and clearance for dispatch.

### **11.5 Incorrect Inspection Call**

In case it is observed that the material offered for inspection is not ready at the time of TPSODL inspection visit rendering it as futile, all costs towards such inspection shall be recovered from the BA. Taxes as applicable on such recoveries shall be borne by the BA.

## **12.0 MDCC & DELIVERY OF MATERIALS**

### **12.1 Material Dispatch Clearance Certificate**

Associate shall deliver material/goods/equipment against Supply Contracts or Supply Part of Composite/Service Contracts only after receiving Material Dispatch Clearance Certificate (hereafter termed as MDCC) issued by designated authority of TPSODL. Material delivered at TPSODL stores or at project site without a valid MDCC issued by the designated official of TPSODL shall be rejected. MDCC shall be issued to associate furnishing compliance report on the action points documented during pre-dispatch inspection and testing at Associate's/ Sub Associate's plant/ facility. In case Pre-dispatch inspection is waived at the discretion of TPSODL, then, MDCC shall be issued on receiving all the test reports-routine& type-from the Associate and finding them in order.

The associate shall include and provide for securely protecting and packing the materials so as to avoid loss or damage during handling and transport by air, sea, rail and road or any other means.

All such packing shall allow to the extent possible for easy removal and checking at Site. The associate shall take special precautions to prevent rusting of steel and iron parts during transit by sea. Gas seals or other materials shall be utilized by the associate for protection against moisture during transit of all Plant and Equipment.

Each Equipment or parts of Equipment shall be tagged with reference to the assembly drawings and corresponding part numbers. Each bale or package shall contain a packing note quoting specifically the name of the associate, item description, quantity, item / package identification.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 16 of 49

All packing cases, containers, packing and other similar materials shall be new and supplied free by the associate and it shall not be required to be returned to the associate.

Notwithstanding anything stated in this clause, the associate shall be entirely responsible for loss, damage or depreciation or deterioration to the materials and supplies due to faulty and/or insecure packing or otherwise during transportation to the Site until otherwise provided herein.

In case of the consignments dispatched by road, the associate shall ensure that it or its subcontractors:

- i) Identify and obtain the correct type of trucks/trailers, keeping in view the nature of consignments to be dispatched.
- ii) Take such actions as may be necessary to avoid all possible chances of damages during transit and to ensure that all packages are firmly secured.

Timelines for inspection and MDCC is as below:

S. No.	Inspection	MDCC issuance time including Inspection time (max.)
1	Outside Berhampur	12 days
2	Within Berhampur	5 days
3	Waiver*	3 working days

\* Associate is expected to raise the inspection call assuming that Inspection shall be carried out by TPSODL. The decision for waiver of inspection shall be on sole discretion of TPSODL.

## 12.2 Right to Rejection on Receipt

Goods/Material/Equipment delivered in condition physically damaged & incomplete as a product ordered, or not packed and transported as per the terms and conditions of the contract is liable to be rejected. Such item shall be lifted back by Associates within 15 days from receipt of rejection note from TPSODL and have to supply back the material within next 30 days or within the timeframe mutually decided by Associate and TPSODL.

If delivery of the material is beyond the agreed time, Liquidated damage clause, mentioned in this GCC separately shall be applicable; but the period for levy of LD shall be considered as per the original delivery schedule and not from the agreed timelines for material rectification.

## 12.3 Consignee

Unless otherwise specified in the Contract Document/ Purchase Order/ Release Order, Materials/ Goods/ Equipment shall be consigned to "Stores-In-Charge", TPSODL, Berhampur

## 12.4 Submission of mandatory documents on Delivery

Following documents shall be mandatorily submitted by BA along with supply of material to TPSODL stores/site:



Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 17 of 49

S. No.	Documents	Requisite
1	Invoice copy in original	With all consignments
2	LR copy	Wherever required
3	Packing list	With all consignments
4	MDCC	With all consignments
5	Purchase order / Release order	Signed copy
6	Test certificates	With all consignments
7	Inspection/JVR report	In case pre-dispatch inspection is conducted
8	Device data in CD as per template for metering items	Wherever applicable

## 12.5 Dispatch and Delivery Instructions

S. No.	Instructions
1	Purchase order/ Release order no. shall be mentioned on invoice and on material
2	TPSODL material code and material description shall be mentioned in invoice and on material.
3	"Property of TPSODL" shall be embossed on material.
4	The material shall be properly sealed and packed in standard packing as per purchase order terms & conditions.
5	The weight and quantity of material shall be mentioned wherever applicable
6	The material supplied shall be co-related with the packing list.
7	The name plate detail on equipment shall include Material code, Material description, specification detail of material [as applicable], Serial No. Year of manufacturing, PO/ RO no. and date, "PROPERTY OF TPSODL, Berhampur", Guarantee period and Associate's name.
8	In case of manual unloading, supplier / transporter shall deploy sufficient Labour for unloading the material at TPSODL central store. For heavy item(s), crane will be provided by TPSODL [unloading cost will be recovered from the associate].
9	The driver should have valid License and one helper in truck. All the documents of truck like registration papers, PUC etc. should be available in Truck.
10	BA representative should accompany the material and get it unloaded / stacked in his presence wherever possible.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 18 of 49

## **13.0 GUARANTEE**

### **13.1 Guarantee of Performance**

Associates shall stand guarantee that the equipment and material supplied under the contract is free from design, manufacturing, material, construction, erection & installation and workmanship & quality defects and is capable of its due, rated and intended quality performance, as an integrated product delivered under the contract, for a specific period termed as Guarantee Period(as elaborated elsewhere in this clause). The Associate should also guarantee that the equipment/material is new and unused except for the usage required for the tests and checks required as part of quality assurance.

### **13.2 Guarantee Period**

The Guarantee Period will be equipment/service/work specific and shall be as specified in the Standard Specifications of TPSODL for the equipment/material/service/work and where standard specifications are not part of contract documents or guarantee period is not specified in the standard specifications,, the guarantee period shall be as per the Special Terms and Conditions of the Contract. In case of no mention of the guarantee period in standard specifications or SCC Guarantee Period will be 12 Months from the Date of Commissioning or 24 months from the date of delivery of final lot of supplies made, whichever is earlier.

### **13.3 Failure in Guarantee Period (GP)**

If the equipment and material supplied under the contract fails to perform its due, rated & intended quality performance, during the Guarantee period, the associate is liable to undertake repair/rectify/replace the equipment and material supplied within time frame specified in the SCC or elsewhere in the contract documents at associate's cost to make the equipment and material supplied/service or work rendered under the contract of performing its due, rated and intended quality performance. If Associate fails to repair/rectify/replace the equipment or material supplied rendered under the contract, failed in Guarantee Period, TPSODL will be at liberty to get the same done at Associate's risks and costs and recover all such expenses plus the TPSODL's own charges (@ 20% of expenses incurred), from the Associate or from the "Security cum Performance Deposit" as the case may be.

If during the Warranty/ Guarantee period some parts of the supplies are replaced owing to the defects/ damages under the Warranty, the Warranty period for such replaced parts shall be until the expiry of twelve months from the date of such replacement or renewal or until the end of original Guarantee period, whichever is later.

Any repairs during the Guarantee Period shall be carried out by the Associate within 30 days of reporting the issue to Associate by TPSODL. However, if replacement of the Equipment is required, Associate shall notify the same to TPSODL within 7 days of reporting the issue by TPSODL. Thereafter, the total time for supply of new equipment/ material shall be equal to the original delivery period of that equipment/ material as specified in the Contract. In case the Associate is not able to

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 19 of 49

rectify/ replace the faulty equipment/ material within the stipulated timelines as mentioned above, penalty shall be levied as per the Liquidated Damages clause mentioned in this document. The penalty amount shall be recovered from the payment due to the vendor or by encashment of the SPBG as the case may be.

#### **13.4 Cost of repairs on failure in GP**

The cost of repairs/rectification/replacement, required transportation, site inspection /mobilization/dismantling and re-installation costs as applicable, to be borne by Associate. The Associate has to ensure that the interruption in the usage of intended purpose of the equipment is minimized to the maximum extent In lieu of the time taken for repairs/rectification/replacement.

#### **13.5 Guarantee period for Goods Outsourced**

If the Associate outsources partly equipment/materials/services from third party as mutually agreed upon at the pre award stage of contract, TPSODL shall have the benefit of any additional guarantee period if provided by the third party for the part supplied/executed by them.

#### **13.6 Latent Defect**

Hidden defects in manufacturing or design of the product supplied and which could not be identified by the tests conducted but later manifested during operation of the equipment are termed as latent defects. Associates shall further be responsible for 'free replacement' for another period of THREE years from the end of the guarantee period for any 'Latent Defects' if noticed and reported by the Company.

#### **13.7 Support beyond the Guarantee Period**

The Associate shall ensure availability of spares and necessary support for a period of atleast 10 years post completion of guarantee period of equipment supplied against the contract.

### **14.0 LIQUIDATED DAMAGES**

- a) For supplies which are of standalone use, multiple in quantities and having a single final delivery schedule, Liquidated damages shall be levied without prejudice to any of the other contractual rights of TPSODL, as described below:

For delay of each week and part thereof from the delivery schedule specified in the contract, 1% of contract value corresponding to undelivered quantity, provided full quantity is supplied within 130% of the original contract time. If full contractual quantity is not delivered within 130% of contract time for delivery, TPSODL has the right to levy LD on the entire contract value, subject to a maximum of 10% of the total contract value.

- b) For Supplies having phased delivery schedule as per contract terms, standalone use and multiple in quantities, Liquidated damages shall be levied without prejudice to any of the other contractual rights of TPSODL, as described below:

For the purpose of calculating and applying LD, each delivery lot shall be considered separately. For delay of each week and part thereof, from the delivery schedule specified for the lot, 1% of the

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 20 of 49

contract value corresponding to the undelivered quantity of the lot subject to a maximum of 10% of the total contract value of the subject lot. However, if full contractual quantity is not delivered within 130% of contract time for delivery, TPSODL has the right to levy LD on the entire contract value, subject to a maximum of 10% of the total contract value. Deduction of LD shall be on landed cost i.e contract value inclusive of taxes and in pursuant statutory compliance GST would be applicable at the stipulated rate and the same shall be borne by Business Associate. In case of LD deduction, a GST invoice shall be issued by TPSODL as a proof of deduction/ recovery.

GENERAL CONDITIONS OF CONTRACT

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 21 of 49

#### **14.1 LD Waiver Request**

Any request of LD waiver shall be submitted within thirty (30) days of deducting LD. Request submitted beyond the timeline shall not be entertained.

#### **15.0 UNLAWFUL ACTIVITIES**

The Associate shall have to ensure that none of its employees are engaged in any unlawful activities (whether covered under the scope of the present GCC or not) subversive of the TPSODL's interest failing which appropriate action (legal or otherwise) may be taken against the Associate by the TPSODL, in accordance with the terms of the present GCC.

#### **16.0 CONFIDENTIALITY**

Associate and its employees or representatives thereof shall strictly maintain the confidentiality of various information they come across while executing the contract as detailed below.

##### **16.1 Documents**

All maps, plans, drawings, specifications, schemes and other documents or information related to the Contract/Project and the subject matter contained therein and all other information given to the Associate by the TPSODL in connection with the performance of the contract shall be held confidential by the Associate and shall remain the property of the TPSODL and shall not be used or disclosed to third parties by the Associate for any purpose other than for which they have been supplied or prepared. The Associate may disclose to third parties, upon execution of confidentiality agreements, such part of the drawings, specifications or information if such disclosure is necessary for the performance of the Work provided such third parties agree in writing to keep such information confidential to the same extent and degree as provided herein, for the benefit of the TPSODL.

##### **16.2 Geographical Data**

Maps, layouts and photographs of the unit/plant including its surrounding regions showing vital installation for national security of country or those of TPSODL shall not be published or disclosed to the third parties or taken out of the country without prior written approval of the TPSODL and upon execution of confidentiality agreements satisfactory to the TPSODL with such third parties prior to disclosure.

##### **16.3 Associate's Processes**

Title to secret processes if any developed by the Associate on an exclusive basis and employed in the design of the equipment shall remain with the Associate. TPSODL shall hold in confidence such processes and shall not disclose such processes to the third parties without prior approval of the Associate and execution by such third parties of secrecy agreements satisfactory to the Associate prior to disclosure. Upon completion of contract, such processes shall become the property of the TPSODL. Title to technical specifications, drawings, flow sheets, norms, calculations, diagrams, interpretations of test results, schematics, layouts and such other information, which the Associate has supplied to the TPSODL under the Contract shall be passed on to the TPSODL. The TPSODL

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 22 of 49

shall have the right to use these for construction, erection, start-up, Trial Run, operation, maintenance, modifications and/or expansion of the works including for the manufacture of spare parts.

#### **16.4 Exclusions**

The provision of Clauses 16.1 to 16.3 shall not apply to information:

- Which at the time of disclosure are in the public domain which later on become part of public domain through no fault of the party concerned, or
- Which were in the possession of the party concerned prior to disclosure to him by the other party, or
- Which were received by the party concerned after the time of disclosure without restriction on disclosure or use, from a third party who did not acquire such information directly or indirectly from the other party or has no obligation of confidentiality for such information.

#### **16.5 Violation**

In case of violation of this clause, the Associate is liable to pay compensation and damages as may be determined by the competent authority of TPSODL.

#### **17.0 INTELLECTUAL PROPERTY RIGHTS**

If, in the course of performance of its functions and duties as envisaged by the scope of the present GCC, the Associate acquires or develops, any unique knowledge or information which would be covered, or, is likely to be covered within the definition of a trademark, copyright, patent, business secret, geographical indication or any other form of intellectual property right, it shall be obliged, under the terms of this present GCC, to share such knowledge or information with the TPSODL. All rights, with respect to, or arising from such intellectual property, as afore mentioned, shall solely vest in TPSODL.

Moreover, the Associate undertakes not to breach any intellectual property right vesting in a third party/parties, whether by breach of statutory provision, passing off, or otherwise. In the event of any such breach, the Associate shall be wholly liable to compensate, indemnify or make good any loss suffered by such third party/parties, or any compensation/damages arising from any legal proceeding/s, or otherwise. No liability of TPSODL shall arise in this respect, and any costs, damages, expenses, compensation payable by TPSODL in this regard to a third party/parties, arising from a legal proceeding/s or otherwise, shall be recoverable from the Associate.

#### **18.0 INDEMNITY**

The Associate shall at all times indemnify, keep indemnified and hold harmless the TPSODL and its officers, directors, employees, affiliates, agents, successors and assigns against all actions, claims, demands, costs, charges and expenses arising from or incurred by reason of any infringement of patent, trade mark, registered design, copy rights and/or industrial property rights by manufacture, sale or use of the equipment supplied by the Associate whether or not the TPSODL is held liable for

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 23 of 49

by any court judgement. In this connection, the TPSODL shall pass on all claims made against him to the Associate for settlement.

The Associate assumes responsibility for and shall indemnify and save harmless the TPSODL from all liability, claims, costs, expenses, taxes and assessments including penalties, punitive damages, attorney's fees and court costs which are or may be required to be paid by the TPSODL and its officers, directors, employees, affiliates, agents, successors and assigns arising from any breach of the Associate's obligations under the Contract or for which the Associate has assumed responsibilities under the Contract including those imposed under any local or national law or laws, or in respect to all salaries, wages or other compensation for all persons employed by the Associate or his Sub-Associates or suppliers in connection with the performance of any work covered by the Contract. The Associate shall execute, deliver and shall cause his Sub-Associate and suppliers to execute and deliver, such other further instruments and to comply with all the requirements of such laws and regulation as may be necessary there under to conform and effectuate the Contract and to protect the TPSODL.

The TPSODL shall not be held responsible for any accident or damages incurred or claims arising, due to the Associate's error there from prior to completion of work. The Associate shall be liable for such accidents and after completion of work for such accidents as the case may be due to negligence on his part to carry out Work in accordance with Indian laws and regulations and the specifications set forth herein.

## 19.0 LIABILITY & LIMITATIONS

### 19.1 Liability

Except for any specific liability which may be identified in the Contract and which may be payable hereunder, Associate shall not be liable for any special, incidental, indirect, or consequential Damages or any loss of business Contracts, revenues or other financial loss (or equivalents thereof no matter how claimed, computed or characterized) arising out of or in connection with the Performance of the Work or supply of Goods ***unless caused by Associate's negligence, willful misconduct or breach of contract.***

If the Associate is a joint venture or consortium, all concerned parties shall be jointly and severally bound to the TPSODL for the fulfillment of the provisions of the Contract. The consortium or the joint venture shall designate one party as their leader, who will be the coordinator between the parties and TPSODL. The constituents & leader of the consortium or joint venture shall not be changed without the prior consent of TPSODL.

TPSODL shall have no liability or any special, incidental, indirect or consequential Damages for any loss of Business Contracts, revenues or other financial loss arising out of this Contract.

### 19.2 Limitation of Liability

The total liability of Associate against any contract shall be limited to the Total All Inclusive Contract Value.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 24 of 49

## 20.0 FORCE MAJEURE

Force Majeure applies if the performance by either Party ("the Affected Party") of its obligations under Contract is materially and adversely affected.

"Force Majeure" shall mean any event or circumstance or combination of events or circumstances referred below and their consequences that wholly or partly prevents or unavoidably delays any Party in the performance of its obligations under this Agreement, but only and to the extent that such events and circumstances are not within the reasonable control, directly or indirectly, of the Affected Party and could not have been avoided even if the Affected Party had taken reasonable care:

- Act of war (whether declared or undeclared), invasion, armed conflict or act of foreign enemy, embargo, blockade, revolution, riot, bombs, religious strife or civil commotion, etc.
- Politically motivated sabotage, or terrorism, etc.
- Action or Act of Government or Governmental agency for which remedy is beyond the control of the affected parties.
- Any act of God.

Note: Causes like power breakdown/ shortages/fire/strikes, accidents etc do not fall under Force Majeure.

Time being the essence of the Contract, if either party is prevented from the performance of its obligations in whole or in part due to an event of Force Majeure, then provided Notice of happening of any event by the Affected Party is given to the other party within seven (7) days from the date of occurrence of such event, which DIRECTLY has impact on works and submitted details and quantum of resulting effect, but at the same time had made all possible efforts to mitigate and overcome effects thereof, the Affected Party's performance under this Contract shall be suspended until such event ceases and the Scheduled Completion shall be delayed accordingly.

If Force Majeure event(s) continue for a period of more than three months, the parties shall hold consultation to discuss the further course of action.

Neither party shall be considered to be in default or in breach of its obligation under the Contract to the extent that performance of such obligation by either party is prevented by any circumstances of Force Majeure which arise after effective date of Contract.

Neither party can claim any compensation from the other party on account of Force Majeure.

## 21.0 SUSPENSION OF CONTRACT

### 21.1 Suspension for Convenience

TPSODL may, at any time and at its sole option, suspend execution of all or any portions of the schedule of items of contract to be supplied/work to executed by Associate under the contract by providing to the Associate at least two business days written notice for contracts having contract



Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 25 of 49

completion period less than sixty days and at least seven business days' notice for all other contracts.

Upon receipt of any such notice, the Associate shall respond as follows as applicable as per contract construction.

- Immediately discontinue further supply of material/goods specified in the suspension notice for supply contracts
- Immediately discontinue further service/work and supply of materials of those services/materials/work specified in the suspension notice for service /composite contract
- Promptly make every reasonable effort to obtain suspension, upon terms satisfactory to TPSODL, of all orders, outsourcing arrangements, and rental Contracts to the extent that they relate to performance of the portion of Work suspended by the notice.
- Protect and maintain the portion of the service/Work already completed, including the portion of the Work suspended hereunder, unless otherwise specifically stated in the notice.
- Continue delivering/carrying out the supply/service/work items as per contract conditions, which do not fall under purview of the suspension notice.

On receipt of resumption notice from TPSODL, the Associate shall resume execution of contract as specified in the resumption notice, within the time frame specified in the resumption notice.

## **21.2 Suspension for Breach of Contract conditions.**

TPSODL shall suspend execution of whole/or part thereof the contract till such time Associate complies with the conditions stipulated under section clause 22.1 for breach/default of contract conditions.

## **21.3 Compensation in lieu of Suspension**

If the suspension of the contract in whole or in part is for convenience of TPSODL and not due to any breach of contract conditions by the associate, TPSODL at its discretion shall consider compensating all reasonable additional costs incurred by Associate in lieu of suspension of whole or part of contract, on representation of the Associate providing justified estimates of such additional costs and such estimates are found acceptable and approved by competent authority of TPSODL.

If the suspension of contract in whole or part thereof is due to breach of contract conditions (refer clause 22.1) by the Associate, Associate shall not be entitled for any compensation for any cost incurred in lieu of suspension of whole or part of contract and also shall be liable for compensating all the losses arising to TPSODL in lieu of suspension of contract. Resumption notice shall be subject to the Associate taking corrective action for the breach of contract conditions within the time frame and as per the terms specified in the suspension notice.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 26 of 49

## 22 TERMINATION OF CONTRACT

### 22.1 Termination for Default/Breach of Contract

The contract / PO /RC shall be subject to termination by TPSODL in case of breach of the contract by the Associate which shall include but not be limited to the following:

- a. Withdrawal or intimation by the Associate of its intent to withdraw or surrender the execution / completion of the contracted work /PO or failure in ensuring adherence to any delivery schedules, in deviation of the contract/PO.
- b. Refusal or neglect on the part of the Associate to supply material/equipment of quantity or quality as specified by TPSODL and within the timeframe as specified in the contract document or refusal or neglect to execute the services/work in terms of the agreed standards of quantity or quality and/or within the timeframe specified in the contract/PO.
- c. Failure in any respect to perform any portion of the Work contracted with promptness, diligence, or in accordance with the terms of the contract.
- d. Failure to furnish guarantees as specified and /or failure to comply with the terms thereof.
- e. Failure to furnish such relevant documents or information within the time specified which may be necessary for due execution / completion of the works and documentation.
- f. Liquidation, bankruptcy either voluntary or involuntary OR entering into any composition or compromise with its creditors, or Insolvency.
- g. In case any reasonable information has been received by TPSODL that Associate has adopted/ or attempted to adopt any unethical conduct, action in award of the contract /PO or at any time thereafter.
- h. Failure to comply with applicable statutory provisions as contained in the contract or failure to comply with the applicable laws.
- i. Failure to comply with safety regulations/clauses stipulated in the contract or as may be generally instructed by TPSODL.

If the default or breach as specified under clause 22 (except sub clause g thereof) be committed by the associate for the first time, TPSODL shall issue, along the with notice of default or breach, a warning notice instructing the associate to take remedial/corrective action within the time frame stipulated in the warning notice and not to repeat the same in future. The timeframe for corrective action by the associate shall be specific to the nature of breach of contract and the same shall not be objected to by the Associate. If the Associate fails to comply with the instructions in the warning notice or in taking corrective action to the satisfaction of TPSODL then TPSODL may terminate the entire or part of contract at its discretion by issuing termination notice without incurring any liability on this ground.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 27 of 49

In case the contract is terminated for any breach of the nature specified in clause 22 g stated above, TPSODL shall have the right to terminate all the contracts TPSODL is having with the Associate by issuing termination notice which shall be without prejudice to the other rights of TPSODL available to it under law.

Without prejudice to its right to terminate for breach of contract, TPSODL may, without assigning any reason, terminate the Contract in whole or in part at any time at its discretion while the contract is in force by serving a written notice of two weeks to the Associate.

In the event of TPSODL having proceeded with termination of the contract the associate shall comply and proceed further in the following manner:

- a) Associate shall discontinue the supply, on the expiry of the said period of two weeks.
- b) Associate shall ensure that no further steps are being taken towards discharge of the obligations, terms and conditions as contained in the contract/PO. This shall include initiation of actions not limited to discontinuation of other allied and associated arrangements which the associate might have entered into with third parties for due discharge of its obligations under the contract with TPSODL.
- c) The Associate shall perform thereafter such tasks as may be necessary to preserve and protect the terminated portion of the material/service/work in progress and the materials and equipment at TPSODL sites or in transit thereto. However the associate shall continue to fulfill its contractual obligations with regard to the part of contract not terminated.
- d) It shall be open for TPSODL to conduct a joint assessment with the associate of the material, supplies, equipment, works or in general as to the subject matter of the contract in regard to which the associate claims having completed its obligations before or during such termination.
- e) It shall be open to TPSODL to seek invocation of the performance bank guarantee or any other guarantee or other security deposit by whatever name called submitted by the associate, which shall not be objected to or protested against by the associate.

In case of termination of the contract the parties agree to be governed inter alia by the following:

- a) In case TPSODL exercises its right of termination as stated above the associate shall not dispute or object to the same.
- b) The Associate shall be entitled to receive and claim only such payments OR sums of money from TPSODL as may be found payable to it in regard to works executed by it under the terms of the contract and no other claim of any nature whatsoever shall be made by the Associate.
- c) All such provisions which the parties have agreed to survive and prevail even after termination of the contract shall remain effective despite the termination.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 28 of 49

In the event of such termination, TPSODL may finish the Work by whatever method it may deem expedient, including the hiring of services and /or purchase of material equipment from such third parties as TPSODL may deem fit or may itself provide any labor or materials and perform any part of the Work. The associate undertakes to bear the incremental costs if any paid by TPSODL in such a case attributable to failure on the part of the associate. The Associate in such a case shall not be entitled to receive any further payments and any sums found payable to it may be adjusted by TPSODL against the amount recoverable from him on this ground. The same shall be without prejudice to other rights available to TPSODL under law against the associate.

Upon the termination of any of the contract due to occurrence of any circumstances provided in clauses stated above and constituting repeated breach or misconduct, TPSODL shall be entitled to bar the associates its agents, affiliates from undertaking any negotiation / tendering, bidding, participation activities concerning TPSODL for a period of two years from date of such termination. The same shall be without prejudice to other rights available to TPSODL.

## **22.2 Termination for Convenience of Associate**

Associate at its convenience may request for termination of contract, clearly assigning the reason for such request. TPSODL has full right to accept, reject or partially accept such request. However, associate shall continue its supply as per contract till final approval is given to associates for such termination.

## **22.3 Termination for Convenience of TPSODL**

TPSODL at its sole discretion may terminate the contract by giving 30 days prior notice in writing or through email to the Associate. TPSODL shall pay the Associate for all the supplies/ services rendered till the actual date of contract termination against submission of invoice by the Associate to that effect.

## **23.0 DISPUTE RESOLUTION & ARBITRATION**

In case of any dispute or difference the parties shall endeavour to resolve the same through conciliatory and amicable measures within 15 Days failing which the matter may be referred by either party for resolution by the sole arbitrator to be appointed mutually by both the parties. The arbitral proceedings shall be conducted in accordance with Arbitration and Conciliation Act 1996 and the place of arbitration shall be Bhubaneswar. The language to be used at proceedings shall be English and the award of the arbitrator shall be final and binding on the parties. The parties shall bear their respective costs of arbitration. The associate shall continue to discharge its obligations towards due performance of the works as per the terms of the contract during the arbitration proceedings unless otherwise directed in writing by TPSODL or suspended by the arbitrator. Further, TPSODL shall continue making such payments as may be found due and payable to the associate for such works.

## **23.1 Governing Laws and Jurisdiction**

The parties shall be subject to the jurisdiction of the courts of law in Berhampur and any matter arising here from shall be subject to applicable law in force in India.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 29 of 49

## **24.0 ATTRIBUTES OF GCC**

### **24.1 Cancellation**

The Company reserves the right to cancel, add, delete at its sole discretion, all or any terms of this GCC or any contract, order or terms agreed between the parties in pursuance without assigning any reasons and without any compensation to the Associates.

### **24.2 Severability**

If any portion of this GCC is held to be void, invalid, or otherwise unenforceable, in whole or part, the remaining portions of this GCC shall remain in effect.

### **24.3 Order of Priority**

In case of any discrepancies between the stipulations in General Conditions of the Contract (GCC) and Special Conditions of Contract (SCC), the GCC shall stand superseded by the SCC to the extent stipulated hereinabove while balance portion of respective clauses of GCC shall continue to be applicable.

## **25.0 ERRORS AND OMISSIONS**

The Associate shall be responsible for all discrepancies, errors and omissions in the drawings, documents or other information submitted by him, irrespective of whether these have been approved, reviewed or otherwise accepted by the TPSODL or not. However any error in design/drawing arising out of any incorrect data/written information from TPSODL will not be considered as error and omissions on part of the Associate.

## **26.0 TRANSFER OF TITLES**

The title of ownership and property to all equipment, materials, drawings & documents shall pass to the TPSODL on acceptance of material by store/site after Inspection.

However, such passing of title of ownership and property to the TPSODL shall not in any way absolve, dilute or diminish the responsibility and obligations of the Associate under this Contract including loss or damages and all risks, which shall vest with the Associate.

## **27.0 INSURANCE**

The Contractor (BA) shall take out the Insurance Policies which shall cover all risks including the following, as applicable:-

- a) The value of the policy shall cover the total value of all the items till they are handed over to TPSODL.
- b) TPSODL shall be the principal holder of the policy. The Associate shall be the loss payee under the policy. Associate / Sub-contractor of the Associate shall not be holders or beneficiaries in the policy nor shall they be named in the policy. TPSODL reserves the exclusive right to assign the policy.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 30 of 49

- c) While the payment of premium may be phased in agreement with the insurance company, at no time shall goods and services required to be provided by the associate shall remain uninsured in accordance with (a) above.
- d) A copy of the Insurance policy shall be made available to TPSODL prior to first dispatch lot of any Equipment and policy shall be kept alive and valid at all times up to the stage of final acceptance.
- e) TPSODL reserves the right to take out whatever policy that is deemed necessary by him if the associate fails to keep the said policy alive and valid at all times and/or causes lapses in payment of premium thereby jeopardizing the said policy. The cost of such policy(s) shall be recovered / deducted from the amount payable to the associate.
- f) The policy shall ensure that the TPSODL's decision regarding replacement of goods damaged, lost or rendered unusable shall be final.

In all cases, the associate shall lodge the claims with the underwriters and also settle the claims and shall also notify TPSODL of any filed claims. However, the associate shall proceed with the repairs and/or replacement of the equipment/components without waiting for the settlement of the claims. In case of seizure of materials by concerned authorities, the associate shall arrange prompt release against bond, security or cash as required. TPSODL, upon request by the associate, will extend all reasonable assistance to the associate in such a case.

All the insurance claims shall be processed and settled by the associate and the missing/damaged items shall be replaced/repared by them without any extra cost to TPSODL and without affecting the completion time.

## 28.0 SUGGESTIONS & FEEDBACK

We welcome all our Business Associates to write to us about their experience with TPSODL; be it our Company, our services or our people. Each and every concern, issue, query and suggestion from you will help us to become a better company to work with and shall help us develop a strong bonding of trust and a long term relationship with you.

You may send your feedback by filling up our Business Associate Feedback Form enclosed herewith as *Annexure-E*. You can also log on to our website [www.tpsouthernodisha.com](http://www.tpsouthernodisha.com) to provide your feedback.

- Suggestions for us
- Feedback form
- Knowledge Sharing/ Experience with TPSODL
- Any issues with TPSODL.

Submission of feedback form is mandatory before the release of final payment to the BA.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 31 of 49

## 29.0 CONTACT POINTS

In case Business Associate needs information with respect to payments or has any grievances, same may be lodged by log on to our website [www.tpsouthernodisha.com](http://www.tpsouthernodisha.com)

## 30.0 LIST OF ANNEXURES

S. No.	Subject	Annexure
1.	Performa for Bid Security Bank Guarantee	A
2.	Performa for Performance Bank Guarantee (CP cum EP)	B
3.	Performa for No Demand Certificate by Associate	C
4.	Performa For Application For Issuance of Consolidated TDS Certificate	D
5.	Business Associate Feedback Form	E
6.	Acceptance Form For Participation In Reverse Auction Event	F
7.	Form for RTGS Payment	G
8.	Vendor Appraisal Form	H
9.	Manufacturer Authorization Form	I

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 32 of 49

## **ANNEXURE-A**

### **PROFORMA FOR BID SECURITY BANK GUARANTEE**

**The TP Southern Odisha Distribution Limited  
Berhampur**

WHEREAS, (Name of the Bidder) \_\_\_\_\_  
(hereinafter called "the BIDDER") has submitted his bid dated \_\_\_\_\_ for the (Name of Contract) \_\_\_\_\_ (hereinafter called "the BID").

KNOW ALL men by these presents we (Name of the Bank) \_\_\_\_\_ of (Name of the Country) \_\_\_\_\_ having our registered office at \_\_\_\_\_ (hereinafter called "the BANK) are bound unto The TP Southern Odisha Distribution Limited (TPSODL) in the sum of \_\_\_\_\_ for which payment well and truly to be made to the TPSODL the Bank binds himself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_.

The CONDITIONS of this obligation are:

- i) If the Bidder withdraws his Bid during the period of bid validity specified in the Proforma of Bid or
- ii) If the Bidder having been notified of the acceptance of his Bid by the TPSODL during the period of bid validity fails or refuses to furnish the Contract Performance Bank Guarantee, in accordance with the Instructions to Bidders.

We undertake to pay the TPSODL upto the above amount upon receipt of its first written demand, provided that in its demand the TPSODL will note that amount claimed by it is due to it owing to the occurrence of one or both conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force upto and including the date (No of days as mentioned in tender enquiry) days after the closing date of submission of bids as stated in the Invitation to Bid or as extended by you at any time prior to this date, notice of which extension to the Bank being hereby waived, and any demand in respect thereof should reach the Bank not later than the above date.

**DATE** ..... **SIGNATURE OF THE BANK** .....

**WITNESS** ..... **SEAL** .....

(Signature, Name & Address) ( At least 2 witnesses)



Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 33 of 49

## **ANNEXURE- B**

### **PROFORMA FOR PERFORMANCE BANK GUARANTEE (CP cum EP)**

**(On Rs.100/- Stamp Paper) Note:**

- a) Format shall be followed in toto
- b) Claim period of one month must be kept up
- c) The guarantee to be accompanied by the covering letter from the bank confirming the signature to the guarantee

-----

**The TP Central Odisha Distribution Limited  
Berhampur**

**CP cum EP BG No.....**

**Order/Contract No.....dated.....**

1. You have entered into a Contract No \_\_\_\_\_ with M/s. \_\_\_\_\_  
(hereinafter referred to as "the Vendor"/ 'BA')) for the supply cum erection / civil work of \_\_\_\_\_  
(hereinafter referred to as "the said Equipment")  
for the price and on the terms and conditions contained in the said contract.
2. In accordance with the terms of the said contract, "the Vendor" agreed to furnish you with an irrevocable, unconditional and acceptable bank guarantee for 10% of the value of contract and to be valid till the end of Guarantee period plus one month towards "Contract cum Equipment performance". For this purpose you have agreed to accept the guarantee.
3. In consideration thereof, we, \_\_\_\_\_ hereby irrevocably and unconditionally guarantee to pay to you on demand but in any case before the end of five working days from the date of the claim and without demur and without reference to "the Vendor" such amount or amounts not exceeding the sum of  
Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only) being \_\_\_\_\_%  
(\_\_\_\_\_ percent) of the total value of the contract on receipt of your intimating that "the Vendor" has not fulfilled his contractual obligations. You shall be the sole judge for such non-fulfillment and "the Vendor" shall have no right to question such judgment.
4. You shall have the right to file / make your claim on us under the guarantee for a **further period of one month** from the date of expiry.
5. This guarantee shall not be revoked without express consent and shall not be affected by your granting time or any other indulgence to "the Vendor", which shall include but not be limited to, postponement from time to time of the exercise the same in you or any right which you may have against "the Vendor" and to exercise the same in any covenant contained or implied in the said contract or any other course or remedy or security available to you, and our Bank shall not be released from its obligations under this guarantee by your exercising any of your rights with

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 34 of 49

reference to matters aforesaid or any of them or by reasons of any other act or forbearance or other acts of omission or commission on your part or any other indulgence shown by you or by any other matter or thing whatsoever which under the law would, but for this provision have the effect of relieving our bank from its obligation under this guarantee.

6. We also agree that you shall be entitled at your option to enforce this guarantee against our bank as a principal debtor, in the first instance, notwithstanding any other security or guarantee that you may have in relation to "the Vendor's" liabilities in respect of the premises
7. This guarantee shall not be affected by any change in the constitution of our Bank or "the Vendor" or for any other reason whatsoever.
8. Any claim / extension under the guarantee can be lodge-able at outstation banks or at Berhampur branch and claim will also be payable at Berhampur Branch (to be confirmed by Berhampur Branch by a letter to that effect in case BG is from the branch outside Berhampur).
9. Notwithstanding anything herein contained, our liability under this guarantee is limited to Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only and the guarantee will remain in force upto and including \_\_\_\_\_ (Date) and shall be extended from time to time for such period or period as may be desired by "the Vendor".
10. Unless a demand or claim under this guarantee is received by us in writing within one months from \_\_\_\_\_ (expiry date) i.e. on or before \_\_\_\_\_ (claim period end date), we shall be discharged from all liabilities under this guarantee thereafter.

Dated at \_\_\_\_\_ this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_

Bank's rubber stamp

1. Banks full address

Designation of Signatory

2. Bank official number

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 35 of 49

### **ANNEXURE-C**

#### **PROFORMA FOR “NO DEMAND CERTIFICATE” BY ASSOCIATE**

(On Company's Letter head or with Company Seal)

(To be submitted by the Associate to TPSODL Accounts Department at the time of receipt of full and final payment)

**(Certificate No. CCP/002)**

Name of the Project Order/

Contract No.

Dated

Name of the Associate Scheme

No. / Job No.

We, M/s. \_\_\_\_\_ (Associate) do hereby acknowledge and confirm that we have received the full and final payment due and payable to us from TPSODL, in respect of our aforesaid Order No \_\_\_\_\_ dated \_\_\_\_\_ including amendments, if any, issued by TPSODL to our entire satisfaction and we further confirm that we have no claim whatsoever pending with TPSODL under the said contract / W.O.

Notwithstanding any protest recorded by us in any correspondence, documents, measurement books and / or final bills etc., we waive all our rights to lodge any claim or protest in future under this contract.

We are issuing this “NO DEMAND CERTIFICATE” in favour of TPSODL, with full knowledge and with our free consent without any undue influence, misrepresentation, coercion etc.

**Place**

**Name**

(Company Seal)

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 36 of 49

**ANNEXURE-D**

**PROFORMA FOR APPLICATION FOR ISSUANCE OF CONSOLIDATED TDS  
CERTIFICATE**

To be printed on the letterhead

To,

The TP Southern Odisha Distribution Limited,

Berhampur

**Sub: Application for issuance of Consolidated TDS Certificate for the FY \_\_\_\_\_**

Dear Sir,

I / we hereby request / authorize you to issue me / us a consolidate TDS Certificate for the financial year \_\_\_\_\_ against tax deducted at source by you from my / our payments / bills during the said year from time to time under Chapter XVII – B of the Income Tax Act, 1961. For and on behalf of

Signature

Name

Address

Contact No. (Land Line)

(Mobile)

PAN #

Assessing authority

**ATTACH THE COPY OF PAN CARD**

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 37 of 49

## **ANNEXURE-E**

### **BUSINESS ASSOCIATE FEEDBACK FORM**

With an objective to improve our internal processes and systems, and serve you better, we solicit your valuable feedback & suggestions. It is estimated that it will take about 10 minutes to complete this survey. We assure you that your feedback shall be kept confidential. Please send the duly filled feedback form in the "TPSODL addressed - attached envelop"

**You are associated with us as**

☐ OEMs   ☐ Service Contractor   ☐ Material Suppliers   ☐ Material & Manpower Supplier

**You are associated with us for**

☐ Less than 1 year   ☐ More than 1 year but less than 3 years   ☐ More than 3 years

**Your office is located at**

☐ Berhampur   ☐ Within 200 kms from Berhampur   ☐ More than 200 kms from Berhampur

**Your nearly turnover with TPSODL**

☐ Less than 25 Lacs   ☐ 25 Lacs to 1 Crore   ☐ More than 1 Cr.

**Additional Information**

<b>Your Name</b>	
<b>Your Designation</b>	
<b>Your Organization</b>	
<b>Contact Nos.</b>	
<b>Email</b>	

*We once again thank you for your participation in this survey. Please spare 10 minutes to give your feedback on following pages (Section A to E)*

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 38 of 49

### **SECTION – A**

(Please ✓ mark in the relevant box and give your remarks / suggestions / information for our improvement).

S. No.	Parameters	1	2	3	4	5	Remarks/ Suggestion
		Do Not Agree	Slightly in Agreement	In Fair Agreement	Mostly in Agreement	Fully Agree	
1	You receive all relevant queries / tenders from us in timely manner.						
2	We provide you enough lead time to respond to our queries / tenders.						
3	We provide you adequate support (drawings, documents, clarifications, briefing etc.) to enable you meet our requirements.						
4	All following elements of our contract / purchase order are rational :						
4.1	Scope of Work						
4.2	Delivery / Execution Schedule						
4.3	Payment Terms						
4.4	Liquidated Damages						
4.5	Performance Guarantee						
5	Our purchase orders / contracts are simple, specific & easy to understand						
6	TPSODL demonstrate willingness to be flexible in administration of Contract / Purchase Order						
7	We provide timely responses / clarifications to your queries						
8	TPSODL representative you interact / coordinate with is adequately empowered to support you in meeting contractual obligations						
9	TPSODL provide you all necessary infrastructure support for timely and quality completion of work (including AMC)						
10	TPSODL Engineer-in-Charge timely certifies the jobs executed/ material supplied						
11	TPSODL Engineer-in-Charge efficiently supervises the job execution for timely completion of job						
12	BIRD (Bill Inward Receipt Desk) initiative has improved payment disbursement process* (under development)						

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS				
Rev. No	0	Page 39 of 49			

S. No.	Parameters	1	2	3	4	5	Remarks/ Suggestion
		Do Not Agree	Slightly in Agreement	In Fair Agreement	Mostly in Agreement	Fully Agree	
13	Our approach for Inspection and Quality Assurance effective to expedite project completion?						
14	TPSODL never defaults on contractual terms						
15	In TPSODL Contracts closure is done within set time limit						
16	Our material receiving procedures are well defined and efficiently deployed to reduce mutual inconvenience						
17	Bank Guarantees are released in time bound manner						
18	Our processes related to payment / account settlement are effective.						
19	You get payments on time						
20	TPSODL Employees follow Ethical behaviour						

### **SECTION – B**

SECTION – B (Please rate the following parameters on a scale of 1 to 5, where 1 - Minimum; 5 - Maximum)

S. No.	Parameters	1	2	3	4	5	Remarks/ Suggestion
1	How do you rate courtesy/ empathy/ attitude level and warmth of TPSODL employees you interact with from following team?						
1.1	Project Engineering						
1.2	District / Zones						
1.3	Projects/HOG (TS &P)						
1.4	Inspection & Quality Assurance						
1.5	Stores						
1.6	Metering & Billing						
1.7	Accounts / Finance						
1.8	Administration						
1.9	IT & Automation						
2	How would you rate TPSODL in comparison						

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS				
Rev. No	0	Page 40 of 49			

	to your other clients in terms of <b>fairness of treatment and transparency</b> with its Business Associates?						
3	How would you rate TPSODL in comparison to your other clients in terms of <b>processes and systems to manage partnership</b> with its Business Associates						
4	How would you rate TPSODL in comparison to your other clients in terms of <b>building long term &amp; mutually relationship</b> with its Business Associates						

### **SECTION – C**

Please ✓ mark in the relevant box and give your remarks / suggestions / information for our improvement.

S. No.	Parameters	Certainly No	Probably No	Certainly Yes	Probably Yes	Remarks/ Suggestion
1	Based on your experience with TPSODL, would you like to continue your relationship with TPSODL?					
2	If someone asks you about TPSODL, would you talk “positively” about TPSODL?					
3	Would you refer TPSODL name to others in your community, fraternity and society as a professional & dynamic organization?					

### **SECTION - D**

**If we ask you to rate us on a scale of 1 to 10, how will you rate TPSODL, that truly represents your overall satisfaction with us (please tick appropriate box) -**

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

### **SECTION – E**

Please ✓ mark in the relevant box and give your remarks / suggestions / information for our improvement.



Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 41 of 49

Please spare your thoughts for TPSODL's improvement in particular areas of weaknesses, particularly relating to some great practices, attitudes that you have seen elsewhere in Indian and International Organizations, which you recommend TPSODL to adopt. Please give your valuable salient recommendations.

Please spare your thoughts for TPSODL's improvement in particular areas of major concerns for you. We also welcome your suggestions to adopt any best practices, altitudes that you

Recommendation	Please tick (✓) your top 5 expectations out of the following 10 points listed below -	
(Please list down improvement you expect from TPSODL)	Timely payment	
1	Flexibility in Contracts/PO	
	Clarity in PO,s & Contracts	
2	Timely response to quarries	
	Timely certification of works executed	
3	Clarity in Specs, drawings, other docs etc.	
	Adequate information provided on website for tender notification, parties qualified etc.	
4	Timely receipt of material at site for execution	
	Performance Guarantee/EMD released in time	
5	Inspection & quality assurance support for timely job completion	

We thank you for your time and courtesy!!

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 42 of 49

## **ANNEXURE-F**

### **ACCEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION EVENT**

***(To be signed and stamped by the bidder prior to participation in the auction event)***

In a bid to make our entire procurement process more fair and transparent, TPSODL intends to use the reverse auctions through SAP-SRM tool as an integral part of the entire tendering process. All the bidders who are found as technically qualified based on the tender requirements shall be eligible to participate in the reverse auction event.

**The following terms and conditions are deemed as accepted by the bidder on participation in the bid event:**

1. TPSODL shall provide the user id and password to the authorized representative of the bidder. (Authorization Letter in lieu of the same shall be submitted along with the signed and stamped Acceptance Form).
2. TPSODL will make every effort to make the bid process transparent. However, the award decision by TPSODL would be final and binding on the supplier.
3. The bidder agrees to non-disclosure of trade information regarding the purchase, identity of TPSODL, bid process, bid technology, bid documentation and bid details.
4. The bidder is advised to understand the auto bid process to safeguard themselves against any possibility of non-participation in the auction event.
5. In case of bidding through Internet medium, bidders are further advised to ensure availability of the entire infrastructure as required at their end to participate in the auction event. Inability to bid due to telephone line glitch, internet response issues, software or hardware hangs, power failure or any other reason shall not be the responsibility of TPSODL.
6. In case of intranet medium, TPSODL shall provide the infrastructure to bidders. Further, TPSODL has sole discretion to extend or restart the auction event in case of any glitches in infrastructure observed which has restricted the bidders to submit the bids to ensure fair & transparent competitive bidding. In case an auction event is restarted, the best bid as already available in the system shall become the start price for the new auction.
7. In case the bidder fails to participate in the auction event due any reason whatsoever, it shall be presumed that the bidder has no further discounts to offer and the initial bid as submitted by the bidder as a part of the tender shall be considered as the bidder's final no regret offer. Any offline price bids received from a bidder in lieu of non-participation in the auction event shall be out rightly rejected by TPSODL.
8. The bidder shall be prepared with competitive price quotes on the day of the bidding event.
9. The prices as quoted by the bidder during the auction event shall be inclusive of all the applicable taxes, duties and levies and shall be FOR at TPSODL site.
10. The prices submitted by a bidder during the auction event shall be binding on the bidder.
11. No requests for time extension of the auction event shall be considered by TPSODL.
12. The original price bids of the bidders shall be reduced on pro-rata basis against each line item based on the final all inclusive prices offered during conclusion of the auction event for arriving at Contract amount.

**Signature & Seal of the Bidder**



Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 44 of 49

Name of the Authorized Signatory: \_\_\_\_\_ :

Contact Person's Name:

Official Correspondence Address:

We confirm that we will bear the charges, if any, levied by our bank for the credit of NEFT/RTGS amounts in our account. Any change in above furnished information shall be informed to TPSODL well in time at our own. Further, we kept TPSODL indemnified for any loss incurred due to wrong furnishing of above information.

Thanking you,

For \_\_\_\_\_

**(Authorised Signatory)**

**(Signature with Rubber Stamp)**

**Certification from Bank:**

We confirm that we are enabled for receiving NEFT/RTGS credits and we further confirm that the account number (specify Bank a/c no.) of (Please mention here name of the account holder), the signature of the authorised signatory and the MICR and IFSC Code of our branch mentioned above are correct.

This also is certified that the above information is correct as per Bank record

**(Manager's/ Officers Signature under Bank Stamp)**

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 45 of 49

**ANNEXURE-H**  
**VENDOR APPRAISAL FORM**

<b>TO BE SUBMITTED BY VENDOR (To be filled as applicable)</b>			
<b>VENDOR:</b>			
<b>1.0</b>	<b>DETAILS OF THE FIRM</b>		
	1.1	NAME (IN CAPITAL LETTERS)	:
	1.2	TYPE OF CONCERN (PROPRIETARY) Partnership, Pvt. Ltd., Public Ltd. etc.	:
	1.3	YEAR OF ESTABLISHMENT	:
	1.4	LOCATION OF OFFICE POSTAL ADDRESS TELEGRAPHIC ADDRESSES, TELEX NO. FAX NO.	:
	1.5	LOCATION OF MANUFACTURING UNITS	:
		i) UNITS 1	:
		ii) OTHER UNITS	:
<b>2.0</b>	<b>PRODUCTS MANUFACTURED</b>		:
<b>3.0</b>	<b>TURNOVER DURING THE LAST 3 YEARS (TO BE VERIFIED WITH THE LATEST PROFIT &amp; LOSS STATEMENT).</b>		:
<b>4.0</b>	<b>VALUE OF FIXED ASSETS</b>		:
<b>5.0</b>	<b>NAME &amp; ADDRESS OF THE BANKERS</b>		:
<b>6.0</b>	<b>BANK GUARANTEE LIMIT</b>		:
<b>7.0</b>	<b>CREDIT LIMIT</b>		:
<b>8.0</b>	<b>TECHNICAL</b>		
	8.1	NO. OF DESIGN ENGINEERS (INDICATE NO. OF YEARS EXPERIENCE IN RELATED FIELDS)	:
	8.2	NO. OF DRAUGHTS MEN	:
	8.3	COLLABORATION DETAILS (IF ANY)	:
		8.3.1 DATE OF COLLABORATION	:
		8.3.2 NAME OF COLLABORATOR	:
		8.3.3 RBI APPROVAL DETAILS	:
		8.3.4 EXPERIENCE LIST OF COLLABORATOR	:
		8.3.5 DURATION OF AGREEMENT	:
	8.4	AVAILABILITY OF STANDARDS / DESIGN PROCEDURES / COLLABORATOR'S /	:

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 46 of 49

		DOCUMENTS (CHECK WHETHER THESE ARE LATEST/CURRENT	
	8.5	TECHNICAL SUPPORT, BACK-UP GUARANTEE, SUPERVISION, QUALITY CONTROL BY COLLABORATOR (WHEREVER ESSENTIAL). (THIS CLAUSE IS RELEVANT WHEN VENDOR'S EXPERIENCE IS INADEQUATE)	:
	8.6	QUALITY OF DRAWINGS	:
<b>9.0</b>	<b>MANUFACTURE</b>		
	9.1	SHOP SPACE, LAYOUT LIGHTING, VENTILATION, ETC.	:
	9.2	POWER (KVA)	:
		MAINS INSTALLED	:
		UTILIZED	:
		STANDBY POWER SOURCE	:
	9.3	MANUFACTURING FACILITIES (ATTACH LIST OF EQUIPMENT AS APPLICABLE)	:
		9.3.1 MATERIAL HANDLING	:
		9.3.2 MACHINING	:
		9.3.3 FABRICATION	:
		9.3.4 HEAT TREATMENT	:
		9.3.5 BALANCING FACILITY	:
		9.3.6 SURFACE TREATMENT PRIOR TO PAINTING/ COATING, POLISHING, PICKLING, PASSIVATION, PAINTING, ETC.	:
	9.4	SUPERVISORY STAFF	:
	9.5	ADEQUACY OF SKILLED LABOURS (MACHINISTS, WELDERS, ETC.)	:
	9.6	NO. OF SHIFTS	:
	9.7	TYPE OF MATERIAL HANDLED (SUCH AS CS, SS, ETC.)	:
	9.8	WORKMANSHIP	:
	9.9	MATERIAL IN STOCK AND VALUE	:
	9.10	TRANSPORT FACILITIES	:
	9.11	CARE IN HANDLING	:
<b>10.0</b>	<b>INSPECTION / QC / QA / TESTING</b>		
	10.1	NUMBER OF PERSONNEL (INDICATE NO. OF YEARS OF EXPERIENCE)	:
	10.2	INDEPENDENCE FROM PRODUCTION	:

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 47 of 49

	10.3	AVAILABILITY OF PROCEDURAL WRITE UP/QUALITY PLAN	:
	10.4	INCOMING MATERIAL CONTROL AND DOCUMENTATION	:
	10.5	RELIABILITY/REPUTATION OF SUPPLY SOURCES	:
	10.6	STAGE INSPECTION AND DOCUMENTATION	:
	10.7	SUB-ASSEMBLY & DOCUMENTATION	:
	10.8	FINAL INSPECTION AND DOCUMENTATION	:
	10.9	PREPARATION OF FINAL DOCUMENTATION PACKAGE	:
	10.10	TYPE TEST FACILITIES	:
	10.11	ACCEPTANCE TEST FACILITIES	:
	10.12	CALIBRATION OF INSTRUMENTS AND GAUGES (WITH TRACEABILITY TO NATIONAL STANDARDS) (ATTACH LIST)	:
	10.13	STATUTORY APPROVALS LIKE BIS, IBR, ETC.(AS APPLICABLE)	:
	10.14	SUB-VENDOR APPROVAL SYSTEM AND QUALITY CONTROL	:
	10.15	DETAILS OF TESTS CARRIED OUT AT INDEPENDENT RECOGNIZED LABORATORIES	:
		i) FURNISH LIST OF TESTS CARRIED OUT AND THE NAME OF THE LABORATORY WHERE THE TESTS WERE CONDUCTED	:
		ii) CHECK AVAILABILITY OF CERTIFICATES AND REVIEW THESE WHEREVER POSSIBLE	:
11.0	<b>EXPERIENCE (INCLUDING CONSTRUCTION / ERECTION / COMMISSIONING) TO BE FURNISHED IN THE FORMAT INDICATED IN APPENDIX)</b>		:
12.0	<b>SALES, SERVICE AND SITE ORGANIZATIONAL DETAILS</b>		:
13.0	<b>CERTIFICATE FROM CUSTOMERS (ATTACH COPIES OF DOCUMENTS)</b>		:
14.0	<b>POWER SITUATION</b>		:
15.0	<b>LABOUR SITUATION</b>		:
16.0 *	<b>APPLICABILITY OF SC/ST RELAXATION (Y/N) IF YES, SUPPORTING DOCUMENTS TO BE ATTACHED</b>		
17.0	<b>ORGANIZATIONAL DETAILS</b> 1. PF NO 2. ESI NO 3. INSURANCE FOR WORK MAN COMPENSATION ACT NO 4. ELECTRICAL CONTRACT LIC NO 5. ITCC / PAN NO 6. SALES TAX NO 7. WC TAX REG. NO		:
18.0	<b>DOCUMENTS TO BE ENCLOSED:</b>		

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 48 of 49

	1. FACTORY LICENSE 2. ANNUAL REPORT FOR LAST THREE YEARS 3. TYPE TEST REPORT FOR THE ITEM 4. PAST EXPERIENCE REPORTS 5. ISO CERTIFICATE –QMS, EMS, OHAS, SA 6. REGISTRATION OF SALES TAX 7. COPY OF TIN NO. 8. COPY OF SERVICE TAX NO. 9. REGISTRATION OF CENTRAL EXCISE 10. COPY OF INCOME TAX CLEARANCE. 11. COPY OF PF REGISTRATION 12. COPY OF ESI REGISTRATION 13. COPY OF INSURANCE FOR WORK MAN COMPENSATION ACT NO 14. COPY OF ELECTRICAL CONTRACT LIC NO 15. COPY OF PAN NO 16. COPY OF WC TAX REGISTRATION 17. DOCUMENTS IN SUPPORT OF SC/ST RELAXATION AT S.NO.16.0 18. GSTN CERTIFICATE	
--	--	--

**\* Classification of BA s under SC/ST shall be governed under following guidelines:**

- **Proprietorship/ Single Ownership Firm:** Proprietor of the firm should be from SC/ST community. Governing document shall be Proprietorship Deed.
- **Partnership Firm:** Only such firms shall qualify which have SC/ST partners holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Partnership Deed.
- **Private Limited Company:** Only such firms shall qualify which have SC/ST directors holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Memorandum of Understanding (MoU) and/or Article of Association (AoA).

*NOTE: Certification from SC/ST Commission shall be required for deciding upon SC/ST status of a person.*



Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 49 of 49

**ANNEXURE-I**  
**MANUFACTURER AUTHORIZATION FORM**

*(To be submitted on OEM's Letter Head)*

Date: .....

Tender Enquiry No.: .....

To,

Chief (Contracts & Stores)

The TP Southern Odisha Distribution Limited,  
Berhampur.

Sir,

WHEREAS M/s. [name of OEM], who are official manufacturers of ..... having factories at [address of OEM] do hereby authorize M/s [name of bidder] to submit a Bid in relation to the Invitation for Bids indicated above, the purpose of which is to provide the following Goods, manufactured by us

.....and  
to subsequently negotiate and sign the Contract.


We hereby extend our full guarantee and warranty in accordance with the Special Conditions of Contract or as mentioned elsewhere in the Tender Document, with respect to the Goods offered by the above firm in reply to this Invitation for Bids.

We hereby confirm that in case, the channel partner fails to provide the necessary services as per the Tender Document referred above, M/s [name of OEM] shall provide standard warranty on the materials supplied against the contract. The warranty period and inclusion / exclusion of parts in the warranty shall remain same as defined in the contract issued to their channel partner against this tender enquiry.

Yours Sincerely,

For .....

Authorized Signatory

<b>The Tata Power Company Ltd</b>	 The logo consists of a blue stylized 'T' inside a circle, with the word 'TATA' in bold blue capital letters below it, and 'TATA POWER' in blue capital letters below that.	<i>Safety Terms and Conditions</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/01/2019</i>

# Safety Terms and Conditions

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

1. Definitions .....	3
2. Safety Policy .....	4
3. Ten Commandments on Safety ( Deleted) .....	<b>Error! Bookmark not defined.</b>
4. Safety Organization & Responsibilities .....	6
4.1 Contractor Site Management and Supervision.....	6
4.2 Contractor Supervisors and General Staff.....	6
4.3 Contractor Workforce.....	7
4.4 Vendor/Contractor .....	7
5. Site Safety Rules and Procedures: .....	8
5.1 Lock Out and Tag Out Procedure .....	8
5.2 Excavation Safety (Shoring and Sloping) Procedure .....	8
5.3 Confined Space Entry Procedure .....	8
5.4 Working at Height Procedure.....	9
5.5 Heavy Equipment Movement Safety Procedure .....	9
5.6 Mobile Crane Safety Procedure .....	9
5.7 Scaffold Safety Procedure .....	9
5.8 Electrical Safety Procedure .....	10
5.9 Job Safety Analysis (JSA) Procedure.....	10
5.10 Fire Safety Management Procedure .....	10
5.11 Permit To Work Procedure .....	10
5.12 Lift (Elevator) Safety Procedure .....	11
5.13 Working on conveyor belt Procedure .....	11
5.14 Handling Hazardous Materials Procedure .....	11
5.15 Material Handling and Storage Procedure.....	11
6. Training and Capability Building .....	12
7. Pre Employment and Periodic Medical check up .....	13
8. Safety Performance Evaluation and Penalties .....	13

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

## 1. Definitions

- 1.1 **Order Manager:** Order Manager is the Tata Power representative, who has the ownership of the given job under the signed contract.
- 1.2 **Service Provider/Contractor/vendor:** An individual or an organization that provides services to Tata Power under a signed contract.
- 1.3 **Site Safety Management Plan:** It is the safety plan agreed between Contractor /service provider & Tata Power. It will contain the entire job specific safety requirement and will be signed by the service provider.
- 1.4 **High Risk Job:** Any job which has significant health and safety risk associated to it. The list of high risk jobs has been identified at Tata Power level.
- 1.5 **Emergency:** a serious, unexpected, business discontinuity and often dangerous situation resulting loss of revenue/property and requiring immediate action.

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
Document No. TPSMS/GSR/STC/009 REV 02		Date of Issue: 19/09/2019

## 2. Safety Policy





### HEALTH AND SAFETY POLICY

Tata Power is committed to provide safe and healthy working environment for the prevention of work related injuries and ill-health. Safety is one of our core values. We strive to be a leader in safety excellence in the global power and energy business. In pursuit of this, we are committed to the following:

- Maintain and continually improve our management systems to eliminate hazards and reduce health & safety risks to all our stakeholders.
- Incorporate appropriate health & safety criteria into business decisions for selection of plant and technology, performance appraisal of individuals and appointments in key positions.
- Comply and endeavour to exceed all applicable health & safety legal and other requirements
- Integrate health & safety procedures and best practices into every operational activity with assigned line-functional responsibilities at all levels.
- Involve our employees and business associates in maintaining a safe and healthy work environment through consultation and participation
- Inculcate safety culture by visible leadership and empowerment.
- Ensure required competency to enable our employees and business associates for working safely.
- ▶ Promptly report incidents, investigate, share crucial learnings and prevent recurrences.
- Influence our business associates in enhancing their health and safety standards and align with Tata Power's health & safety codes and practices.
- Set safety & health metrics as indicators of excellence, monitor progress and continually improve health and safety performance.

We shall ensure the availability of appropriate resources at all times to fully implement and communicate this policy to all stakeholders by suitable means and periodically review its relevance in continuously changing business environment.

Date: 11<sup>th</sup> March, 2019  
  
 Lighting up Lives!

  
 (Praveer Sinha)  
 CEO & Managing Director



<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No.</i> <i>TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue:</i> <i>19/09/2019</i>

**THIS PAGE DELETED**

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

### 3. Safety Organization & Responsibilities

#### 4.1 Contractor Site Management and Supervision

**Each Contractor will be responsible for fulfilling all statutory and safety requirements as per the laws of the land and not limited to Factory Act, Electricity Act, Electricity Rules and Regulations, Shop and Establishment Act etc.**

Each Contractor shall provide at least one competent full time safety supervisor for workforce of less than 100 numbers. When workforce ranges from 100 to 1000, the contractor has to provide at least one qualified safety officer and safety supervisors (reporting to the safety officer) in the ratio 1:100. For every 1000 addition in workforce, the contractor has to add 1 safety officer. The Tata Power Project Safety Manager will review and approve the appointment of all safety supervisors. Contractor/Subcontractor safety supervisors/officers will work with Tata Power Safety Managers and align themselves with Tata Power safety requirements.

Each Contractors'/Subcontractors' Site Manager is responsible, and will be held accountable, for the safety of their sub contractors and workforce and for ensuring that all equipment, materials, tools and procedures remain in safety compliance at job site, including:

- 4.1.1 Holding officer/supervisors accountable for safety and actively promote safe work performance.
- 4.1.2 Participate in and cooperate with all safety program requirements to be implemented in order to meet Tata Power safety objectives.
- 4.1.3 Ensure timely reporting of safety incidents, near misses, unsafe acts and conditions.
- 4.1.4 Identify the training needs of its employees and maintain all safety training documents.
- 4.1.5 Provide safety performance report at an agreed frequency.
- 4.1.6 Stopping of unsafe work (acts and/or conditions) immediately, until corrective action be taken.

#### 4.2 Contractor Supervisors and General Staff

Contractors' site supervisors and general staff members in charge of job site functions such as field engineering, warehousing, purchasing, cost and scheduling, etc. are responsible for the safe performance of the work of those they supervise. They must set an example for their fellow employees by being familiar with applicable sections of the Site Safety program and ensuring that all site activities are performed with SAFETY as the primary objective.

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

Each site supervisor is responsible and will be held accountable for identifying, analyzing and eliminating or controlling all hazards through implementation of an aggressive, pro-active Health, Safety and Environmental Program from project inception through project completion. Each supervisor will proactively participate in the SHE program by observing, correcting unsafe acts, and recording these observations.

#### **4.3 Contractor Workforce**

Contractor workforce must make safety a part of their job by following safety rules and regulations and by using all safeguards and safety equipments. They must take an active part in the Site Safety program to ensure their own safety and injury-free employment as well as being alert to unsafe practices of their fellow employees.

Every member of the workforce is expected to report for work without influence of any Drug/Alcohol. All employees are expected to report any hazardous conditions practices and behaviors in their work areas and correct where ever possible.

Workforce is responsible for active participation in safety and health programs, suggestion systems, trainings and in immediate reporting of all injuries, any unsafe practices, conditions or incidents to their supervisors.

#### **4.4 Vendor/Contractor**

Vendors/Contractor shall at all times comply with, and ensure that their workforce comply with all site safety rules and regulations. Specifically, with applicable provisions of the Tata Power Site Safety Management Plan, and all statutory safety rules and regulations.



<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

#### **4. Site Safety Rules and Procedures:**

The work in the safest possible manner can only happen when it has been carefully planned and all applicable procedures are followed. The Tata Power Safety Procedures are derived from Tata Power best practices and the applicable Government acts regulations. In each case, the most stringent regulation is used.

Following is the list of Tata Power's critical Safety Rules and Procedures. Contractor shall refer to approved Rules and Procedures for detailed requirements and ensure conformance.

##### **5.1 Lock Out and Tag Out Procedure**

This procedure is intended to be used for the protection of Personnel while servicing or performing maintenance on equipment / pipeline / vessel / process systems. This is a general procedure that shall be used as the minimum requirements for isolation of equipment, pipelines, machines, system from all possible sources of hazardous energy and / or material such as Steam, Hot Water, Compressed Air, any other process fluid / chemical energy / Mechanical energy or Electrical energy. For complete procedure kindly refer Procedure Document No. TPSMS/CSP/LOTO/001 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

##### **5.2 Excavation Safety (Shoring and Sloping) Procedure**

This procedure is developed to cover the safe practices required for shoring and sloping in excavation and trenching jobs. This procedure is developed to establish mandatory requirements for practices to protect personnel, property and equipment from hazards associated with above activities. For complete procedure kindly refer Procedure Document No TPSMS/CSP/EXS/002 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

##### **5.3 Confined Space Entry Procedure**

This procedure outlines the steps required to perform the confined space entry and to protect personnel from the hazards of entering and conducting operations in confined spaces. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/CSE/003 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

#### **5.4 Working at Height Procedure**

This procedure describes the rules and procedures to protect employees from the hazards of working at heights.

This procedure is developed to cover the safe practices required for Working at Heights. This procedure is developed to establish mandatory requirements for practices to protect personnel from hazards associated in this area. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/WAH/004 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

#### **5.5 Heavy Equipment Movement Safety Procedure**

Heavy equipment lifting and movement is an activity involving loading, unloading, storage and movement from one place to another including lifting and erection or repairing of equipment with cranes or hoists. Material, machinery and equipment handling operations are being carried out by large capacity cranes and hoists, which make the job safer and faster. This procedure addresses the hazards and precautions associated with such equipment and their use. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/HEMS/005 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

#### **5.6 Mobile Crane Safety Procedure**

Mobile cranes are responsible for many incidents, injuries. Falling loads from mobile cranes pose a severe hazard to operators and nearby workers and property. Many types of cranes, hoists, and rigging devices are used for lifting and moving materials. To maintain safe, appropriate standards has to be adhered to and only qualified and licensed individuals shall operate these devices. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/MCS/006 REV 01.

#### **5.7 Scaffold Safety Procedure**

This procedure is developed to provide information on the safe erection, use, dismantling and maintenance of access scaffolding in the workplace. It is developed to establish mandatory requirements for practices to protect personnel from hazards associated with erection, use and dismantling of scaffolds. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/SCAF/007 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

## **5.8 Electrical Safety Procedure**

The objective of these standards is to specify minimum mandatory requirements and advisory guidance for identifying and controlling hazards to ensure 'Zero Harm' with regard to operation maintenance and testing of electrical equipment. For complete procedure kindly refer Procedure Document No- TPSMS/CSP/ELEC/010 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

## **5.9 Job Safety Analysis (JSA) Procedure**

This objective of this procedure is to have a task based risk assessment process in place that identifies, evaluates and controls the risks associated with work activities, and as a result, prevents those involved in the task or those potentially affected by the task, from being harmed. For complete procedure kindly refer Procedure Document No- TPSMS/CSP/JSA/009 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

## **5.10 Fire Safety Management Procedure**

Objective of This standard is to specify the minimum mandatory requirements and advisory guidelines to ensure prevention of fire related incidents and managing / controlling their impacts if they do occur. For complete procedure kindly refer Procedure Document No- TPSMS/CSP/FSM/011 REV 01

## **5.11 Permit To Work Procedure**

Given the inherent hazards of the power generation and distribution industry, a significant number of TATA POWER operations and installations are critical. Work Permit (WP) System is an essential element in controlling the workplace risks in an effective manner. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/PTW/008 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

### **5.12 Lift (Elevator) Safety Procedure**

To provide safe operating procedure for taking control of lift car before entering and existing the pit of OTIS make elevators. For complete procedure kindly refer Procedure Document No – TPSMS/GSP/LIFT/001 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

### **5.13 Working on conveyor belt Procedure**

This procedure is developed to cover the safe practices required for Working on live equipment and to protect personnel from hazards associated with it. For complete procedure kindly refer Procedure Document No – TPSMS/GSP/CONV/002 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

### **5.14 Handling Hazardous Materials Procedure**

This Procedure is developed to provide procedure for recycling and / or safe disposal of used / waste batteries in compliance with all legislation. For complete procedure kindly refer Procedure Document No-TPSMS/GSP/HAZM/003 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

### **5.15 Material Handling and Storage Procedure**

The purpose of this document is to provide procedures to assist the safe handling of materials (manual handling and mechanical handling). For complete procedure kindly refer Procedure Document No – TPSMS/GSP/MATL/004 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

### **5.16 Contractor Safety Management Procedure**

The purpose of this document is to engage with contractors in a way to create safe work environment for everyone working for Tata Power. For complete procedure kindly refer Procedure Document No – TPSMS/GSP/CSM/015 REV 01 available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com))

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

The above procedures will be updated periodically and the updated version of the procedures as well as any additional critical procedure will be available on official website of Tata Power ([www.tatapower.com](http://www.tatapower.com)) for your reference.

## 5. Training and Capability Building

Safety Training and capability building of workforce is a major component of safety management program. All training required must be provided and documented as specified by Tata Power and Indian Regulations. Tata Power Safety Manager will audit contractors training and related documentation to assure its adequacy.

### 6.1 Tata Power Site Safety Orientation

All Tata Power contractor and subcontractor workforce is required to attend Tata Power Site Safety Orientation Training to receive a Safety Training Card, which is required to obtain a Gate Pass to the site, prior to entry.

This Safety Orientation Course will be for duration of minimum half day. The information provided during the orientation will include, but is not limited to following:

1. Job rules, personal safety and conduct
2. Hazards reporting
3. Reporting of injuries
4. Emergency procedures
5. Safety Activities and Program including disciplinary measure and incentives.
6. Critical safety procedure relevant to the job

### 6.2 Capability Building

Appropriate training such as L1, L2 & L3 is given to ensure that a jobholder, either supervisor or worker, is competent to do his/her job safely. The skill training is provided through TPSDI and other agencies authorized by Tata Power on the list of 15 procedures mentioned under safety procedure.

Contractor shall ensure that concerned workmen are provided with adequate training before he/she is allowed to execute the work.

An evaluation test will be conducted after the completion of the training. Those workmen employee who meet the minimum required competency will be provided with Gold Card which is valid for 3 years, post which the workmen has to reappear for the assessment. If the workman is not able to qualify the assessment, he/she will be given 3 additional attempts to clear in 3 month timeframe failing which he/she will not be allowed to work on high risk jobs.

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

## 6. Pre Employment and Periodic Medical check up

Contractor shall arrange to conduct a pre employment and periodic medical check-up for its entire workforce by Tata Power medical officer or Tata Power authorized medical officer. The contractor shall be able to produce the certificate prior to the employment. The contractor shall also organize to conduct periodical medical checkup (six monthly) for the following category of employees:

- Drivers (Check for Vision & Hearing)
- Equipment Operators (Check for Vision & Hearing)
- Workforce working at Height (Check for Vision, Hearing, Vertigo & Height Phobia)
- Workforce Handling the hazardous substances (Coal, ash and chemicals)
- Workforce in high decibel area (> 90 Decibel, Check for Hearing)
- Workforce, working in specific areas requiring specific medical attention should conduct the medical test as laid down in the respective Site Safety Management Plan.

## 7. Safety Performance Evaluation and Penalties

8.1 A certain percentage of the bill value will be retained against every running bill as safety performance retention. The amount will be released with the last invoice based on "Safety Performance score" attached in CSM-F-3 of CSM procedure. The amount is based on following table

Contract Value	Retention Amount(%)
Upto 10 Lakhs	2.5
10 – 50 lakhs	2
0.5 to 10 Cr	1.5
>10 Cr	1

8.2 Safety performance Score will be monitored by the Order Manager every month.

8.3 For the contract value of more than Rs 1 Cr or contract duration more than 12 months, the retention amount shall be released half yearly based on safety performance. For all remaining contracts, the retention amount will be released with the final bill.

8.4 In case of job stoppage due to safety violations/ unsafe observations at the site, no time extension shall be given to the contractor, if such delays are attributable to contractor.

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

8.5 In case of fatality, limb loss or loss of property, vendor has to pay for liability, legal, statutory and additional mutually agreed settlement charges imposed by the appointed committee. This charge is over and above the retention amount.

8.6 The committee will finalize an amount between 5 -50 lakhs based on factors such as advise by statutory authorities, contract value and impact of accident etc.

8.7 Safety performance bonus 1% (limiting to 50 lakhs) of the invoice value will be considered at the end of the job if the contractual safety performance score is 100%.

8.8 During the progress of the work, concerned Supervisor/Engineer will visit and inspect the work site regularly and evaluate the safety performance of the contractor based on matrix attached herewith.

8.9 Order Manager, divisional chief and SBU head have the authority to terminate the contract in case of three consecutive serious violations.

#### **Safety Performance Evaluation - CSM-F-3**

	<b><u>Lead Indicators</u></b>	<b>Unit Of measurement</b>	<b>Target</b>	<b>weight age</b>
1	% of Employee certified in TPSDI/Authorized agency	%	50	10
2	CFSA score (Annexure 6.1)	Average Severity of Violations	1.49	20
3	Monthly inspection completed for Critical Equipments, lifting Tools & Tackles and hand tools used at site	%	80	5
4	Condition of tools, tackles and equipments	%	100	15
	<b><u>Lag Indicators</u></b>			
1	Number of Fatalities	No.	0	30
2	Number of Lost work day case ( LWDC)	No.	0	10
3	Man-days Lost	No.	0	10

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
Document No. TPSMS/GSR/STC/009 REV 02		Date of Issue: 19/09/2019

In addition to above evaluation criteria, for specific violations penalty shall be imposed on the contractors under following circumstances:

Sr No	Description of violation	Severity	Penalty /
1.	Working without Permit	5	5000/-
2.	Untrained (TPSDI) worker on high-risk jobs.	5	5000/-
3.	Unhygienic/Bad condition of PPE	2	250/-
4.	Not following Tata Power Procedure & Standard	4	2000/-
5.	Unsafe Act/Condition of Severity 4	4	2000/-
6.	Unsafe Act/Condition of Severity 5	5	5000/-
7.	No Earthing of Electrical equipment	5	5000/-
8.	Damaged welding cable	5	5000/-
9.	Violation of Positive Isolation Procedure ( LOTO Not followed )	5	5000/-
10.	ELCB of more than 30 mA/ELCB not working	5	5000/-
11.	On/Off switch of welding m/c not working	5	5000/-
12.	Electric cable tied with metal wire	5	5000/-
13.	Leakage found DA hose / cylinder	5	5000/-
14.	Use of LPG	5	5000/-
15.	Use of Three-wheeler at the work site.	5	5000/-
16.	Starting the job without Tool Box Talk	5	5000/-
17.	Spatter falling on DA hose / Gas-line/ pathways / Equipment	5	5000/-
18.	No safety latch in crane hook	5	5000/-
19.	Load raised or swung over people or occupied areas of buildings	5	5000/-
20.	Persons standing in swing area of construction equipments.	5	5000/-
21.	Using damaged slings.	5	5000/-
22.	Unstable scaffolding/non standard Scaffolding in use	5	5000/-
23.	Handrails and mid-rails are missing	5	5000/-
24.	Safety Harness not anchored with lifeline/fixed structure	5	5000/-
25.	Fall arrestor not provided/ Not being used.	5	5000/-
26.	Double life line not used for working at height	5	5000/-
27.	No rubber mat in DB room	4	2000/-
28.	Water found accumulated in DB room/near welding machine.	4	2000/-
29.	Inserting electric cables into socket, without using plug.	4	2000/-
30.	Use of damaged electrical cable/two core cables.	4	2000/-
31.	Inflammable material found in D.B Room./ welding areas.	4	2000/-
32.	Loose material falling into excavated pit	4	2000/-
33.	Water logging into excavated pit	4	2000/-
34.	No / inadequate Barricade	4	2000/-



<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

<b>Sr No</b>	<b>Description of violation</b>	<b>Severity</b>	<b>Penalty /</b>
35.	Undercut / cave-in found on sides of excavated pits	4	2000/
36.	Grinding wheel/ Coupling/ Piling winch/other rotating parts without guard	4	2000/
37.	The HMTV/Mobile Crane operator does not having a valid HMTV driving license.	4	2000/
38.	The loading area is not leveled properly.	4	2000/
39.	Ladder not anchored at top	4	2000/
40.	Opening found in working platform of scaffolding/floor	4	2000/
41.	Inadequate illumination at the working area	4	2000/
42.	Loose material lying on Gantry ,platform	4	2000/
43.	Cleaning body with Compressed Air.	3	500/-
44.	Gas Cylinders using without cap.	3	500/
45.	Gas Cylinders stored without securing	3	500/
46.	Bringing inside any other chemicals, apart from approved by Safety dept.	3	500/
47.	Using drum for sitting or accessing height.	3	500/
48.	Misusing emergency facilities like fire hydrant line/ hose box/ spray system/ eye wash etc.	3	500/
49.	No provision of Safety net where falling materials or tools may occurs	3	500/
50.	Taking electrical supply from non designated outlet (other than socket).	3	500/
51.	Restricted gangways due to unwanted materials.	3	500/
52.	Not reporting incident.	3	500/
53.	Entering into restricted area like switch yard/ hazardous storage etc.	3	500/
54.	Work without supervision	3	500/
55.	Parking of vehicle without applying wheel choke at right front-front and left rear-rear wheels other than passengers cars.	3	500/
56.	Vehicle without helper or co-driver.	3	500/
57.	Not wearing florescent safety jacket at site.	3	500/
58.	People travelling in load body of vehicle.	3	500/
59.	Parking of vehicles at non designated area.	3	500/
60.	Shifting heavy materials without guide ropes.	3	500/
61.	Using other than 24V lamp inside the confined space/Use of other than 24V lamps.	3	500/
62.	Angular/ starch loading/ lifting with Crane or hoist.	3	500/
63.	By passing the limit switch/ Safety Interlock.	3	500/
64.	Housekeeping activities on road without proper barricade.	3	500/

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

<b>Sr No</b>	<b>Description of violation</b>	<b>Severity</b>	<b>Penalty /</b>
65.	Trying to board or alit from running vehicle.	3	500/-
66.	Cylinder Valves of Gas cylinders not closed when not in use.	3	500/-
67.	Flash-back arrester not used.	3	500/-
68.	Trolley wheel found damaged.	3	500/-
69.	Guy ropes of required length on both sides of object are not used during movement with load.	3	500/-
70.	Scotch block/wedge not provide when the vehicle is parked.	3	500/-
71.	Suitable Trolley not provided to hold the cylinders.	3	500/-
72.	Locked First Aid box	3	500/-
73.	Caution boards, danger signs (luminescent /red) along with emergency contact number are not found displayed.	3	500/-
74.	Person found jumping barricading tape	3	500/-
75.	Stacking of pipes, pile casing , drums without chock blocks/wedges	3	500/-
76.	The terrain on which Heavy Equipment/Machinery moves is not reasonably hard.	3	500/-
77.	Without Safety Helmet at working sites	4	250/-
78.	Without Crash Helmet (on bikes)	4	500/-
79.	Without Full body double lanyard Safety Harness (for work at height)	5	5000/-
80.	Without Hand gloves - Material Handling, Welding, Cutting,	4	100/-
81.	Without Safety goggles/ face shield - Welding/Cutting /Grinding	5	5000/-
82.	Handling Chemical without PVC Apron	5	5000/-
83.	Smoking in prohibited area (Closed Go-downs, Storage of flammable material, Storage of Gas cylinders)	5	1000/-
84.	Sleeping at Work Place	3	100/-
85.	Driving beyond speed limit	3	1000/-
86.	Seat Belt While Driving (for front seat passengers and driver)	3	500/-
87.	Driving without license	4	1000/-
88.	Heavy Commercial vehicles without reverse horn	3	500/-
89.	Non functional Head light/ tail light and side indicators	3	100/-
90.	Using Mobile Phone During Driving	5	5000/-
91.	Poor visibility of registration number/ without registration number	3	100/-
92.	Broken/ without Side view mirror	3	100/-
93.	Over speeding above specified limit	3	500/-
94.	Broken/ Without Pressure gauge on Oxygen/ LPG / Acetylene cylinder.	3	500/-

<b>The Tata Power Company Ltd</b>		<i>Safety Terms and Condition</i>
<i>Document No. TPSMS/GSR/STC/009 REV 02</i>		<i>Date of Issue: 19/09/2019</i>

<b>Sr No</b>	<b>Description of violation</b>	<b>Severity</b>	<b>Penalty /</b>
95.	Without Flash back arrestor on Industrial Acetylene & Oxygen cylinders.	5	5000/-
96.	Spillage of hazardous material/chemicals during transportation	4	2000/-
97.	Electrical equipment without Earthing/ ELCB/ Double Insulation Cable.	5	5000/-
98.	Lifting Tools & Tackles used without/ expired Test Certificates.	5	5000/-
99.	Housekeeping repeatedly not maintained		
100.	• First Time	3	Warning
101.	• Second Time	4	1000/-
102.	• Third Time	5	5000/-
103.	Serious Violation Of House Keeping (after 1 <sup>st</sup> or 2 <sup>nd</sup> warning to be decided by Project Manager depending on the severity)		Rs.10000/- and above
104.	Repeat Violation of same nature	5	5X Violation

# HEALTH AND SAFETY POLICY

**We, at Tata Power, reaffirm our belief that the health and safety of our stakeholders is of the utmost importance and takes precedence in all our business decisions. In pursuit of this belief and commitment, we strive to:**

- Maintain and proactively improve our management systems to minimize health and safety hazards to our stakeholders and all others influenced by our activities.
- Comply and endeavour to exceed all applicable occupational health & safety legal and other requirements by setting the highest standards.
- Integrate health & safety procedures and best practices into every operational activity with assigned line-functional responsibilities at all levels, for improving and sustaining health & safety performance.
- Involve our employees in maintaining a safe and healthy work environment through risk assessments, periodic reviews of operational procedures, safe work methods and adoption of new technology.
- Develop a culture of safety through active leadership and provide appropriate training at all levels to enable employees developing their skills to work safely.
- Incorporate appropriate health & safety criteria into business decisions for selection of plant and technology, performance appraisal of individuals and appointments in key positions.
- Ensure availability at all times of appropriate resources to fully implement the health & safety policy of the company.
- Promptly report incidents, investigate for root causes and ensure lessons learnt shared and deployed across the company.
- Ensure service providers and their workmen align with company's safety codes and practices for the health and safety of personnel working with us.
- Set safety & health metrics as indicators of excellence, monitor progress and continually improve performance.

We shall actively communicate this policy to all stakeholders by suitable means and periodically review its relevance in continuously changing business environment.




(Praveer Sinha)  
CEO & Managing Director


Date: 15<sup>th</sup> June, 2018

**TATA POWER**

Lighting up Lives!







## LEADERSHIP THAT INSPIRES

For over 100 years, the Tata group has been led by visionaries who have stayed true to the vision of the founder, Jamsetji Tata.

A vision that placed the greater good of society at par with business growth.

A vision that put into practice pioneering social initiatives that changed the way responsible business was run.

And a vision that brought into the group a strong social conscience.



We do not claim to be more unselfish, more generous or more philanthropic than other people. But we think we started on sound and straightforward business principles, considering the interests of the shareholders our own, and the health and welfare of the employees, the sure foundation of our success.

**Jamsetji Tata**  
Founder of the Tata group  
Chairman (1868 – 1904)

## CONTENTS

<b>Foreword</b>	3
A Our values	4
B Scope and purpose of this Code	5
C Our core principles	7
D Our employees	9
E Our customers	18
F Our communities and the environment	21
G Our value-chain partners	23
H Our financial stakeholders	25
I Governments	27
J Our group companies	29
<b>Raising concerns</b>	30
<b>Accountability</b>	31
<b>Acknowledgement sheet</b>	33



## FOREWORD

Tata companies have consistently adhered to the values and ideals articulated by the Founder for over 150 years. The Tata Code of Conduct was first formalized by Mr Ratan Tata. It articulates the Group's values and ideals that guide and govern the conduct of our companies as well as our colleagues in all matters relating to business. Today, the Code is a bedrock on which we base our individual, as well as leadership commitments to core Tata values.

The Tata Code of Conduct outlines our commitment to each of our stakeholders, including the communities in which we operate, and is our guiding light when we are sometimes faced with business dilemmas that leave us at ethical crossroads. The Code is also dynamic in that it has been periodically refreshed in order to remain contemporary and contextual to the changes in law and regulations. However it remains unaltered at its core.

Our stellar reputation and success as a business entity has been defined by the powerful commitment and adherence to the core values and principles expressed in this Code, by all our employees, directors and partners. I trust every Tata colleague and Tata company will continue to not only comply with the laws and regulations that govern our business interests around the world, but will continue to set new standards of ethical conduct that will generate deep respect and inspire emulation by others.

**N. Chandrasekaran**

21<sup>st</sup> February, 2017



## A. OUR VALUES

TATA has always been values-driven. The five core values that underpin the way we conduct our business activities are:



These universal values serve as the foundation for the Tata Code of Conduct. They find expression within the value system of every Tata company.

## B. SCOPE AND PURPOSE OF THIS CODE

1. This Code sets out how we behave with:
  - our employees, or those who work with us;
  - our customers;
  - the communities and the environment in which we operate;
  - our value-chain partners, including suppliers and service providers, distributors, sales representatives, contractors, channel partners, consultants, intermediaries and agents;
  - our joint-venture partners or other business associates;
  - our financial stakeholders;
  - the governments of the countries in which we operate; and
  - our group companies.
2. In this Code, “we or us” means our company, our executive directors, officers, employees and those who work with us, as the context may require.
3. The term “our group companies” in this Code typically means companies Tata Sons intends for this Code to apply to, and / or to whom Tata Sons has issued this Code.
4. This Code sets out our expectations of all those who work with us. We also expect those who deal with us to be aware that this Code underpins everything we do, and in order to work with us they need to act in a manner consistent with it.

### REMEMBER...

It is our commitment to protect our reputation and our brand equity by adhering to the values and principles set out in this Code. By doing so, we strengthen our unique culture and identity.

## OUR CORE PRINCIPLES



The Tata philosophy of management has always been, and is today more than ever, that corporate enterprises must be managed not merely in the interests of their owners, but equally in those of their employees, of the consumers of their products, of the local community and finally of the country as a whole.

**J.R.D. Tata**

Chairman, Tata Sons (1938 – 1991)

## C. OUR CORE PRINCIPLES

1. We are committed to operating our businesses conforming to the highest moral and ethical standards. We do not tolerate bribery or corruption in any form. This commitment underpins everything that we do.
2. We are committed to good corporate citizenship. We treat social development activities which benefit the communities in which we operate as an integral part of our business plan.
3. We seek to contribute to the economic development of the communities of the countries and regions we operate in, while respecting their culture, norms and heritage. We seek to avoid any project or activity that is detrimental to the wider interests of the communities in which we operate.
4. We shall not compromise safety in the pursuit of commercial advantage. We shall strive to provide a safe, healthy and clean working environment for our employees and all those who work with us.
5. When representing our company, we shall act with professionalism, honesty and integrity, and conform to the highest moral and ethical standards. In the countries we operate in, we shall exhibit culturally appropriate behaviour. Our conduct shall be fair and transparent and be perceived as fair and transparent by third parties.
6. We shall respect the human rights and dignity of all our stakeholders.
7. We shall strive to balance the interests of our stakeholders, treating each of them fairly and avoiding unfair discrimination of any kind.
8. The statements that we make to our stakeholders shall be truthful and made in good faith.
9. We shall not engage in any restrictive or unfair trade practices.
10. We shall provide avenues for our stakeholders to raise concerns or queries in good faith, or report instances of actual or perceived violations of our Code.
11. We shall strive to create an environment free from fear of retribution to deal with concerns that are raised or cases reported in good faith. No one shall be punished or made to suffer for raising concerns or making disclosures in good faith or in the public interest.
12. We expect the leaders of our businesses to demonstrate their commitment to the ethical standards set out in this Code through their own behaviour and by establishing appropriate processes within their companies.
13. We shall comply with the laws of the countries in which we operate and any other laws which apply to us. With regard to those provisions of the Code that are explicitly dealt with under an applicable law or employment terms, the law and those terms shall take precedence. In the event that the standards prescribed under any applicable law are lower than that of the Code, we shall conduct ourselves as per the provisions of the Code.

### REMEMBER...

"Good faith" means having a reasonable belief that the information you have provided is truthful. It does not mean having 'all the evidence' about the potential violation or case reported.

## OUR EMPLOYEES



Once you got the best people, the people who shared our values and ideals, we left them free to act on their own. We do not fetter them. We encourage them and give them opportunities for leadership.

**J.R.D. Tata**

Chairman, Tata Sons (1938 – 1991)

## D. OUR EMPLOYEES

### Equal opportunity employer

1. We provide equal opportunities to all our employees and to all eligible applicants for employment in our company. We do not unfairly discriminate on any ground, including race, caste, religion, colour, ancestry, marital status, gender, sexual orientation, age, nationality, ethnic origin, disability or any other category protected by applicable law.
2. When recruiting, developing and promoting our employees, our decisions will be based solely on performance, merit, competence and potential.
3. We shall have fair, transparent and clear employee policies which promote diversity and equality, in accordance with applicable law and other provisions of this Code. These policies shall provide for clear terms of employment, training, development and performance management.

### Q&A

**A job requirement entails extensive travel. One of the candidates has excellent relevant experience and qualifications. However, this candidate is a single parent. As a result, I feel such a situation would significantly hinder this candidate's ability to cope with the job requirement. What should I do?**

In accordance with the Code, the decision to recruit an employee should be based upon merit. We cannot make a presumption that the candidate would not be able to meet the travel requirements of the job. All eligible candidates should be provided with equal opportunity to demonstrate or justify that they can cope with the travel requirements of the job. Being a single parent cannot be a ground to be discriminated against at any stage of recruitment or ongoing employment in our company.

### REMEMBER...

We do not tolerate harassment in any form and therefore we expect every employee to discourage such misdemeanours in the workplace.

## Dignity and respect

4. Our leaders shall be responsible for creating a conducive work environment built on tolerance, understanding, mutual cooperation and respect for individual privacy.
5. Everyone in our work environment must be treated with dignity and respect. We do not tolerate any form of harassment, whether sexual, physical, verbal or psychological.
6. We have clear and fair disciplinary procedures, which necessarily include an employee's right to be heard.
7. We respect our employees' right to privacy. We have no concern with their conduct outside our work environment, unless such conduct impairs their work performance, creates conflicts of interest or adversely affects our reputation or business interests.

## Human rights

8. We do not employ children at our workplaces.
9. We do not use forced labour in any form. We do not confiscate personal documents of our employees, or force them to make any payment to us or to anyone else in order to secure employment with us, or to work with us.

## Bribery and corruption

10. Our employees and those representing us, including agents and intermediaries, shall not, directly or indirectly, offer or receive any illegal or improper payments or comparable benefits that are intended or perceived to obtain undue favours for the conduct of our business.

### REMEMBER...

Violation by even a single employee of any law relating to anti-bribery, anti-corruption, anti-competition, data privacy, etc. could result in severe financial penalties and cause irreparable reputational damage to the company.



## Gifts and hospitality

11. Business gifts and hospitality are sometimes used in the normal course of business activity. However, if offers of gifts or hospitality (including entertainment or travel) are frequent or of substantial value, they may create the perception of, or an actual conflict of interest or an 'illicit payment'. Therefore, gifts and hospitality given or received should be modest in value and appropriate, and in compliance with our company's gifts and hospitality policy.

## Freedom of association

12. We recognise that employees may be interested in joining associations or involving themselves in civic or public affairs in their personal capacities, provided such activities do not create an actual or potential conflict with the interests of our company. Our employees must notify and seek prior approval for any such activity as per the 'Conflicts of Interest' clause of this Code and in accordance with applicable company policies and law.

### REMEMBER...

As a general rule, we may accept gifts or hospitality from a business associate, only if such a gift:

- has modest value and does not create a perception (or an implied obligation) that the giver is entitled to preferential treatment of any kind;
- would not influence, or appear to influence, our ability to act in the best interest of our company;
- would not embarrass our company or the giver if disclosed publicly.

The following gifts are never appropriate and should never be given or accepted:

- gifts of cash or gold or other precious metals, gems or stones;
- gifts that are prohibited under applicable law;
- gifts in the nature of a bribe, payoff, kickback or facilitation payment\*;
- gifts that are prohibited by the gift giver's or recipient's organisation; and
- gifts in the form of services or other non-cash benefits (e.g. a promise of employment).

(\*'Facilitation' payment is a payment made to secure or speed up routine legal government actions, such as issuing permits or releasing goods held in customs.)

### Working outside employment with us

13. Taking employment, accepting a position of responsibility or running a business outside employment with our company, in your own time, with or without remuneration, could interfere with your ability to work effectively at our company or create conflicts of interest. Any such activity must not be with any customer, supplier, distributor or competitor of our company. Our employees must notify and seek prior approval for any such activity as per the 'Conflicts of Interest' clause of this Code and in accordance with applicable company policies and law.

### Integrity of information and assets

14. Our employees shall not make any wilful omissions or material misrepresentation that would compromise the integrity of our records, internal or external communications and reports, including the financial statements.
15. Our employees and directors shall seek proper authorisation prior to disclosing company or business-related information, and such disclosures shall be made in accordance with our company's media and communication policy. This includes disclosures through any forum or media, including through social media.
16. Our employees shall ensure the integrity of personal data or information provided by them to our company. We shall safeguard the privacy of all such data or information given to us in accordance with applicable company policies or law.
17. Our employees shall respect and protect all confidential information and intellectual property of our company.
18. Our employees shall safeguard the confidentiality of all third party intellectual property and data. Our employees shall not misuse such intellectual property and data that comes into their possession and shall not share it with anyone, except in accordance with applicable company policies or law.
19. Our employees shall promptly report the loss, theft or destruction of any confidential information or intellectual property and data of our company or that of any third party.

### Q&A

**I am an accountant in the finance department of my company. Due to my artistic skills, I received an offer to pen cartoons for a children's publication for which I would receive compensation. I plan to undertake this activity during week-ends. What should I do before accepting this offer?**

Before accepting the offer, you should ascertain whether the company policies and rules require you to make a disclosure to your supervisor so that the company may determine whether your undertaking this activity adversely affects our company's interests. On confirmation from the company that it does not do so, you would be free to take up the activity. It is also your duty to bring to the attention of the company whenever there is any change in the situation you have disclosed.

20. Our employees shall use all company assets, tangible and intangible, including computer and communication equipment, for the purpose for which they are provided and in order to conduct our business. Such assets shall not be misused. We shall establish processes to minimise the risk of fraud, and misappropriation or misuse of our assets.
21. We shall comply with all applicable anti-money laundering, anti-fraud and anti-corruption laws and we shall establish processes to check for and prevent any breaches of such laws.

### Insider trading

22. Our employees must not indulge in any form of insider trading nor assist others, including immediate family, friends or business associates, to derive any benefit from access to and possession of price sensitive information that is not in the public domain. Such information would include information about our company, our group companies, our clients and our suppliers.

### Q&A

**Our company has recently announced the launch of a new business initiative. In connection with this, your friend who is a journalist with a leading business newspaper has asked you to provide some information that he could cover in his forthcoming article. He has promised not to quote you, or reveal your identity. Should you be giving him this information?**

No. You should not be sharing information of this nature with the media, even if it is assured that the source would remain anonymous. Only authorised personnel in the company are permitted to speak to the media and provide information of this nature.

**Our company has a “Use of Social Media” policy that lays down the “dos and don’ts” for use of social media even if you may access such media on your own time. Why is there such a policy?**

External communication is a serious matter. It must be carefully managed because information put out with reference to our company or its businesses needs to be clear, truthful and not violate any undertakings we have given to other parties. In each business there are managers nominated to authorise and make different types of statements to the outside world. These managers should be consulted about any request for information you may receive or information you think we should give out.

In using social media, in particular blogs or social networking sites, you should exercise great caution while talking about our company or the business we do. It may feel like you are chatting with friends or expressing a personal opinion but even while doing so you cannot share any confidential information of our company.

### REMEMBER...

We must respect the property rights of others by never misusing their assets, intellectual property or trade secrets, including the copying or downloading of unauthorised software, trademarks, copyrighted material or logos. We should never make unauthorised copies of computer software programs or use unlicensed personal software on company computers.

### Prohibited drugs and substances

23. Use of prohibited drugs and substances creates genuine safety and other risks at our workplaces. We do not tolerate prohibited drugs and substances from being possessed, consumed or distributed at our workplaces, or in the course of company duties.

### Conflicts of interest

24. Our employees and executive directors shall always act in the interest of our company and ensure that any business or personal association *including close personal relationships* which they may have, does not create a conflict of interest with their roles and duties in our company or the operations of our company. Further, our employees and executive directors shall not engage in any business, relationship or activity, which might conflict with the interest of our company or our group companies.

25. Should any actual or potential conflicts of interest arise, the concerned person must immediately report such conflicts and seek approvals as required by applicable law and company policy. The competent authority shall revert to the employee within a reasonable time as defined in our company's policy, so as to enable the concerned employee to take necessary action as advised to resolve or avoid the conflict in an expeditious manner.
26. In the case of all employees other than executive directors, the Chief Executive Officer / Managing Director shall be the competent authority, who in turn shall report such cases to the Board of Directors on a quarterly basis. In case of the Chief Executive Officer / Managing Director and executive directors, the Board of Directors of our company shall be the competent authority.

### Q&A

**You are responsible for maintaining our company's customer database. One of your friends is starting a business venture and requests you to share a few particulars from this database for marketing purposes of his business. He assures you that he would keep the data as well as his source confidential. Should you do so?**

No. You should respect the confidentiality of customer information and not share any part of the database with any person without due authorisation.

**You have access to revenue numbers of different business units of our company. While having a conversation with you over evening drinks, your friend enquires about the financial performance of our company. You do not share detailed information with your friend, but share approximate revenue figures. Is this conduct of yours correct?**

No, it is not. You are not permitted to share financial information of our company with others who do not need to know this information. Financial information should always be safeguarded and disclosed only on a need-to-know basis after obtaining requisite approvals. Sharing of any price sensitive information that is not generally available with the public could also lead to violation of applicable insider trading laws.

27. Notwithstanding such or any other instance of conflict of interest that exists due to historical reasons, adequate and full disclosure by interested employees shall be made to our company's management. At the time of appointment in our company, our employees and executive directors shall make full disclosure to the competent authority, of any interest leading to an

actual or potential conflict that such persons or their immediate family (including parents, siblings, spouse, partner, children) or persons with whom they enjoy close personal relationships, may have in a family business or a company or firm that is a competitor, supplier, customer or distributor of, or has other business dealings with, our company.

### REMEMBER...

A conflict of interest could be any known activity, transaction, relationship or service engaged in by an employee, his/her immediate family (including parents, siblings, spouse, partner, and children), relatives or a close personal relationship, which may cause concern (based upon an objective determination) that the employee could not or might not be able to fairly perform his/her duties to our company.

### Examples of Potential Conflicts of Interest

A conflict of interest, actual or potential, arises where, directly or indirectly, an employee or executive director:

- (a) engages in a business, activity or relationship with anyone who is party to a transaction with our company;
- (b) is in a position to derive an improper benefit, personally or for any family member or for any person in a close personal relationship, by making or influencing decisions relating to any transaction;
- (c) conducts business on behalf of our company or is in a position to influence a decision with regard to our company's business with a supplier or customer where a relative of, or a person in close personal relationship with, an employee or executive director is a principal officer or representative, resulting in a personal benefit or a benefit to the relative;
- (d) is in a position to influence decisions with regard to award of benefits such as increase in salary or other remuneration, posting, promotion or recruitment of a relative or a person in close personal relationship employed in our company or any of our group companies;
- (e) undertakes an activity by which the interest of our company or our group companies can be compromised or defeated; or
- (f) does anything by which an independent judgement of our company's or our group companies' best interest cannot be exercised.

28. If there is a failure to make the required disclosure and our management becomes aware of an instance of conflict of interest that ought to have been disclosed by an employee or executive director, our management shall take a serious view of the

matter and consider suitable disciplinary action as per the terms of employment. In all such matters, we shall follow clear and fair disciplinary procedures, respecting the employee's right to be heard.

### Examples of activities normally approved (post-disclosure) as per applicable company policy

Acceptance of a position of responsibility (whether for remuneration or otherwise) in the following cases would typically be permitted, provided the time commitments these demand do not disturb or distract from the employee's primary duties and responsibilities in our company, and are promptly disclosed to the relevant competent authority:

- (a) Directorships on the Boards of any of our group companies, joint ventures or associate companies.
- (b) Memberships/positions of responsibility in educational/professional bodies, where such association will promote the interests of our company.
- (c) Memberships or participation in government committees/bodies or organisations.

### Q&A

**You are in a relationship with a colleague who has been recently moved into your team and would now be reporting to you. What should you do?**

Romantic or close personal relationships with another employee where a reporting relationship exists and one is responsible for evaluating the other's performance, is likely to create a conflict of interest. In such a situation, you would need to report the potential conflict to your supervisor.

**Your company is submitting a proposal to a company in which you were previously employed. You have confidential information pertaining to your previous employer, which you believe will help your present employer in winning the contract. Should you share this information?**

No. You should not share this information with your company since it relates to confidential information of a third party. Your company respects its employees' duty to protect confidential information that they may have relating to their previous employers.

**You are the purchasing manager in the procurement department of your company. You receive an invitation from a supplier to attend a premier sporting event as her guest. This particular supplier is one of the vendors who has submitted a proposal for an open tender issued by your company. Should you accept the invitation?**

No. You should not accept the invitation in this instance. Since you are in a key decision-making role for the tender, any unusual benefit that you receive could be perceived as an inducement that could compromise your objectivity.

## OUR CUSTOMERS



We have continued to enjoy prosperity, even with adverse times to fight against. Our relations with all concerned are the most friendly. We have maintained the same character for straight-forward dealing with our constituents and customers. Our productions have continued to be of the same high quality, and therefore command the best reputation and realise the highest prices. ... I mention these facts only to point out that with honest and straight-forward business principles, close and careful attention to details, and the ability to take advantage of favourable opportunities and circumstances, there is a scope for success.

**Jamsetji Tata**

Founder of the Tata group  
Chairman, Tata Sons (1868 – 1904)

## E. OUR CUSTOMERS

### Products and services

1. We are committed to supplying products and services of world-class quality that meet all applicable standards.
2. The products and services we offer shall comply with applicable laws, including product packaging, labelling and after-sales service obligations.
3. We shall market our products and services on their own merits and not make unfair or misleading statements about the products and services of our competitors.

### Export controls and trade sanctions

4. We shall comply with all relevant export controls or trade sanctions in the course of our business.

### Fair competition

5. We support the development and operation of competitive open markets and the liberalisation of trade and investment in each country and market in which we operate.
6. We shall not enter into any activity constituting anti-competitive behaviour such as abuse of market dominance, collusion, participation in cartels or inappropriate exchange of information with competitors.
7. We collect competitive information only in the normal course of business and obtain the same through legally permitted sources and means.

### Dealings with customers

8. Our dealings with our customers shall be professional, fair and transparent.
9. We respect our customers' right to privacy in relation to their personal data. We shall safeguard our customers' personal data, in accordance with applicable law.



## Q&A

**You are the Regional Sales Manager of our company. You have become a member of an “informal group”, on an instant messaging service, whose members are the regional sales heads of our company’s competitors. The administrator of the group has requested an in-person meeting to informally discuss market conditions and brainstorm on “pricing strategy” from an industry perspective. What should you do?**

Any meeting with competitors, especially to discuss “pricing strategy”, could be an attempt to promote an anti-competitive practice or manipulate prices. You should respond by declining this invitation and exiting the “informal group”. You should also report this incident to your supervisor and your Legal department.

**You are attending a customer meeting with a colleague, and your colleague makes an untruthful statement about the company’s services. What should you do?**

You should assist your colleague in correcting the inaccuracy during the meeting if possible. If this is not possible, raise the issue with your colleague after the meeting to enable him/her or the company to correct any misrepresentation made to the customer.

**While working on a customer project, you receive a call from your colleague. He used to manage that customer account before you took over his role. He recalls that he had worked with the customer on developing a new ordering system which he thinks would be beneficial for another customer and requests you to send him the project details. What should you do?**

You must not share this information without specific approval of the customer; you are not permitted to use a customer’s assets, including software, for another customer or for any personal use.

## REMEMBER...

Striving for excellence in the standards of our work and in the quality of our goods and services is a core Tata value. It is the unwavering practice of this value that builds and sustains customer trust in our brand.

# OUR COMMUNITIES AND THE ENVIRONMENT



In a free enterprise, the community is not just another shareholder in business but is in fact the very purpose of its existence.

**Jamsetji Tata**

Founder of the Tata group  
Chairman, Tata Sons (1868 – 1904)

## F. OUR COMMUNITIES AND THE ENVIRONMENT

### Communities

1. We are committed to good corporate citizenship, and shall actively assist in the improvement of the quality of life of the people in the communities in which we operate.
2. We engage with the community and other stakeholders to minimise any adverse impact that our business operations may have on the local community and the environment.
3. We encourage our workforce to volunteer on projects that benefit the communities in which we operate, provided the principles of this Code, where applicable, and in particular the 'Conflicts of Interest' clause are followed.

### The environment

4. In the production and sale of our products and services, we strive for environmental sustainability and comply with all applicable laws and regulations.
5. We seek to prevent the wasteful use of natural resources and are committed to improving the environment, particularly with regard to the emission of greenhouse gases, consumption of water and energy, and the management of waste and hazardous materials. We shall endeavour to offset the effect of climate change in our activities.

## OUR VALUE-CHAIN PARTNERS



If we had done some of the things that some other groups have done, we would have been twice as big as we are today.  
But we didn't, and I would not have it any other way.

**J.R.D. Tata**

Chairman, Tata Sons (1938 – 1991)

(on the pace of expansion of the Tata group in the 1960s and 70s)

## G. OUR VALUE-CHAIN PARTNERS

1. We shall select our suppliers and service providers fairly and transparently.
2. We seek to work with suppliers and service providers who can demonstrate that they share similar values. We expect them to adopt ethical standards comparable to our own.
3. Our suppliers and service providers shall represent our company only with duly authorised written permission from our company. They are expected to abide by the Code in their interactions with, and on behalf of us, including respecting the confidentiality of information shared with them.
4. We shall ensure that any gifts or hospitality received from, or given to, our suppliers or service providers comply with our company's gifts and hospitality policy.
5. We respect our obligations on the use of third party intellectual property and data.

### Q&A

**You head the procurement function in our company. You have tight budgetary constraints for a project that you are working on. In order to complete the project within the targeted costs, you intend to request your supplier to provide you an exceptional discount on this project order on the understanding that you would "make it up to him" in future orders. Would you be violating the Code?**

Yes, you would. Inducement in any form, including future benefits to the supplier, could compromise your ability to act objectively and in the best interests of the company and therefore must be avoided.

### REMEMBER...

Our value-chain partners would include our suppliers and service providers, distributors, sales representatives, contractors, channel partners, consultants, intermediaries and agents; joint-venture partners and other business associates.

## OUR FINANCIAL STAKEHOLDERS



Ethical behaviour in business – in every sphere and with all constituents – has been the bedrock on which the Tata group has built, and operates, its enterprises. This has been an article of faith for the group ever since its inception, a fundamental element of our cherished heritage and the essence of our way of life.

**Ratan Tata**

Chairman, Tata Sons (1991 – 2012)

## H. OUR FINANCIAL STAKEHOLDERS

1. We are committed to enhancing shareholder value and complying with laws and regulations that govern shareholder rights.
  2. We shall inform our financial stakeholders about relevant aspects of our business in a fair, accurate and timely manner and shall disclose such information in accordance with applicable law and agreements.
  3. We shall keep accurate records of our activities and shall adhere to disclosure standards in accordance with applicable law and industry standards.
-

# GOVERNMENTS



Business, as I have seen it, places one great demand on you; it needs you to impose a framework of ethics, values, fairness and objectivity on yourself at all times. It is not easy to do this; you cannot impose it on yourself forcibly because it has to become an integral part of you.

**Ratan Tata**

Chairman, Tata Sons (1991 – 2012)



## I. GOVERNMENTS

### Political non-alignment

1. We shall act in accordance with the constitution and governance systems of the countries in which we operate. We do not seek to influence the outcome of public elections, nor to undermine or alter any system of government. We do not support any specific political party or candidate for political office. Our conduct must preclude any activity that could be interpreted as mutual dependence/favour with any political body or person, and we do not offer or give any company funds or property or other resources as donations to any specific political party, candidate or campaign.

Any financial contributions considered by our Board of Directors in order to strengthen democratic forces through a clean electoral process shall be extended only through the Progressive Electoral Trust in India, or by a similar transparent, duly-authorised, non-discriminatory and non-discretionary vehicle outside India.

### Government engagement

2. We engage with the government and regulators in a constructive manner in order to promote good governance. We conduct our interactions with them in a manner consistent with our Code.
3. We do not impede, obstruct or improperly influence the conclusions of, or affect the integrity or availability of data or documents for any government review or investigation.

## OUR GROUP COMPANIES



I do not think anyone was on par with Jamsetji as an industrial visionary. But that is not the sole reason why I have been an admirer of Jamsetji. The major reason was his sense of values, sterling values, which he imparted to this group. If someone were to ask me, what holds the Tata companies together, more than anything else, I would say it is our shared ideals and values which we have inherited from Jamsetji Tata.

**J.R.D. Tata**

Chairman, Tata Sons (1938 – 1991)

## J. OUR GROUP COMPANIES

1. We seek to cooperate with our group companies, including joint ventures, by sharing knowledge, physical resources, human and management resources and adopting leading governance policies and practices in accordance with applicable law including adherence to competition law, where relevant.
2. We shall strive to achieve amicable resolution of any dispute between us and any of our group companies, through an appropriate dispute resolution mechanism so that it does not adversely affect our business interests and stakeholder value.
3. We shall have processes in place to ensure that no third party or joint venture uses the TATA name/brand to further its interests without proper authorisation.
4. Our Board of Directors shall consider for adoption policies and guidelines periodically formulated by Tata Sons and circulated to group companies.

### Q&A

**You are in the process of selecting potential vendors for an IT project in our company. In the final shortlist of two companies, one is a new start-up with limited references and a lower price-quotation, while the other is a Tata company with thirty years of implementation experience and good references, but a marginally higher quote for the same job. With all other parameters of choice being nearly equal, which company should you select for the job?**

While price is undoubtedly an important criterion for decision making, it is clearly not the only one to be evaluated. You may also need to consider good customer references, proven track record and shared value systems in order to decide on your IT partner.

**You are in the process of selecting potential vendors for a project. One of the three finalists is a group company. In reviewing the final proposals, you rank the group company second out of the three proposals based on pricing and total cost of ownership, and select the first-ranked vendor. Is this the right decision?**

Yes. You should select the vendor that, on its own merits, is the vendor that is most appropriate for your company's requirements. You should not select a group company only because of its affiliation.

## RAISING CONCERNS

We encourage our employees, customers, suppliers and other stakeholders to raise concerns or make disclosures when they become aware of any actual or potential violation of our Code, policies or law. We also encourage reporting of any event (actual or potential) of misconduct that is not reflective of our values and principles.

Avenues available for raising concerns or queries or reporting cases could include:

- immediate line manager or the Human Resources department of our company
- designated ethics officials of our company
- the 'confidential reporting' third party ethics helpline (if available)
- any other reporting channel set out in our company's 'Whistleblower' policy.

We do not tolerate any form of retaliation against anyone reporting legitimate concerns. Anyone involved in targeting such a person will be subject to disciplinary action.

If you suspect that you or someone you know has been subjected to retaliation for raising a concern or for reporting a case, we encourage you to promptly contact your line manager, the company's Ethics Counsellor, the Human Resources department, the MD/CEO or the office of the group's Chief Ethics Officer.

### Q&A

**My supervisor has asked me to do something which I believe may be illegal. I am afraid if I do not do what I am told, I could lose my job. Should I do it?**

No. Breaking the law is never an option. Discuss the situation with your supervisor to be certain that you both understand the facts. If your concerns are not resolved, contact a higher level supervisor, the Ethics Counsellor, the Legal department or report them via the company's confidential reporting system, if available.

**I feel that my supervisor is treating me unfairly for reporting a concern to the Ethics Counsellor. What should I do?**

Retaliation against anyone who raises a concern is a violation of the Code. You should therefore promptly report this action of your supervisor to the Ethics Counsellor or the MD/CEO of your company or via the company's confidential reporting system, if available.

## ACCOUNTABILITY

This Code is more than a set of prescriptive guidelines issued solely for the purpose of formal compliance. It represents our collective commitment to our value system and to our core principles.

Every person employed by us, directly or indirectly, should expect to be held accountable for his/her behaviour. Should such behaviour violate this Code,

they may be subject to action according to their employment terms and relevant company policies.

When followed in letter and in spirit, this Code is *'lived'* by our employees as well as those who work with us. It represents our shared responsibility to all our stakeholders, and our mutual commitment to each other.

### SPEAK UP...

If you are unsure whether a particular action you are about to take is consistent with the principles set forth in the Code, ask yourself:

- Could it directly or indirectly endanger someone or cause them injury?
- Is it illegal/unlawful or out of line with our policies and procedures?
- Does my conscience reject it? Does it conflict with my personal values?
- Would I feel uncomfortable if the story appeared in the media? Would it shame my company, spouse, partner, parent or child?
- Does it 'feel' wrong?

If the answer to any of these questions is "Yes", please stop and consult your reporting manager, the Ethics Counsellor, the Human Resource department, the Legal department or any member of the senior management team, to assist you in making the decision.

**When faced with a dilemma:** Stop, Think, Act Responsibly

### NOTE

The Code does not provide a comprehensive and complete explanation of all expectations from a company standpoint or obligations from a stakeholder standpoint.

Our employees have a continuing obligation to familiarise themselves with all applicable law, group-level advisories and policies, company-level policies, procedures and work rules as relevant. For any guidance on interpretation of the Code, we may seek support from our company's Ethics Counsellor or from the group's Chief Ethics Officer, as appropriate.

All joint ventures are encouraged to adopt the Tata Code of Conduct (TCOC) or a code of conduct that incorporates all elements of the TCOC.

This version of the Tata Code of Conduct supersedes all earlier versions and associated documents and stands effective from 29<sup>th</sup> July, 2015.

For any query or clarification on the Code, please contact the office of the group's Chief Ethics Officer via email at: [ethicsoffice@tata.com](mailto:ethicsoffice@tata.com).

## TATA CODE OF CONDUCT – 2015

I acknowledge that I have received the Tata Code of Conduct.

I have read the Tata Code of Conduct and I acknowledge that as a Tata employee, I am required to comply with the guidelines described therein and failure to do so may subject me to action as per my employment terms and relevant company policies.

If I have a concern about a violation, or a potential violation of the Tata Code of Conduct, I understand that there are channels available to me in my company to report such concerns. By making use of these channels when necessary, I will play my part in maintaining the high ethical standards to which we hold ourselves.

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Name: \_\_\_\_\_

Department: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

*(Please submit this declaration to your Ethics Counsellor or the Human Resource department of your company.)*






[illegible]

NOTES

[illegible]





For further information on the Code please contact:  
The Ethics Office,  
Tata Sons Ltd.,  
Bombay House,  
24, Homi Mody Street,  
Mumbai – 400001, India.  
Email: [ethicsoffice@tata.com](mailto:ethicsoffice@tata.com)

## CORPORATE ENVIRONMENT POLICY


**Tata Power is committed to a clean, safe and healthy environment, and we shall operate our facilities in an environmentally sensitive and responsible manner. Our commitment to environmental protection and stewardship will be achieved by:**

- Complying with the requirements and spirit of applicable environmental laws and striving to exceed required levels of compliance wherever feasible
- Ensuring that our employees are trained to acquire the necessary skills to meet environmental standards
- Conserving natural resources by improving efficiency and reducing wastage
- Making business decisions that aim towards sustainable development
- Engaging with stakeholders to create awareness on sustainability



(Praveer Sinha)  
CEO & Managing Director

Date: 15<sup>th</sup> June, 2018



## CORPORATE SUSTAINABILITY POLICY

At Tata Power, our Sustainability Policy integrates economic progress, social responsibility and environmental concerns with the objective of improving quality of life. We believe in integrating our business values and operations to meet the expectations of our customers, employees, partners, investors, communities and public at large

- We will uphold the values of honesty, partnership and fairness in our relationship with stakeholders
- We shall provide and maintain a clean, healthy and safe working environment for employees, customers, partners and the community
- We will strive to consistently enhance our value proposition to the customers and adhere to our promised standards of service delivery
- We will respect the universal declaration of human rights, International Labour Organization's fundamental conventions on core labour standards and operate as an equal opportunities employer
- We shall encourage and support our partners to adopt responsible business policies, Business Ethics and our Code of Conduct Standards
- We will continue to serve our communities:
  - By implementing sustainable Community Development Programmes including through public/private partnerships in and around our area of operations
  - By constantly protecting ecology, maintaining and renewing bio-diversity and wherever necessary conserving and protecting wild life, particularly endangered species
  - By encouraging our employees to serve communities by volunteering and by sharing their skills and expertise
  - By striving to deploy sustainable technologies and processes in all our operations and use scarce natural resources efficiently in our facilities
  - We will also help communities that are affected by natural calamities or untoward incidence, or that are physically challenged in line with the Tata Group's efforts

The management will commit all the necessary resources required to meet the goals of Corporate Sustainability.



(Praveer Sinha)  
CEO & Managing Director

Date: 15<sup>th</sup> June, 2018

